

STOPS RUST® CUSTOM SPRAY 5-IN-1 ENAMELS

DESCRIPTION AND USES

Rust-Oleum® Stops Rust® Custom Spray 5-in-1 allows you to choose between 5 different spray patterns for ultimate control and confidence over your next project. The advanced Stops Rust formula provides 30% greater corrosion resistance and color retention compared to original matching Stops Rust colors with standard tip. Ideal for ferrous, nonferrous metal and wood surfaces. Not for use on galvanized metal.

PRODUCTS

DESCRIPTION (12 oz. Aerosol)		
Flat Black		
Flat White		
Flat Brown		
Satin Black		
Satin White		
Satin Coastal Gray		
Satin Dark Brown		
Satin Hunter Green		
Satin Shell White		
Satin Driftwood		
Satin Chestnut Brown		
Satin Dark Taupe		
Satin French Beige		
Satin Heritage Red		
Satin Sapphire		
Satin Peaceful Blue		
Satin Canyon Green		
Satin Earthy Green		
Satin Midnight Blue		
Satin Blue Haven		
Satin Artic White		
Satin Brick Red		
Semi-Gloss Black		
Semi-Gloss White		
Semi-Gloss Anodized Bronze		
Gloss Black		
Gloss White		
Gloss Antique White		
Gloss Charcoal Gray		
Gloss Cherry		
Gloss Dark Walnut		
Gloss Hunter Green		
Gloss Leather Brown		
Gloss Orange		
Gloss Regal Red		
Gloss Sail Blue		

PRODUCTS (cont.)

DESCRIPTION (12 oz. Aerosol)
Gloss Smoke Gray
Gloss Sunburst Yellow
Gloss Sunrise Red
Gloss Almond
Gloss Burgundy
Gloss Dark Hunter Green
Gloss Kona Brown
Gloss Navy Blue
Gloss Sand
Gloss Tuscan Sun
Gloss Maui Blue
Gloss Ink Black
Gloss Pure White
Gloss Laurel Green

PRODUCT APPLICATION

SURFACE PREPARATION

Remove all dirt, grease, oil, salt and chemical contaminants by washing the surface with a commercial detergent, or other suitable cleaning method. Rinse with fresh water and allow to thoroughly dry. Remove loose paint and rust with a wire brush or sandpaper. Previously coated surfaces must be sound and in good condition. Smooth, hard, or glossy finishes should be scarified by sanding to create a surface profile.

WARNING! If you scrape, sand or remove old paint from any surface, you may release lead paint dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE; ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Hotline at 1-800-424-LEAD or log on to www.epa.gov/lead.

PRIMING

Use of a Stops Rust Primer provides added corrosion protection, superior adhesion and hiding and is especially recommended for bare wood and metal.

Form: ARJ-2528 Rev.: 011223



STOPS RUST® CUSTOM SPRAY 5-IN-1 ENAMELS

PRODUCT APPLICATION (cont.)

APPLICATION

Use outdoors or in a well-ventilated area such as an open garage. Use when temperature is between 50-90°F (10-32°C) and humidity is below 65% to ensure proper drying. Do not apply to surfaces that, when heated, exceed 200°F (93°C) or galvanized metal. Avoid spraying in very windy, dusty conditions. Cover surrounding area to protect from spray mist.

Before spraying, turn dial to the desired spray pattern and test on an inconspicuous area or on scrap material. Scan QR code to learn more. Shake can vigorously for one minute after mixing ball begins to rattle. If mixing ball fails to rattle, DO NOT STRIKE CAN. Contact Rust-Oleum. Shake often during use. Keep the can the same distance from the surface. Recommended distance from the surface will vary based on spray selection. Scan QR code on can for details. Keep the can in motion while spraying. Spray in a steady back-and-forth motion, slightly overlapping each stroke. Spray at any angle. Apply 2 or more light coats a few minutes apart. Turn dial to LOCK position when finished spraying.

Dial Position	Spray Description	Recommend Spray Distance
1	High Output	10-14"
2	Standard	8-12"
3	Low Output	3-6"
4	Vertical Fan	8-12"
5	Horizontal Fan	8-12"

PRODUCT APPLICATION (cont.)

DRY AND RECOAT TIMES

Based on 70°F (21°C)-50% relative humidity. Allow more time at cooler temperatures. Dries to touch in 2-4 hours, to handle in 5-9 hours, and is fully dry in 24 hours. Apply a second coat or Clear coat within 1 hour or after 48 hours. Apply Clear in 2-3 light coats a few minutes apart. Primers may be top coated immediately.

DIAL CARE AND CLOGGING

To prevent clogging, clean face of the dial with mineral spirits when finished spraying. DO NOT remove cap or dial.

CLEAN UP

To remove wet paint, clean with mineral spirits. Throw away empty can in trash pickup. Do not burn or place in home trash compactor.

Form: ARJ-2528 Rev.: 011223



STOPS RUST® CUSTOM SPRAY 5-IN-1 ENAMELS

PHYSICAL PROPERTIES

		STOPS RUST CUSTOM 5-IN-1 SPRAYS
Resin Type		Oil modified Alkyd
Pigment Type		Varies depending on color
Solvents		Acetone, N-Butyl Acetate, Aromatic Hydrocarbons
MIR		Flat - 0.80 max Gloss, Satin and Semi-Gloss - 0.95 max
Fill Weight		12 oz.
Recommended Dry Film Thickness (DFT) per Coat		1.0-2.0 mils
Practical Coverage at Recommended DFT (assume 15% material loss)		6-10 sq. ft./can
Dry Times at 70-80°F (21-27°C) and 50% Relative Humidity	Touch	2-4 hours
	Handle	5-9 hours
	Recoat	Before 1 hour and after 48 hours
Shelf Life		5 years
Flash Point		-141°F (-96°C)
Safety Information		For additional information, see SDS

Calculated values are shown and may vary from the actual manufactured material.

The technical data and suggestions for use contained herein are correct to the best of our knowledge, and offered in good faith. The statements of this literature do not constitute a warranty, express, or implied, as to the performance of these products. As conditions and use of our materials are beyond our control, we can guarantee these products only to conform to our standards of quality, and our liability, if any, will be limited to replacement of defective materials. All technical information is subject to change without notice.



Phone: 800-481-4785 www.rustoleum.com

Form: ARJ-2528 Rev.: 011223