




# PROTECTION FROM THE INSIDE OUT



FUEL ADDITIVES

STA-BIL STORAGE®

Fuel Stabilizer

|               |                                            |
|---------------|--------------------------------------------|
| TREAT RATE:   | 1 OZ. TO 2.5 GAL                           |
| USAGE:        | OUT OF SEASON STORAGE                      |
| AVAILABLE IN: | 4 OZ, 8 OZ,<br>10 OZ, 16 OZ, 32 OZ, 1 GAL. |



- America's #1 fuel stabilizer.
- Keeps fuel fresh for up to 24 months.
- For quick, easy starts after storage.
- Protects fuel system from gum & varnish buildup.
- Effective in all non ethanol gasoline & ethanol blended fuels.

STA-BIL 360° MARINE®

Ethanol Treatment & Fuel Stabilizer

|               |                                      |
|---------------|--------------------------------------|
| TREAT RATE:   | 1 OZ. TO 10 GAL                      |
| USAGE:        | IN-SEASON/BOAT STORAGE               |
| AVAILABLE IN: | 8 OZ, 10 OZ,<br>16 OZ, 32 OZ, 1 GAL. |



- America's most preferred marine ethanol treatment.
- Prevents corrosion.
- Enhanced water remover.
- Helps clean fuel system to improve performance.
- Stabilizes fuel up to 12 months.
- Engineered for everyday use.

FUEL ADDITIVES

STA-BIL 360° PROTECTION®

Ethanol Treatment & Fuel Stabilizer

|               |                             |
|---------------|-----------------------------|
| TREAT RATE:   | 1 OZ. TO 5 GAL              |
| USAGE:        | YEAR ROUND                  |
| AVAILABLE IN: | 4 OZ, 8 OZ,<br>10 OZ, 32 OZ |



- America's #1 ethanol treatment.
- Prevents corrosion caused by ethanol blended fuels.
- Increases power & fuel efficiency.
- Effective in ethanol & non-ethanol blended fuels.
- Stabilizes fuel for up to 12 months.
- Engineered for everyday use.

WHICH ADDITIVE DO I USE?

|                                                  |   |   |   |
|--------------------------------------------------|---|---|---|
|                                                  |   |   |   |
| I AM STORING FOR LESS THAN 1 YEAR                | × | × |   |
| I AM STORING FOR 1 YEAR OR LONGER                |   |   | × |
| I HAVE GUM AND VARNISH BUILDUP IN MY FUEL SYSTEM | × | × |   |
| I USE ETHANOL BLENDED FUELS                      | × | × |   |
| I HAVE ENCOUNTERED ROUGH IDLING RECENTLY         | × | × |   |
| DECLINING OCTANE                                 | × | × | × |
| I NOTICED A LITTLE WATER IN MY FUEL TANK         | × | × | × |

## DIESEL

### STA-BIL® DIESEL ALL SEASON

TREAT RATE: 20 OZ. TO 150 GAL

USAGE: ALL SEASON

AVAILABLE IN: 20 OZ , 32 OZ



- Advanced year-round formula for all your additive needs
- Cleans and lubricates entire fuel system
- Demulsifies water
- Anti-gel protection down to -40°F
- Boosts Cetane
- Safe for all diesel engines

## DIESEL

### STA-BIL® POWER BOOST

TREAT RATE: 20 OZ. TO 150 GAL

USAGE: IN-SEASON

AVAILABLE IN: 20 OZ



- The Maximum Cetane Boost you can buy!
- Boosts cetane up to 7 numbers
- Improves fuel economy
- Improves available power
- Cleans and lubricates entire fuel system
- Safe for all diesel engines

### STA-BIL® DIESEL ALL WINTER

TREAT RATE: 20 OZ. TO 150 GAL

USAGE: WINTER

AVAILABLE IN: 20 OZ, 32 OZ



- Protects against fuel gelling to - 40°F.
- Lowers cold filter plugging point by up to 36°F.
- Easy pour spout and anti-slip bottle.
- Safe for all diesel engines.

### STA-BIL® DIESEL

TREAT RATE: 1 OZ. TO 10 GAL

USAGE: STORAGE

AVAILABLE IN: 32 OZ, GAL.,



- America's #1 fuel stabilizer.
- Helps remove water & prevents corrosion.
- Lubricates & cleans fuel system.
- Prevents sludge & sediment formation.
- Keeps diesel fuel fresh for up to 12 months during storage.
- Effective in all bio-diesel and ultra low sulfur diesel fuels.

## AEROSOLS

### STA-BIL® RUST STOPPER

**USAGE:** IN-SEASON/STORAGE  
**AVAILABLE IN:** 13 OZ AEROSOL



- Stops existing rust & corrosion from spreading.
- Lubricates and penetrates.
- Long lasting & water resistant.
- Features an easy-to-use dual function sprayer.
- Works on electrical components and painted surfaces.

### STA-BIL® FOGGING OIL

**USAGE:** STORAGE  
**AVAILABLE IN:** 12 OZ AEROSOL



- Coats internal engine components.
- Lubricates and protects cylinders.
- Displaces moisture from metal to prevent corrosion.
- For all 2 & 4-cycle engines.
- Features an easy-to-use dual function sprayer.

## AEROSOLS

### STA-BIL® STARTING FLUID

**USAGE:** IN-SEASON  
**AVAILABLE IN:** 11 OZ AEROSOL



- Guaranteed faster starts down to -65°F.
- Upper cylinder lube & corrosion inhibitor.
- For all gasoline and diesel engines.
- Higher ether content delivers faster starts.
- Saves starter and battery.
- Will not harm catalytic converters or oxygen sensors.

### STA-BIL® CARB/CHOKE & PARTS CLEANER

**USAGE:** IN-SEASON  
**AVAILABLE IN:** 12 OZ AEROSOL



- Dissolves gum, varnish, dirt, & carbon deposits.
- High grade formula makes cleaning unpainted metal parts easy.
- Aids in faster starting and smoother idling.
- Helps restore performance and gas mileage.
- For all carbureted internal combustion engines.
- Safe for catalytic converters and oxygen sensors.

## SMALL ENGINE

### STA-BIL® START YOUR ENGINES!

Fuel System Revitalizer

|               |                     |
|---------------|---------------------|
| TREAT RATE:   | TREATS 1 GAL.       |
| USAGE:        | START OF THE SEASON |
| AVAILABLE IN: | 2 OZ                |



- For use in all small 2 and 4-cycle engines.
- Ensures quick starting coming out of storage and throughout the season.
- Smooths out rough idle and helps eliminate warm stalling.
- Easy, one-shot (dose) can.
- Effective as a fuel additive.
- Can also be used as a Starting Fluid.

### STA-BIL® SMALL ENGINE PRO

Multi-System Additive

|               |                |
|---------------|----------------|
| TREAT RATE:   | 1 OZ. TO 1 GAL |
| USAGE:        | IN-SEASON      |
| AVAILABLE IN: | 16 OZ          |



- Cleans injectors & carburetors.
- Lubricates valves & pistons.
- Quiets noisy engines.
- Protects against ethanol.

## SMALL ENGINE

### STA-BIL® 2-CYCLE OIL

With Fuel Stabilizer

|               |                      |
|---------------|----------------------|
| TREAT RATE:   | WORKS IN 40:1 & 50:1 |
| USAGE:        | IN-SEASON/STORAGE    |
| AVAILABLE IN: | 2.6 OZ, 13 OZ        |



- 40:1 | 50:1
- Stabilizes fuel for 12 months & protects against ethanol issues.
- Meets or exceeds all Jaso-FD requirements.
- For power mowers, chain saws, motorcycles, snowmobiles, ATV's, etc.
- Ashless - burns clean to minimize deposits, plug fouling, ring sticking, and port plugging.
- Protects vital engine parts.
- Pre-diluted for easy mixing with gasoline.

### STA-BIL® FAST FIX

Fuel System Cleaner

|               |                  |
|---------------|------------------|
| TREAT RATE:   | 1 OZ. TO 2.5 GAL |
| USAGE:        | IN-SEASON        |
| AVAILABLE IN: | 4 OZ, 8 OZ       |



- Fixes poor or non-running engines.
- Corrects issues caused by ethanol blended fuels.
- Cleans fuel system.
- Prevents the need to disassemble engines.

## SMALL ENGINE

### STA-BIL® PUMP PROTECTOR

|               |              |
|---------------|--------------|
| USAGE:        | STORAGE      |
| AVAILABLE IN: | 4 OZ AEROSOL |



- Protects pressure washer pump and other internal components during storage.
- Next gen anti-freeze & lubricant formula.
- Use before storage of pressure washer and at start-up for the season.
- Protects pistons and seals from damage during storage to ensure easy start-ups.
- Helps prevent harmful buildup of hard water mineral deposits.



## SPECIALTY ITEMS

### STA-BIL® BATTERY MAINTAINER

|               |         |
|---------------|---------|
| TREAT RATE:   | 2 AMP   |
| USAGE:        | STORAGE |
| AVAILABLE IN: | 2 AMP   |




- For maintaining motorcycle, car & marine batteries.
- Multi-stage charging.
- Automatic voltage detection.
- Glowing charger status interface.
- Set it & forget it!



# GASOLINE STABILITY TEST


(% OF TIME INCREASE OF FUEL STABILITY VS BASE TEST FUEL)



\* Tests conducted using modified ASTM D525/ASTM D4814 Automotive Spark Ignition Engine Fuel standard, using E10 blended gasoline. ASTM D525 is a short-term stability test that accelerates oxidation by heating the fuel sample to 212°F, which may exceed normal fuel system operating temperatures. Test performed by independent testing lab. Base fuel contains no fuel stabilizing agents or other additives and may vary in composition from E10 fuel purchased at the pump. Chart shows % increase in fuel stability score - measured by the number of minutes until a 20% oxygen pressure drop occurs - for baseline test fuel blended with treatment additives as compared to the stability score of the same baseline fuel, unadditized. All tested fuels, including the unadditized baseline test fuel, obtained a score greater than 240 minutes, the minimum standard for short-term stability under ASTM D4814, for fuel leaving a refinery.

Test Data from September 21<sup>st</sup>, 2019



## THE STA-BIL® BRAND OUTPERFORMS COMPETITION IN CORROSION CONTROL TESTING



\* CORROSION CONTROL TEST IS AN ACCELERATED CORROSION TEST BASED ON A MODIFICATION OF THE NACE TM 0172 TEST PROTOCOL, REPLACING DISTILLED WATER WITH SYNTHETIC SEA WATER PER ASTM D665 PART B. SYNTHETIC SEA WATER IS MORE LIKELY TO CAUSE CORROSION THAN DISTILLED WATER. UNTREATED CARBON STEEL RODS DEPICTED PLACED IN A BASE FUEL BLEND OF E10 GASOLINE AND SYNTHETIC SEA WATER FOR 4 HOURS. GRADES "A" & "B" ARE PASSING GRADES, "C" AND BELOW FAIL THE STANDARD. TESTING AND GRADING PERFORMED BY INDEPENDENT TESTING LAB. BASELINE TEST FUEL CONTAINS NO CORROSION-INHIBITING AGENTS OR OTHER ADDITIVES AND MAY VARY IN COMPOSITION FROM E10 FUEL PURCHASED AT THE PUMP. TEST DATA FROM 2019

CONNECT WITH US


# FOLLOW AND SUBSCRIBE TO OUR PAGES AND CHANNELS FOR PRODUCT LAUNCHES, TUTORIALS, TRADE SHOWS AND DAILY UPDATES



## YOUTUBE

Check out our YouTube channel for product demonstrations and how-to videos!

CONNECT WITH US



## INSTAGRAM @STABILBRAND

Follow us on Instagram for daily updates, behind-the-scenes footage, new products, upcoming trade shows and much more!

## FACEBOOK @STABILBRAND

Join our growing community on Facebook to keep up to date on the fuel and automotive industry.



STA-BIL.COM

READY. WILLING. STA-BIL.

## HISTORY

For over 60 years, we have engineered **STA-BIL®** to be the most reliable and trusted name in fuel stabilizers and treatments. And if we've learned one thing along the way, it's this: We love our boats, cars and outdoor power equipment not just for what they are, but for where they take us.

They take us to the open road. To unforgettable afternoons on the lake. To industry showcases to honor her like the work of art she is. Even your lawnmower is a means of turning your yard into a gathering space and a sight to behold.

Simply put, we exist to make sure the things that move you are always ready to do so. And as **America's #1 fuel stabilizer**, the **STA-BIL®** difference isn't just what's inside the bottle. It's in our expert tips online. It's in 60 years of research, testing, learning and improving. And most importantly, it's in never losing sight of why we exist.

**STA-BIL®** additives and fuel stabilizers may live in your garage, but they're built to help you experience far more.

So keep driving, riding, toasting and floating. We'll help you make sure your means of escape is always prepared for departure.

## OEM ENDORSEMENTS

### STA-BIL® PRODUCTS ARE THE MOST RECOMMENDED ON THE MARKET



**GENERAC**

**WISCONSIN  
MOTORS, LLC**

**MTD**  
For A Growing World.

**Agri-Fab**  
Lawn Care Made Easy

**AMERICAN  
SPORTWORKS**

**Pressure-Pro**

**CY  
CARVER  
YACHTS**

**HELL'S BAY  
HIB  
BOATWORKS**

**REGAL**

**tigé  
BOATS**

**RINKER**

**GROSS HOPPER**  
IT'S SO MUCH MOWER®

**Correct Craft, Inc.**  
Manufacturer of Nautique Boats

**Chris-Craft**

**FORMULA**

**PLEASURECRAFT ENGINE GROUP**  
**PCM Crusader**

**Land Pride**

**CENTURION**

**ALUMAWELD**

**MasterCraft**

**TIARA  
YACHTS**

**CENTURY**  
B.O.A.T.S.  
DEMAND IT ALL

**MARINEPOWER**  
THE FORCE BEHIND THE FUN

**SAFECROSS  
SOLUTIONS**

**permaGreen**

**MotoFins**

**SWISHER**

**Lil' BUBBA**  
CURB  
MACHINES

**SCB**

## STA-BIL® STORAGE, PROTECTION & MARINE

### How can I determine the age of my bottle?

The stamp/code on the back of the bottle will help determine the date it was manufactured. For example: 15120-83318-1658. This bottle based on the code was made in April 2015. The first two numbers determine the year and the three numbers tell you what day in the year based on the JULIAN Date Calendar.

### Will over-dosage cause any harm?

No, over-dosage is perfectly OK. However, we do not recommend adding more than 4 times the recommended amount. If more than 4 times has been added we recommend to dilute the fuel.

### Does STA-BIL® evaporate when spilled?

STA-BIL® will eventually evaporate, although this can take some time. However, a stain may occur depending on the type of surface it may have been spilled. For cleaning, we recommend alcohol or soap & water.

### My bottle has turned a brown color, is it still OK to use?

Yes, it is normal for the dye of the liquid to change color and this is no indication of the product's efficacy.

### What is the shelf life of all STA-BIL® products?

2 years after opening, or 5 years from date code.



***READY.  
WILLING.***



**Gold Eagle Co.  
4400 S. Kildare, Chicago, IL 60632  
(800) 367-3245  
[marketing@goldeagle.com](mailto:marketing@goldeagle.com)  
[www.sta-bil.com](http://www.sta-bil.com)**