



HOT SHOT'S *SECRET*

POWERED BY SCIENCE



HOT SHOT'S SECRET FAMILY OF PRODUCTS PRODUCT GUIDE

POWERED BY SCIENCE



IN A QUEST FOR INNOVATION, CONSTANT REEVALUATION IS THE KEY. Hot Shot's Secret is known for having the highest quality, most robust products available on the market. This is possible due to the world-class Research and Development team at LSI, led by LSI founder Chris Gabrelcik and Vice President of Research and Development, Kevin Adams.

In the words of CEO Chris Gabrelcik, "It is our goal to bring extreme duty, high performance, custom made products (typically only available to high end customers) to end users.

"We find products being used by industrial and commercial customers and offer them in small quantities to everyday users. Products that have been engineered to resolve issues, make equipment last longer and improve efficiency."

Hot Shot's Secret products are constantly being reevaluated and put through rigorous testing to ensure they are of the highest quality.

TABLE OF CONTENTS

STICTION ELIMINATOR.....	2	SHIFT RESTORE.....	15
FR3 FRICTION REDUCER	4	RV FAMILY OF PRODUCTS	16
DIESEL EXTREME	6	ADRENALINE OILS.....	18
EVERYDAY DIESEL TREATMENT.....	8	SEVERE DUTY OILS	22
LX4 LUBRICITY EXTREME.....	10	EUROPEAN OILS	26
GASOLINE EXTREME	11	BY-PASS FILTERS	27
DIESEL WINTER ANTI-GEL	12	FLUID ANALYSIS.....	28
DIESEL WINTER RESCUE	13	SPRAY LUBRICANTS.....	29
TBN BOOSTER.....	14	ANTIFREEZE.....	30



CHRIS GABRELCIK
Developer of Hot Shot's Secret
STICTION ELIMINATOR & founder
of Lubrication Specialties, Inc.

LSI FOUNDER

Chris Gabrelcik is one of a select few in the entire world that holds both titles of Certified Lubrication Specialist (CLS) and Oil Management Analyst (OMA). He is also a member of the Society of Tribologists and Lubrication Engineers (STLE), and Association of Diesel Specialists (ADS). He attends annual STLE and ADS conferences to remain informed on the latest scientific advances and studies available to the industry. He began Lubrication Specialties, Inc. in 1997, and since the development of Hot Shot's Secret THE ORIGINAL STICTION ELIMINATOR in 2004, his company has grown rapidly and continues to do so as he strives to bring forward the highest quality products possible to his customers. Lubrication Specialties, Inc. is a proud member of the Better Business Bureau.



2 STEP FUEL TREATMENT

STEP 1 **DIESEL EXTREME** is the initial treatment for the entire fuel system. Its high cetane concentration provides an explosive burning of the fuel, while cleaning and protecting the tank and lines to prevent future damage.

*Use once every 6,000 miles



CLEANS

INJECTOR TIPS



BOOSTS

CETANE UP TO 7 PTS



RESTORES

THROTTLE



DIESEL FUEL INJECTOR

BEFORE
AFTER

STEP 2 **EDT** has a powerful level of injector cleaner, lubricity additives, corrosion inhibitors, water dispersants and fuel stabilizers. EDT should be used at every fill up to turn standard pump diesel into premium diesel.

*Use with every tank fill



BOOSTS

CETANE UP TO 7 PTS



INCREASES

FUEL ECONOMY



INCREASES

LUBRICITY



2 STEP OIL TREATMENT

STEP 1 **STICTION ELIMINATOR** is a unique blend of synthetic cleaner and a proprietary carbon nano lubricant that cleans stiction while reducing the coefficient of friction.

*Use with initial oil change



RESTORES

POWER & COMPRESSION



REDUCES

WEAR



PROTECTS

TURBO INJECTORS & RINGS



TURBO BEARING

BEFORE
AFTER

STEP 2 **FR3 FRICTION REDUCER** provides patented technology that fills and attaches itself to the microscopic crevices inside the engine.

*Use with following 2 oil changes



5% INCREASE

IN FUEL ECONOMY



5% INCREASE

IN HORSEPOWER



REDUCES

ENGINE WEAR UP TO 43%

(verified by 3rd party ASTM testing)



REMOVES STICTION IN 100% OF ENGINES

STICTION ELIMINATOR



HIGH PERFORMANCE OIL ADDITIVE

62%

REDUCES WEAR BY **UP TO 62% MORE** THAN OUR COMPETITORS

(verified by 3rd party ASTM testing)

50%

REMOVES **50% MORE STICTION** THAN COMPETITORS

(verified by 3rd party ASTM testing)

9
out of 10

RESTORES **9 OUT OF 10** "FAILING" HEUI INJECTORS

IMPROVES POWER & COMPRESSION

OIL TREATMENT
FOR BOTH
GAS & DIESEL
APPLICATIONS

ENGINE RESTORATIVE + FR3 NANO-LUBRICANT

CLEANS & LUBRICATES

STICTION ELIMINATOR is a unique blend of synthetic cleaner and a proprietary carbon nano lubricant that cleans stiction while reducing the coefficient of friction. Use in any gasoline or diesel engine to increase fuel economy, reduce wear and dissolve power robbing stiction (sludge).

(Use with Hot Shot's Secret fuel additive DIESEL EXTREME or GASOLINE EXTREME to also clean the fuel system and achieve best results.)

TREATMENT

Use approximately 4 OZ per 1 QT of oil for initial cleanup, 2 OZ per 1 QT of oil for maintenance. Add STICTION ELIMINATOR during a fresh oil change and leave in during entire oil change interval.

STICTION SYMPTOMS

"FAILING" HEUI INJECTORS	HARD STARTS
BLACK SMOKE	WEAK TURBO BOOST

AVAILABLE IN

16 OZ	#HSS16Z (\$19.95) UPC 8-37654-91435-9
1 QT	#HSS32Z (\$34.95) UPC 8-37654-91429-8
2 QT	#HSS64Z (\$59.95) UPC 8-37654-52387-2
1 GAL	#HSS01G (\$114.95) UPC 7-22512-38150-6
5 GAL	#HSS05G (\$515.95) UPC 7-22512-38157-5
55 GAL	#HSS55GD (\$5,155.95) UPC 7-22512-38156-8
275 GAL	#HSS275TOTE*

PRODUCT COLOR

dark w/green tint



THIS ENGINE WITH 215K MILES REGULARLY RUNS STICTION ELIMINATOR



THIS ENGINE WITH SIMILAR MILES HAS NEVER RUN STICTION ELIMINATOR

*Call for pricing

Prices Subject to Change



3RD PARTY TESTING

ASTM D4828 Standard Test Method

for practical washability of organic coatings

Hot Shot's Secret	Arch Oil	MotorKote	Rev X	STP
STICTION ELIMINATOR	FRICTION MODIFIER	STICTION REMOVER	HIGH PERFORMANCE	ULTRA 5 IN 1



Scrub Test Plates
WITH BURAT OIL (STICTION)

'Cleaned'
Scrub Test Plates
@ 30 CYCLES



92% clean



76% clean



39% clean



57% clean



65% clean



STICTION ELIMINATOR
removes more stiction than
leading competitors



FR3 FRICTION REDUCER

POWERED BY SCIENCE

HIGH PERFORMANCE OIL ADDITIVE

**firepunk
DIESEL**



**INCREASE HORSEPOWER
UP TO 5%**

(verified by 3rd party ASTM testing)



**INCREASE FUEL
ECONOMY UP TO 5%**

(verified by 3rd party ASTM testing)



**REDUCES OIL OPERATING
TEMPERATURE**



**REDUCES ENGINE WEAR
UP TO 43%**

(verified by 3rd party ASTM testing)



**RESTORES LOST
COMPRESSION,
REDUCES LIFTER & VALVE
NOISE**

**OIL TREATMENT
FOR BOTH
GAS & DIESEL
APPLICATIONS**

NANO-LUBRICANT + WEAR REDUCER

LUBRICATES

Hot Shot's Secret FR3 FRICTION REDUCER is a lubricity enhancing oil additive that increases the lubricating & wear reduction properties of the host oil. The product contains three patented synthetic lubricants that have unique lubricating properties even compared to PAO or mPAO synthetics of the same viscosity. The anti-wear component of the formula is a patented carbon nano particle that fills in microscopic irregularities on the machined surfaces. The synergy of these components extend the base oil performance in shear stability, oxidation stability, film strength & especially friction reduction.

TREATMENT

Use 1.5 OZ FR3 per 1 QT of oil.

APPLICATIONS & USES

FR3 100% Synthetic FRICTION REDUCER works in conventional oil & synthetic oil. FR3 can be added to diesel or gasoline engines, power-steering pumps, differentials, hydraulic systems in semi-trucks, pick-up trucks, construction/farm/lawn equipment, motorcycles, ATVs, autos & industrial applications.

You can use FR3 to treat any oil-lubricated system except air conditioning & aircraft. It is particularly effective in small two-cycle engines; just add FR3 to the oil before mixing it with fuel.

AVAILABLE IN

8 OZ #HSSFR308Z **(\$12.95)**

UPC 7-14983-28287-1

16 OZ #HSSFR316Z **(\$20.95)**

UPC 7-14983-28281-9

1 QT #HSSFR332Z **(\$36.95)**

UPC 8-37654-91436-6

2 QT #HSSFR364Z **(\$63.95)**

UPC 7-99493-81587-0

1 GAL #HSSFR301G **(\$121.95)**

UPC 7-31236-28519-9

5 GAL #HSSFR305G **(\$548.95)**

UPC 7-22512-38153-7

55 GAL #HSSFR355G **(\$5,490.95)**

UPC 7-22512-38152-0

275 GAL #HSSFR3275TOTE*



PRODUCT COLOR

clear w/yellow tint



*Call for pricing

Prices Subject to Change



firepunk
DIESEL

PROVEN & TRUSTED BY

Although machined surfaces may feel smooth to the touch, microscopically they have peaks and valleys. These irregularities can affect the lubricating film and can cause wearing throughout the system. FR3 FRICTION REDUCER's 3 patented synthetic lubricants are negatively charged and attach themselves to the lubricated surfaces inside a system. These carbon nano particles fill in these microscopic irregularities on the machined surface and provides a smoother surface for the lubricating film to form.

The synergy of these components extend the base oil performance in shear stability, oxidation stability, film strength & especially friction reduction.



THE MOST CONCENTRATED FUEL DETERGENT FORMULA

DIESEL EXTREME



POWERED BY SCIENCE

HIGH PERFORMANCE FUEL ADDITIVE



**EXCEEDS TOP
TIER DETERGENCY
REQUIREMENTS**



**BOOSTS CETANE UP
TO 7 PTS**



**REDUCES NEED FOR DPF
REGENERATION CYCLES
UP TO 50%**



**CLEANS CYLINDERS,
FUEL LINES, TANK &
DISPERSES MOISTURE**



**INCREASES MILEAGE
& DIESEL FUEL LUBRICITY**

CONCENTRATED INJECTOR CLEANER + CETANE BOOSTER

CLEANS & BOOSTS

DIESEL EXTREME is a fully formulated concentrated cleaner that removes all internal diesel injector deposits (IDID's) including waxy and polymeric deposits. In addition, DIESEL EXTREME contains a top tier level of cetane booster, lubricity additive and fuel stabilizer to provide maximum performance while cleaning the fuel system.

(To maintain the system cleanliness and performance use EDT additive daily on the fuel side and STICTION ELIMINATOR on the oil side of your engine.)

TREATMENT

Use 8 OZ per 20 gallons of diesel fuel. Add during fuel up and run every 6,000 miles for best results.

USE IN ALL DIESEL ENGINES (INCLUDING TIER 4 COMPLIANT)

Semi-trucks, pick-up trucks, farm equipment & autos.

Effective in all diesel engines including:

Ford Powerstroke, Dodge Cummins, GM Duramax, Freightliner, International, Volvo, Peterbilt, Kenworth, Mack, Saab, Volkswagen, Audi.

SYMPTOMS

If you are experiencing the following symptoms, try DIESEL EXTREME:

BLACK SMOKE	UNRESPONSIVE THROTTLE
POOR FUEL MILEAGE	MOISTURE IN FUEL

AVAILABLE IN

16 OZ #P040416Z **(\$14.95)**
UPC 8-37654-91433-5

1 QT #P040432Z **(\$25.95)**
UPC 8-37654-91434-2

2 QT #P040464Z **(\$43.95)**
UPC 8-37654-91420-5


1 GAL #P040401G **(\$83.95)**
UPC 7-22512-38151-3

5 GAL #P040405G **(\$375.95)**
UPC 6-08729-28210-5

55 GAL #P040455GD **(\$3,754.95)**
UPC 7-22512-38154-4

275 GAL #P0404275TOTE*

PRODUCT COLOR

 clear w/red tint



*Call for pricing

Prices Subject to Change



DIESEL ADDITIVE COMPARISON

	Hot Shot's Secret		Power Service		FPPF	Howes	Lucas	Stanadyne	
	DIESEL EXTREME		DIESEL MILEN + CETANE BOOST	DIESEL FUEL SUPPLEMENT	FUEL POWER	DIESEL TREAT	DIESEL DEEP CLEAN	PERFORMANCE	PERFORMANCE INJECTOR CLEANER
									
CETANE IMPROVER Increases Performance Cleaner Burn Reduces Major Cycles	48% - 100%	✓	✓	✓	none	none	none	✓	✓
	1% - 35%	✓	✓	none	none	none	none	none	✓
Additives to Clean IDID's (Internal Diesel Injector Deposits)	✓	✓	✓	none	none	none	none	none	✓
Strong Solvent > 5% (Injector Cleaner)	✓	✓	✓	✓	none	✓	✓	✓	none
DISPERSANT DPM, freeze point -9 F @ 10% (Major Grade)	✓	✓	none	none	✓	none	none	✓	none
	EB, freeze point 20 F @ 10%	✓	✓	✓	none	✓	none	✓	none
Lubricity Agent or Enhancer	✓	✓	✓	✓	none	✓	none	✓	none



EVERYDAY DIESEL TREATMENT (EDT)



POWERED BY SCIENCE

HIGH PERFORMANCE FUEL ADDITIVE



INCREASES DIESEL FUEL LUBRICITY UP TO 26% TO PROTECT AGAINST SCORING & WEAR
(verified by 3rd party testing)



CLEANS INJECTORS TO MAINTAIN EFFICIENCY & OPERABILITY



PREVENTS RUST FROM FORMING INSIDE THE FUEL SYSTEM



DEMULSIFIES WATER SO IT CAN BE SAFELY REMOVED FROM THE FUEL SYSTEM



STABILIZES DIESEL FUEL FOR LONG-TERM STORAGE

6 IN 1 FUEL BOOSTER

CLEANS DAILY - WARM WEATHER

EVERYDAY DIESEL TREATMENT contains a concentrated level of cetane booster which tremendously upgrades power and performance in all diesel equipment. EDT also has a powerful level of injector cleaner, our LX4 LUBRICITY EXTREME, corrosion inhibitors, water dispersants and fuel stabilizers. EDT should be used at every fill up to turn standard pump diesel into premium diesel.

TREATMENT

Use approximately 1-2 OZ per 25 GAL of diesel fuel.

PREMIUM DOSE	1 OZ / 25 GAL	16 OZ / 400 GAL
PERFORMANCE DOSE	2 OZ / 25 GAL	16 OZ / 200 GAL

SYMPTOMS

If you are experiencing the following symptoms, it is likely your vehicle is experiencing low cetane & injector deposits:

POOR MPG	POOR COLD WEATHER STARTING
LOSS OF POWER	POOR COMBUSTION

AVAILABLE IN

4 OZ	#HSEDT04Z (\$6.95) UPC 0-91131-22720-6
16 OZ ROUND	#HSEDT16Z (\$19.95) UPC 7-99493-81591-7
16 OZ SQUEEZE	#HSEDT16ZSP (\$19.95) UPC 7-99493-81590-0
1 QT	#HSEDT32Z (\$35.95) UPC 7-99493-81595-5
2 QT	#HSEDT64Z (\$61.95) UPC 7-29205-22455-3
1 GAL	#HSEDT01G (\$115.95) UPC 7-14983-69470-4
5 GAL	#HSEDT05G (\$522.95) UPC 7-14983-27098-4
55 GAL	#HSEDT55G (\$5,229.95) UPC 7-14983-27097-7
275 GAL	#HSEDT275TOTE*

PRODUCT COLOR

clear w/yellow tint



*Call for pricing

Prices Subject to Change



DIESEL ADDITIVE COMPARISON

	Hot Shot's Secret		Power Service		FPF	Howes	Lucas	Stanadyne						
	EVERYDAY DIESEL TREATMENT		DIESEL KLEEN + CETANE BOOST		DIESEL FUEL SUPPLEMENT		DIESEL TREAT		DIESEL DEEP CLEAN		PERFORMANCE		PERFORMANCE INJECTOR CLEANER	
CETANE IMPROVER <i>Increases Performance Reduces Engine Drift</i>	46% - 100%	✓	✓	✓	✓	none	none	none	✓	✓	✓	✓	✓	✓
	1% - 35%	✓	✓	✓	none	none	none	none	none	none	none	none	none	✓
Additives to Clean IDID's <i>(Internal Diesel Injector Deposits)</i>	Strong Solvent > 5% <i>(Injector Cleaner)</i>	✓	✓	✓	✓	none	✓	✓	✓	✓	none	✓	none	✓
Moisture Dispersant Freeze point @ 10%	-9°F	✓	none	none	none	+20°F	none	none	none	none	+20°F	none	none	none
Lubricity Agent or Enhancer		✓	✓	✓	✓	none	✓	✓	none	none	✓	✓	none	none



LX4 LUBRICITY EXTREME



POWERED BY SCIENCE

HIGH PERFORMANCE FUEL ADDITIVE



**PROTECTS FUEL
PUMPS & INJECTORS
FROM WEAR & FAILURE**



**EXTENDS FUEL
SYSTEM LIFE**



**LUBRICATES UPPER
CYLINDER**



**CONTAINS ZERO ALCOHOL
OR HARMFUL SOLVENTS**



**REDUCES PINTLE
SCORING & WEAR**

**TREATMENT
FOR BOTH
GAS & DIESEL
APPLICATIONS**

FUEL PUMP + INJECTOR PROTECTION

CLEANS & BOOSTS

LX4 LUBRICITY EXTREME is a premium lubricity additive for Ultra Low Sulfur Diesel (ULSD) and gasoline. LX4 LUBRICITY EXTREME contains the highest level of lubricity performance on the market and can put even the poorest quality fuel back into specification and exceeds the Engine Manufacturers Association's recommendation for fuel lubrication. Use to greatly increase fuel's lubricity and prevent the wear and scarring of key components inside the fuel system, including pumps and injectors. Product is warranty safe.

100% compatible with other Hot Shot's Secret fuel additives, including DIESEL EXTREME, EVERYDAY DIESEL TREATMENT and GASOLINE EXTREME. Follow recommended treat rates.

TREATS/SYMPTOMS

EXCESS WEAR & SCARRING OF
FUEL PUMPS & INJECTORS

"DRY" FUEL

TREATMENT PLAN

FUEL TANK CAPACITY	AMOUNT
40 GAL	4 OZ
80 GAL	8 OZ
160 GAL	16 OZ

AVAILABLE IN

4 OZ #LX404Z (\$5.95)
UPC 7-31717-96141-3

16 OZ #LX416ZSP (\$16.49)
UPC 7-31717-96142-0

1 QT #LX432Z (\$25.95)
UPC 7-31717-96140-6

1 GAL #LX401G (\$99.95)
UPC 7-31717-96139-0

5 GAL #LX405G (\$442.95)
55 GAL #LX455G (\$4,429.95)

275 GAL #LX43275TOTE*

PRODUCT COLOR

clear w/yellow tint



*Call for pricing

Prices Subject to Change



GASOLINE EXTREME

POWERED BY SCIENCE

HIGH PERFORMANCE FUEL ADDITIVE



INCREASES FUEL ECONOMY BY UP TO 7.9%
(verified by 3rd party testing)



**STABILIZES ETHANOL,
SMOOTHES IDLE,
DISSOLVES GUMS &
VARNISH**



**RESTORES
PERFORMANCE,
POWER & FUEL MILEAGE**



**REMOVES COMBUSTION
CHAMBER DEPOSITS**



LUBRICATES & CLEANS
— VALVES, PUMPS,
INJECTORS, RINGS,
PISTONS, & UPPER
CYLINDERS

CONCENTRATED ONE TANK FUEL SYSTEM CLEANER

POWERFUL INJECTOR CLEANER

GASOLINE EXTREME is a fully-formulated, concentrated cleaner that removes combustion chamber and intake valve deposits, as well as cleans injectors, valves, pumps, rings and pistons.

GASOLINE EXTREME also lubricates key components in the fuel system, including upper cylinders, while restoring fuel economy, power and performance. This product is safe for all emissions equipment

TREATS/SYMPTOMS

POOR FUEL ECONOMY
ROUGH IDLE
LOSS OF POWER
DIRTY/CLOGGED FUEL INJECTORS

TREATMENT PLAN


ON-ROAD USE	16 OZ PER 45 GAL OF GASOLINE
OFF-ROAD USE	16 OZ PER 20 GAL OF GASOLINE

Use every 10,000 miles or as needed to keep fuel system clean.

AVAILABLE IN

16 OZ	#GE16Z (\$17.95) UPC 7-31717-96210-6
1 QT	#GE32Z (\$31.95) UPC 7-31717-96143-7
5 GAL	#GE05G (\$457.95)
55 GAL	#GE55GAL (\$4,575.95)
275 GAL	#GE275TOTE*

PRODUCT COLOR

 clear w/ orange tint





DIESEL WINTER ANTI-GEL

HIGH PERFORMANCE FUEL ADDITIVE

POWERED BY SCIENCE



LOWERS POUR POINT
TO -65°F (-53.89°C)



PREVENTS FUEL LINE
FREEZE UPS DOWN
TO -40°F



DISPERSES MOISTURE &
IMPROVES COLD STARTS



BOOSTS POWER &
INCREASES CETANE



ADDS LUBRICITY &
IMPROVES FUEL
ECONOMY

CONCENTRATED WINTER FUEL BOOSTER

CLEANS DAILY - COLD WEATHER

DIESEL WINTER ANTI-GEL is a fully formulated winter product that also contains a powerful cetane boost, lubricity additive, keep clean detergent package and de-icer chemicals. The DIESEL WINTER ANTI-GEL not only reduces the cold filter plugging point by 20°F it also has wax anti-settling agents to keep the waxes from accumulating on the bottom of the fuel tank.

TREATMENT

Use approximately 1 OZ per 8 GAL of fuel. Always add to fuel before cold point.

STORAGE

For best results, do not store below 32°F.

SYMPTOMS

If you are experiencing the following symptoms, it is likely your vehicle is in need of DIESEL WINTER ANTI-GEL:

HARD STARTS	WATER IN FUEL
LOSS OF POWER	DECREASING MPG

AVAILABLE IN

4 OZ #P403304Z **(\$5.95)**
UPC 8-37654-91427-4

16 OZ ROUND #P403316Z **(\$15.95)**
UPC 8-37654-91437-3

16 OZ SQUEEZE #P403316ZSP **(\$15.95)**
UPC 8-81314-37631-5


1 QT #P403332Z **(\$25.95)**
UPC 8-37654-91439-7

2 QT #P403364Z **(\$49.95)**
UPC 7-29205-04263-8

1 GAL #P403301G **(\$81.95)**
UPC 6-10877-69519-5

5 GAL #P403305GD **(\$379.95)**
UPC 6-10877-69513-3

PRODUCT COLOR

 clear w/ dark yellow tint



*Call for pricing

Prices Subject to Change

DIESEL WINTER RESCUE



POWERED BY SCIENCE

HIGH PERFORMANCE FUEL ADDITIVE



**THAWS ICE &
DISPERSES MOISTURE**



**DE-ICES FROZEN
FUEL FILTERS**



**ADDS LUBRICITY TO
PROTECT FUEL PUMPS
& INJECTORS FROM
INCREASED WEAR
CAUSED BY ULSD**



**EFFECTIVE IN
BIODIESEL BLENDS**



**SAFE FOR USE IN ALL
DIESEL ENGINES**

EMERGENCY DE-ICER + QUICK THAW

RE-LIQUEFIES & DE-ICES

DIESEL WINTER RESCUE is a fully formulated emergency product that contains a military grade de-icer and lubricity additive. It quickly re-liquefies gelled fuel and de-ices frozen fuel filters. DIESEL WINTER RESCUE restores the power and flow of fuel to the engine.

TREATMENT

1) TO DE-ICE FROZEN FUEL-FILTERS:

If fuel is liquid in fuel tanks but engine won't start: Remove fuel-filters and fill with 50% DIESEL WINTER RESCUE and 50% diesel fuel. Reinstall fuel-filters. Start engine.

2) TO RE-LIQUEFY GELLED FUEL:

Add entire contents (32 OZ) of DIESEL WINTER RESCUE to each 40 GAL of fuel in the tank(s). Start engine. Let engine idle to warm up fuel system.

PREVENTATIVE MAINTENANCE

DIESEL WINTER RESCUE is an emergency product and is not intended for every day usage. Use Hot Shot's Secret DIESEL WINTER ANTI-GEL for daily cold weather conditions.



SYMPTOMS

Use when fuel lines or filter is plugged by gelled fuel.

STORAGE

For best results, do not store below 32° F.


AVAILABLE IN

1 QT	#DWR32Z (\$16.95) UPC 7-31717-96209-0
2 QT	#DWR64Z (\$26.95)
1 GAL	#DWR01G (\$49.95)
5 GAL	#DWR05G (\$233.95)
55 GAL	#DWR55G*
275 GAL	#DWR275TOTE*

PRODUCT COLOR

 clear w/yellow tint

*Call for pricing



GELLED FILTER

TBN BOOSTER



POWERED BY SCIENCE

HIGH PERFORMANCE OIL ADDITIVE



**ONLY TBN BOOSTING
TECHNOLOGY AVAILABLE!**



**DECREASES OIL
OXIDATION & ELIMINATES
SLUDGE**



**EXTENDS OIL DRAIN
INTERVALS**



**REDUCES WEAR AT START
UP & PROTECTS TURBO
CHARGER**



**IMPROVES VISCOSITY
STABILITY**

FORTIFIED OIL STABILIZER + FR3 NANO LUBRICANT

INCREASES TBN UP TO 7 POINTS

TBN BOOSTER is the only fortified engine oil stabilizer that increases total base number (TBN) and viscosity by replenishing the detergents and dispersants that are naturally lost over time. When these detergent and dispersant additives are replenished, your oil will be able to effectively neutralize the acidic conditions that corrode your engine. TBN BOOSTER is a concentrated formula that contains 100% active ingredients of a CK-4 Additive Package, a TBN BOOSTER and the infusion of Hot Shot's Secret FR3 FRICTION REDUCER.



TREATMENT

ENGINE MODEL	CAPACITY QTS	TBN INCREASE			
		4	5	6	7
CUMMINS	12	13 OZ	17 OZ	20 OZ	24 OZ
DURAMAX	10	11 OZ	14 OZ	17 OZ	20 OZ
POWERSTROKE	15	17 OZ	21 OZ	25 OZ	30 OZ

AVAILABLE IN

1 QT #HSSTBN32Z (\$39.95)

UPC 8-81314-37627-8

2 QT #HSSTBN64Z (\$67.95)

1 GAL #HSSTBN01G (\$128.95)

5 GAL #HSSTBN05G (\$581.95)

55 GAL #HSSTBN55G (\$5,812.95)

275 GAL #HSSTBN275TOTE*

PRODUCT COLOR

dark brown



*Call for pricing

Prices Subject to Change

THE ONLY ADDITIVE THAT REMOVES STICTION IN TRANSMISSIONS

SHIFT RESTORE^(FORMERLY KNOWN AS "TSE")

**HOT SHOT'S
SECRET**
POWERED BY SCIENCE

POWERED BY SCIENCE

HIGH PERFORMANCE FORMULAS



**STOPS SLIPPING,
HESITATION
& ROUGH SHIFTING**



**DISSOLVES HARMFUL
GUM & VARNISH BUILDUP**



QUIETS TRANSMISSIONS



**EXTENDS
TRANSMISSION LIFE**



**ELIMINATES RUST &
CORROSION**

AUTOMATIC TRANSMISSION PROTECTANT + CLEANER

REMOVES STICTION IN AUTOMATIC TRANSMISSIONS

SHIFT RESTORE is a low viscosity ester which has been shown to dissolve varnish and disperse additives that have deposited on the surface of precision transmission components. We call these deposits stiction because it is the sticky friction created from burnt oil. SHIFT RESTORE will restore your transmission to original performance.

TREATMENT

Use approximately 1.5 OZ per 1 QT of transmission fluid.

TRANSMISSION QT CAPACITY	AMOUNT	FREQUENCY
5 QTS	8 OZ	EVERY FLUID CHANGE
10 QTS	16 OZ	EVERY FLUID CHANGE
15 QTS	24 OZ	EVERY FLUID CHANGE
20 QTS	1 QT	EVERY FLUID CHANGE



SYMPTOMS


If you are experiencing the following symptoms, it is likely your vehicle is suffering from stiction in the transmission:

HARD SHIFTING	OVERHEATING
INCONSISTENT DOWN SHIFTING	NOISY TRANSMISSIONS

AVAILABLE IN

- 16 OZ** #HSSTSE16Z **(\$21.95)**
UPC 7-31717-96116-1
- 1 QT** #HSSTSE32Z **(\$39.95)**
UPC 8-81314-37629-2
- 2 QT** #HSSTSE64Z **(\$66.95)**
UPC 7-29205-43807-3
- 1 GAL** #HSSTSE01G **(\$127.95)**
UPC 7-31717-96154-3
- 5 GAL** #HSSTSE05G **(\$573.95)**
- 55 GAL** #HSSTSE55G **(\$5,742.95)**
- 275 GAL** #HSSTSE275TOTE*

PRODUCT COLOR

 clear w/bright red tint



TRANSMISSION

*Call for pricing

Prices Subject to Change

RV FAMILY OF PRODUCTS

FORMULATED FOR RV USE Recreational vehicles are designed and built with a specific purpose in mind. The additives you use in your RV should be the same way. That is why Hot Shot's Secret engineered the first line of products specifically for RVs.

Hot Shot's Secret's RV line of products are fully formulated, high quality products created to solve specific RV related problems, improve performance, fuel economy and reliability.

When hitting the open road, you should not have to worry about your RV's performance and whether you'll hit mechanical "roadblocks" while traveling. Be confident your RV will perform as promised when using Hot Shot's Secret RV products.

RV ENGINE PROTECTOR

CLEANER + LUBRICANT

RV ENGINE PROTECTOR is a premium RV oil additive formulated to improve performance and reliability of RVs by safely cleaning engine components of stiction and other varnish/debris that occurs inside hard working RV engines.

AVAILABLE IN

1 QT #HSSRVENGPRO32Z (\$34.95)
UPC 7-31717-96131-4

PREMIUM RV DIESEL ADDITIVE

POWER BOOSTER + STABILIZER

RV PREMIUM DIESEL ADDITIVE greatly upgrades power, performance, fuel economy and fuel stabilization for all diesel RVs. It boosts diesel fuel's cetane rating, creating more power and better fuel economy. It also provides excellent fuel lubrication to promote greater reliability and fuel component longevity.

RV PREMIUM DIESEL ADDITIVE prevents gum and varnish from forming inside the fuel system, including fuel injectors, while also improving fuel stability allowing for long term storage.

AVAILABLE IN

16 OZ #HSSRVDL16ZSP (\$20.95)
UPC 7-31717-96133-8

RV TRANS PROTECTOR

AUTOMATIC TRANSMISSION CLEANER + ENHANCER

RV TRANS PROTECTOR is a unique RV transmission additive that is formulated to combat issues associated with today's RV transmissions, such as poor/inconsistent shift quality, rough operation and burning transmission fluid.

AVAILABLE IN

1 QT #HSSRVTRN32Z (\$32.95)
UPC 7-31717-96134-5

PREMIUM RV GAS ADDITIVE

INJECTOR CLEANER + STABILIZER

RV PREMIUM GASOLINE ADDITIVE is a multi-functional additive for gasoline powered RVs and contains the strongest fuel injector cleaner available.

RV PREMIUM GASOLINE ADDITIVE improves the fuel economy and power of gasoline RVs by cleaning the entire fuel system, removing combustion chamber and intake valve deposits. It also lubricates and stabilizes gasoline for long term storage and protection.

AVAILABLE IN

16 OZ #HSSGAS16ZSP (\$25.95)
UPC 7-31717-96136-9



Prices Subject to Change

RV SLIDE-OUT LUBRICANT

NO DRIP + ANTI CORROSION

RV SLIDE-OUT LUBRICANT is formulated to protect all types of RV slide out mechanisms from rust and corrosion while also lubricating to ensure smooth and quiet operation. It is long-lasting to extend the life of slide outs and is safe to use on metal, rubber, vinyl and plastic.

AVAILABLE IN

9 OZ #HSSRVSLD9Z (\$14.95)
UPC 7-31717-96132-1

RV GENERATOR OIL

HOT SHOT'S SECRET GENERATOR OILS

are premium full synthetic Group III engine oils engineered to provide exceptional protection and performance for diesel and gasoline generators.

Generators typically run at higher operating temperatures, are under constant load for extended periods of time, and can be exposed to severe elements. These conditions put severe strain on generator engine oils and that is why the oil you use must be fully formulated to combat the common issues that plague small engines.

RV GENERATOR OIL 15W40

AVAILABLE IN

1 QT #HSSRVDSLGENOIL32Z (\$8.95)
UPC 7-93519-77128-7

RV GENERATOR OIL 10W30

AVAILABLE IN

1 QT #HSSRVGASGENOIL32Z (\$8.95)
UPC 7-93519-76469-2

RV ANTIFREEZE/COOLANT 150K

150K MILE 50/50 PREDILUTED RV CUMMINS ENGINE ANTI-FREEZE is a pre-blended and pre-charged Extended Life Antifreeze/Coolant featuring a hybrid organic acid technology (HOAT) additive package and stabilization system that extends its range of compatibility with both conventional inorganic salts and OAT-type antifreezes.

AVAILABLE IN

1 GAL #HSSRPINK150K50/501G (\$14.95)
UPC 7-93519-77612-1

PRODUCT COLOR

 pink

RV ANTIFREEZE/COOLANT 150K

150K MILE 50/50 PREDILUTED RV CAT ENGINE ANTI-FREEZE is a pre-blended and pre-charged Extended Life Antifreeze/Coolant featuring a hybrid organic acid technology (HOAT) additive package and stabilization system that extends its range of compatibility with both conventional inorganic salts and OAT-type antifreezes.

AVAILABLE IN

1 GAL #HSSRVRED150K50/501G (\$14.95)
UPC 7-93519-73407-7

PRODUCT COLOR

 red



Prices Subject to Change

POWERED BY SCIENCE

ADRENALINE RACING ENGINE OILS

THE ADRENALINE LINE OF RACING OILS were formulated for the toughest applications in racing. The formulas are based on 100% pure synthetic using only Group IV and Group V base oils.

This blend of poly- α -olefin (PAO) and polyolester (POE) oils requires a very small amount of viscosity improvers to meet the weight specifications. The infusion of our patented FR3 Nano Technology and high zinc additive package extends the performance and anti-wear protection to levels unmatched by any other race oil on the market.

The result is an oil that has increased oxidation and thermal stability, deposit and sludge prevention, reduced oil breakdown, longer drain intervals, high wear resistance and most importantly, horsepower gains.

In dyno testing, Hot Shot's Secret ADRENALINE RACING OIL has proven performance gains of over 3.1% compared to the leading national brand race oil.



ADRENALINE R2 (5W-20)

AVAILABLE IN

- 1 QT** #R232Z (\$16.95)
UPC 7-13289-20742-7
- 1 GAL** #R201G (\$65.95)
UPC 7-31717-96176-5
- 5 GAL** #R205G (\$325.95)
- 55 GAL** #R255G*



ADRENALINE R3 (10W-30)

AVAILABLE IN

- 1 QT** #R332Z (\$16.95)
UPC 6-10877-69512-6
- 1 GAL** #R301G (\$65.95)
UPC 7-13289-20740-3
- 5 GAL** #R305G (\$325.95)
- 55 GAL** #R355G (\$3,570.95)



*Call for pricing

Prices Subject to Change

ADRENALINE R4 (15W-40)

AVAILABLE IN

- 1 QT** #R432Z **(\$18.95)**
UPC 7-57347-53086-7
- 1 GAL** #R401G **(\$67.95)**
UPC 7-13289-20737-3
- 5 GAL** #R405G **(\$339.95)**
- 55 GAL** #R455G **(\$3,570.95)**

ADRENALINE R5 (20W-50)

AVAILABLE IN

- 1 QT** #R532Z **(\$16.95)**
UPC 7-57347-53079-9
- 1 GAL** #R501G **(\$65.95)**
UPC 7-13289-20738-0
- 5 GAL** #R505G **(\$325.95)**
- 55 GAL** #R555G **(\$3,570.95)**

ADRENALINE R6 (ALKY-60W)

AVAILABLE IN

- 1 QT** #R632Z **(\$17.95)**
UPC 6-10877-69511-9
- 1 GAL** #R601G **(\$69.95)**
UPC 7-13289-20739-7
- 5 GAL** #R605G **(\$329.95)**
- 55 GAL** #R655G*

WORLD'S FASTEST DIESEL TRUCK LARSON MILLER - FIREPUNK DIESEL



*Call for pricing

Prices Subject to Change



ADRENALINE RACING GEAR OILS

ADRENALINE RACING GEAR OIL was formulated for the toughest applications in racing. The formulas are based on 100% poly- α -olefin (PAO) Group IV and high-quality Group V synthetic oils.

The infusion of our patented FR3 Nano Technology and high zinc additive package extends the performance and anti-wear protection to levels unmatched by any other gear oil on the market. Dyno tested, and track proven for ultimate performance.

ADRENALINE RACING GEAR OIL also provides increased oxidation and thermal stability, deposit and sludge prevention, reduced oil breakdown, high wear resistance and longer drain intervals.

ADRENALINE R9 (75W-90)

AVAILABLE IN

- 1 QT** #R932Z **(\$21.95)**
UPC 7-31717-96206-9
- 1 GAL** #R901G **(\$69.95)**
UPC 7-31717-96207-6
- 5 GAL** #R905G **(\$348.95)**
- 55 GAL** #R955G*

ADRENALINE R11 (80W-110)

AVAILABLE IN

- 1 QT** #R1132Z **(\$21.95)**
UPC 7-31717-96202-1
- 1 GAL** #R1101G **(\$69.95)**
UPC 7-31717-96203-8
- 5 GAL** #R1105G **(\$348.95)**
- 55 GAL** #R1155G*

ADRENALINE R14 (85W-140)

AVAILABLE IN

- 1 QT** #R1432Z **(\$21.95)**
UPC 7-31717-96198-7
- 1 GAL** #R1401G **(\$69.95)**
UPC 7-31717-96199-4
- 5 GAL** #R1405G **(\$348.95)**
- 55 GAL** #R1455G*



*Call for pricing

Prices Subject to Change



ADRENALINE RACING TRANSMISSION FLUIDS

ADRENALINE RACING TRANSMISSION FLUID

ADRENALINE SPEED SHIFT SS

HOT SHOT'S SECRET ADRENALINE SPEED SHIFT RACING TRANSMISSION FLUID is for use in automatic transmissions coupled to high horsepower, high torque engines and where heavy loads place a high demand on transmissions.

AVAILABLE IN

1 GAL #RDEX601G **(\$59.95)**
UPC 7-31717-96195-6

5 GAL #RDEX605G **(\$269.95)**

55 GAL #RDEX655
(\$2,699.95)

ADRENALINE NANO SHIFT NS

HOT SHOT'S SECRET ADRENALINE NANO SHIFT RACING TRANSMISSION FLUID is for use in automatic transmissions coupled to high horsepower, high torque engines and where heavy loads place a high demand on transmissions. Recommended for extreme horsepower applications, as well as applications that require Ford Type F fluid or Allison C4 fluid.

AVAILABLE IN

1 GAL #RTYPEF01G **(\$59.95)**
UPC 7-31717-96191-8

5 GAL #RTYPEF05G **(\$269.95)**

55 GAL #RTYPEF055G
(\$2,699.95)

ADRENALINE MULTI-VEHICLE PS+4

HOT SHOT'S SECRET ADRENALINE MULTI-VEHICLE PRO SHIFT was formulated for high horsepower, high torque racing applications. The formulas are based on 100% poly- α -olefin (PAO) Group IV and high-quality Group V synthetic oils. The infusion of our patented FR3 Nano Technology and enhanced additive package provides unsurpassed levels of stability and performance designed specifically for racing applications. Dyno tested and track proven for ultimate performance.

AVAILABLE IN

1 GAL #RATF+401G **(\$59.95)**
UPC 7-31717-96191-8

5 GAL #RATF+405G **(\$269.95)**

55 GAL #RATF+455G **(\$2,699.95)**



*Call for pricing

Prices Subject to Change

SEVERE DUTY DIESEL ENGINE OIL

HOT SHOT'S SECRET BLUE DIAMOND PAO SYNTHETIC OIL contains the patented FR3 Nano Technology to provide the absolute best level of protection to your diesel engine. The FR3 Nano Technology infusion provides protection, longevity, and performance gains that standard synthetic oils will not allow.

BLUE DIAMOND PAO (5W-40)

HOT SHOT'S SECRET 5W-40 PAO SYNTHETIC OIL
Recommended for colder climates.

AVAILABLE IN

1 GAL	#BDGALPA05 (\$54.95) UPC 7-57347-53081-2	55 GAL	#BD55GPA05 (\$2,749.95)
5 GAL	#BD05GPA05 (\$274.95)	275 TOTE	#BD275GPA05*

BLUE DIAMOND PAO (10W-30)

HOT SHOT'S SECRET 10W-30 PAO SYNTHETIC OIL

AVAILABLE IN

1 GAL	#BDGALPA010 (\$54.95) UPC 6-77937-63423-5	55 GAL	#BD55GPA010 (\$2,749.95)
5 GAL	#BD05GALPA01030 (\$274.95)	275 TOTE	#BD275GPA010*

BLUE DIAMOND PAO (15W-40)

HOT SHOT'S SECRET 15W-40 PAO SYNTHETIC OIL

AVAILABLE IN

1 GAL	#BDGALPA015 (\$54.95) UPC 7-57347-53083-6	55 GAL	#BD55GPA015 (\$2,749.95)
5 GAL	#BD05GPA015 (\$274.95)	275 TOTE	#BD275GPA015*

BLUE DIAMOND PAO OILS & GREEN DIAMOND FLEET OILS For use in all diesel applications meeting all required industry specs including API CK-4, CJ-4, CI-4, CI-4 Plus; Ford WSS-M2C171-F1; Caterpillar ECF-1, ECF-2, and ECF-3; Detroit Diesel DDC93K218, DDC93K222; Cummins CES 20081, CES 20086; Mack E0-0 Premium Plus, EOS-4.5; Deutz DQC III-10 LA; Volvo VDS-4, VDS 4.5; ACEA E7-12, E9-12; MB 228.31; MAN 3575; JASO DH-2; Renault VI RLD-3, RLD-4.

BLACK DIAMOND OUTLAW (15W-40)

AVAILABLE IN

1 GAL	#BDGALZ (\$73.95) UPC 7-57347-53082-9	55 GAL	#BD55GZ (\$3,410.95)
5 GAL	#BD05GZ (\$368.95)	275 TOTE	#BD275GZ*

*Call for pricing

Prices Subject to Change



FULL SYNTHETIC

GREEN DIAMOND FLEET (5W-40)

HOT SHOT'S SECRET 5W-40 FULL SYNTHETIC OIL

AVAILABLE IN

1 GAL	#GDGALFULL-SYN (\$36.95) UPC 7-57347-53077-5	55 GAL	#GD55GFULL-SYN (\$1,999.95)
5 GAL	#GD05GFULL-SYN (\$184.95)	275 TOTE	#GD275GFULL-SYN*

GREEN DIAMOND FLEET (10W-30)

HOT SHOT'S SECRET 10W-30 FULL SYNTHETIC OIL

AVAILABLE IN

1 GAL	#GD1GFULL-SYN1030 (\$36.95) UPC 7-31717-96205-2	55 GAL	#GD55GFULL-SYN1030 (\$1,999.95)
5 GAL	#GD5GFULL-SYN1030 (\$184.95)	275 TOTE	#GD275GFULL-SYN1030*

GREEN DIAMOND FLEET (15W-40)

HOT SHOT'S SECRET 15W-40 FULL SYNTHETIC OIL

AVAILABLE IN

1 GAL	#GDGALFULL-SYN1540 (\$36.95) UPC 7-31717-96148-2	55 GAL	#GD55GFULL-SYN1540 (\$1,999.95)
5 GAL	#GD05GFULL-SYN1540 (\$184.95)	275 TOTE	#GDGALFULL-SYN1540275*

SEMI-SYNTHETIC

GREEN DIAMOND FLEET (15W-40)

HOT SHOT'S SECRET 15W-40 SEMI-SYNTHETIC OIL

AVAILABLE IN

1 GAL	#GDGALSEMI-SYN (\$31.95) UPC 7-57347-53084-3
5 GAL	#GD05GSEMI-SYN (\$126.95)
55 GAL	#GD55GSEMI-SYN (\$1,240.95)
275 TOTE	#GD275GSEMI-SYN*



*Call for pricing

Prices Subject to Change



SEVERE DUTY GEAR OILS

BLUE DIAMOND SEVERE DUTY GEAR OIL was formulated for severe duty applications. The formulas are based on 100% poly- α -olefin (PAO) Group IV and high-quality Group V synthetic oils. The infusion of our patented FR3 Nano Technology and high zinc additive package extends the performance and anti-wear protection to levels unmatched by any other gear oil on the market.

BLUE DIAMOND SEVERE DUTY GEAR OIL also provides increased oxidation and thermal stability, deposit and sludge prevention, reduced oil breakdown, high wear resistance and longer drain intervals.

Hot Shot's Secret BLUE DIAMOND SEVERE DUTY GEAR OIL is recommended as a gear oil for any demanding severe duty application, such as towing, hauling, challenging terrain driving, commercial use, utility vehicles, heavy equipment, tractors, motor homes, and other severe duty vehicles.



BLUE DIAMOND S9 (75W-90)

AVAILABLE IN

- 1 QT** #BDS932Z **(\$19.95)**
UPC 7-31717-96204-5
- 1 GAL** #BDS901G **(\$69.95)**
UPC 7-31717-96205-2
- 5 GAL** #BDS905G **(\$348.95)**
- 55 GAL** #BDS955G **(\$3,480.95)**
- 275 TOTE** #BDS9275GZ*



BLUE DIAMOND S11 (80W-110)

AVAILABLE IN

- 1 QT** #BDS1132Z **(\$19.95)**
UPC 7-31717-96200-7
- 1 GAL** #BDS1101G **(\$69.95)**
UPC 7-31717-96201-4
- 5 GAL** #BDS1105G **(\$348.95)**
- 55 GAL** #BDS1155G*
- 275 TOTE** #BDS14275GZ*

BLUE DIAMOND S14 (85W-140)

AVAILABLE IN

- 1 QT** #BDS1432Z **(\$19.95)**
UPC 7-31717-96196-3
- 1 GAL** #BDS1401G **(\$69.95)**
UPC 7-31717-96197-0
- 5 GAL** #BDS1405G **(\$348.95)**
- 275 TOTE** #BDS14275GZ*



*Call for pricing

Prices Subject to Change

SEVERE DUTY TRANSMISSION FLUIDS



BLUE DIAMOND SEVERE DUTY TRANSMISSION FLUID

BLUE DIAMOND ATF+4, DEXRON III & MERCON V

HOT SHOT'S SECRET +4 | D3 | M5 SEVERE DUTY TRANSMISSION FLUID is formulated to meet the specific requirements of Fiat Chrysler (FCA) automatic transmissions and certain Hyundai and Mitsubishi transmissions. It is fully back-serviceable and can be used wherever ATF+3, ATF+2 or ATF+ is specified.

AVAILABLE IN

1 GAL #BDATF+401G **(\$58.95)**
UPC 6-97521-20178-0

5 GAL #BDATF+405G **(\$274.95)**

BLUE DIAMOND DEXRON VI, MERCON LV

HOT SHOT'S SECRET D6 | MLV SEVERE DUTY TRANSMISSION FLUID was formulated for severe-duty applications, infused with our FR3 Nano Technology.

AVAILABLE IN

1 GAL #BDDEX601G **(\$58.95)**
UPC 7-31717-96193-2

55 GAL #BDDEX655G
(\$2,749.95)

5 GAL #BDDEX605G **(\$274.95)**

BLUE DIAMOND TYPE F

HOT SHOT'S SECRET TF SEVERE DUTY TRANSMISSION FLUID, for use in automatic transmissions where heavy loads and challenging terrain place a high demand on transmissions. Recommended for applications that require Ford Type F fluid or Allison C4 fluid.

AVAILABLE IN

1 GAL #BDTYPEF01G **(\$58.95)**
UPC 7-31717-96189-5

55 GAL #BDTYPEF55G
(\$2,749.95)

5 GAL #BDTYPEF05G **(\$274.95)**

BLUE DIAMOND G56

HOT SHOT'S SECRET 6-SPEED MANUAL SEVERE DUTY TRANSMISSION FLUID was formulated specifically for G56 6-Speed Manual Transmissions to help with the notorious rough shifting and excessive rollover noise they experience, especially when owners upgrade from stock.

AVAILABLE IN

32 OZ #G5632OZ **(\$17.95)**
UPC 7-31717-96193-2

1 GAL #G5601GAL **(\$71.95)**



*Call for pricing

Prices Subject to Change



EUROPEAN ENGINE OILS

HOT SHOT'S SECRET 5W-30 GRAY DIAMOND EURO ENGINE OIL is a premium full synthetic, mid SAPS engine oil engineered to provide superior performance and protection for gasoline and diesel European vehicles. Formulated with our patented FR3 Nano Technology and using only Group III base oils, GRAY DIAMOND EURO provides levels of protection, fuel economy and horsepower gains that other synthetic oils will not allow. Formulated to be emissions equipment safe and for use in all operating conditions.

GRAY DIAMOND EURO (5W-30)

AVAILABLE IN

1 QT #GREURO5W3032Z (\$16.95)
UPC 7-31717-96115-4

1 GAL #GREURO5W301G (\$56.95)
UPC 7-31717-96113-0

55 GAL #GREURO5W3055G*

275 TOTE #GREURO5W30275G*



GRAY DIAMOND EURO (5W-40)

AVAILABLE IN

1 QT #GREURO5W4032Z (\$15.95)
UPC 7-31717-96114-7

1 GAL #GREURO5W401G (\$56.95)
UPC 7-31717-96112-3

55 GAL #GREURO5W4055G*

275 TOTE #GREURO5W40275G*



*Call for pricing

Prices Subject to Change

FRANTZ FILTER



MAXIMUM EFFICIENCY

The purpose of the FRANTZ FILTER SYSTEM is to deliver an endless supply of clean oil to your engine. By filtering a controlled percentage of oil at a time, the FRANTZ FILTER SYSTEM is able to filter oil more than 10 times finer than an OEM filter. Oil filtered through the FRANTZ FILTER SYSTEM will be free of contamination to such a degree that it is considered analytically cleaner than brand new oil and is 100% effective for further use.

BYPASS FILTER PROCESS

This simple to install, supplemental filter system removes solid contamination, like wear metals and dirt, from lubricating oil. The FRANTZ FILTER SYSTEMS can remove extremely small size particles from the oil by providing filtration through a densely packed filtering media. Oil flowing through the filter system is controlled at a deliberate rate, which allows for a constant source of clean oil. The FRANTZ FILTER SYSTEM removes carbon soot, gum residues, water, abrasives and tiny metal fragments without degrading the detergents and additives in the oil.

AVAILABLE IN THESE KITS*

UNIVERSAL APPLICATION (ALL ENGINES) #FKUNIV

5.9/6.7L DOGDE CUMMINS #FKCUM59

6.6L GMC/CHEVROLET DURAMAX (2001-2016) #FKDMX6616

6.6L GMC/CHEVROLET DURAMAX (2017-2018) #FKDMX6617

6.6L GMC/CHEVROLET DURAMAX (2019-Present) #FKDMX6619

6.7L FORD POWERSTROKE #FKPWR67

6.0/6.4L FORD POWERSTROKE (Quick Install) #FKPWR60CUSTOM

7.3L FORD POWERSTROKE #FKPWR73

FILTER MEDIA

LSI has created a melt-blown filter that has a graduated stage process that filters down to 2 microns, yielding true depth filtration. The filter media has been created from 100% polypropylene and lasts two to three times longer* than cellulose media. Synthetic media has two other advantages — it has more consistent flow rate and holds its form better than cellulose-based filter media. Original cellulose media also available.

- High performance oil filtration
- Increased engine life
- Extended drain intervals
- Improved oil cooling

**Duration may vary depending on application.*

REPLACEMENT MEDIA OPTIONS

SYNTHETIC FILTER MEDIA #FFMD-SYN

CELLULOSE FILTER MEDIA #FFMD-SP



*Call for pricing

PM SCOUT BY LSI-LABS

POWERED BY SCIENCE

FLUID ANALYSIS is an effective, inexpensive tool which provides information about the internal condition of the major components in vehicles and equipment.

OIL ANALYSIS is an accurate way to determine oil health, oil contamination and machine wear. It is a valuable preventative maintenance tool that can help identify potential problems before a major repair is necessary, while also potentially reducing the frequencies of oil changes.

FUEL ANALYSIS tests for elements such as fuel quality, the presence of water, contaminants and more. This helps in improving or maintaining fuel quality and provides suggested corrective action when necessary. See website for more details.



LUBRICATION
SPECIALTIES INC



OIL ANALYSIS

CODE	PRODUCT	DESCRIPTION
OILTEST1	Oil Scout (Analysis)	Routine engine, transmission, hydraulic and gear box testing, plus Base Number*
OILTEST2	Oil Scout + Cleanliness Check (Particle Count)	Add Particle Count to Oil Scout
OILTEST3	Oil Scout + Engine Monitor (Ferrography)	Add Ferrography to Oil Scout
OILTEST4	Oil Scout + Cleanliness Check (Particle Count) + Engine Monitor (Ferrography)	Add Particle Count and Ferrography to Oil Scout
OILTEST5	Varnish Scout (Analysis)	Varnish potential (typically for turbine and hydraulics with servo valves)

* Acid Number instead of Base Number available upon request.

FUEL ANALYSIS

CODE	PRODUCT	DESCRIPTION
FUELTEST1	Fuel Scout (Diesel Analysis)	Fuel quality with suggested corrective action
FUELTEST2	Winter Fuel Scout (Diesel Analysis)**	Cloud point, cold filter plugging point and API gravity analysis
FUELTEST3	HFRF ASTM Scout (Diesel Analysis)	High Frequency Reciprocating Rig (HFRF) is a diesel fuel lubricity test

**One kit can provide up to 3 tests.

SAMPLE REPORT



*Call for pricing



SPRAY LUBRICANTS

POWERED BY SCIENCE

NEVER RUST LUBRICANT

Hot Shot's Secret NEVER RUST LUBRICANT is formulated to protect metal parts, blocking rust and corrosion for years of protection. It is a long-term rust and corrosion preventative with excellent penetration qualities that is resistant to water washout and will not gum or dry out. Contains extreme-pressure antiwear additives and is ideal for preventative maintenance and use in extreme temperatures.

Hot Shot's Secret NEVER RUST LUBRICANT provided 2,700 hours worth of protection when independently tested in ASTM B-117 salt fog test.

USES

For general use, including but not limited to: home, automotive, industrial, marine and other mechanical applications.

Applications include:

- Nuts & bolts
- Automotive doors & latches
- Shop & industrial equipment
- Lawn & garden equipment
- Cables & chains
- Metal doors
- Door hinges & locks
- Equipment storage
- Tools

AVAILABLE IN

9 OZ #HSSNR9OZ (\$14.95)
UPC 7-31717-96186-4

1 GAL #HSSNR1G (\$68.95)
UPC 7-31717-96075-1

SPRAY & STAY GREASE

Hot Shot's Secret SPRAY & STAY GREASE is an aerosolized synthetic grease for use in day to day applications that sprays on thick and will not run or drip. Provides long-lasting lubrication and protection for moving machinery, parts and surfaces. It is resistant to water washout and will not dry out, gum on equipment, separate or bleed.

USES

For general use, including but not limited to: home, automotive, industrial, marine and other mechanical applications. Safe for use on metal, paint, rubber and plastic. Applications include:

- Garage doors
- Cables
- Bearings
- Sliding doors
- Engine assembly
- Gears
- Door hinges & locks
- Winches
- Garden & shop tools

AVAILABLE IN

9 OZ #HSSAS9OZ (\$14.95)
UPC 7-31717-96187-1



Prices Subject to Change

NANO PRECISION CLP GUN OIL



POWERED BY SCIENCE

CLEAN, LUBRICATE & PROTECT

MAXIMUM PERFORMANCE

Hot Shot's Secret NANO PRECISION CLP is a one-step cleaner, lubricant, and protectant for all gun & bow configurations. It is formulated with patented FR3 Nano Technology to provide a superior level of lubrication and protection under the harshest weather and firing conditions. Freeze resistant down to -50°F and featuring excellent heat resistance, NANO PRECISION CLP functions in all conditions while also preventing rust and corrosion from forming.

NANO PRECISION CLP is effective at removing layers of lead fouling, copper, dirt, and other contaminants to provide a smooth action for reliability and performance. Excellent for triggers, slides, actions and more. Safe for use on all surfaces including woods, metals & composites.


FORMULATED FOR ANY SITUATION

Whether you are on the range, hunting game, or protecting your family, you need your firearm to perform at its best. NANO PRECISION CLP was formulated with that in mind, engineered to keep your firearm clean of debris, lubricated and operational in the most severe of conditions.

AVAILABLE IN

- 4 OZ** #G04NEEDLE (\$16.95)
UPC 6-77937-89373-1
- 8 OZ** #G08SQUEEZE (\$26.95)
UPC 6-77937-81932-8

PRODUCT COLOR

 clear w/yellow tint



Prices Subject to Change

ANTIFREEZE/COOLANT



EXTENDED LIFE — HEAVY DUTY PRECHARGED

- Compatible with conventional & other extended life brands
- Protects all engine metals
- Custom colors available in bulk

150K 50/50 PREDILUTED

AVAILABLE IN

1 GAL #1G150KY5050 (\$14.95)
UPC 7-31236-28518-2

5 GAL #5G150KY5050 (\$44.95)

55 GAL #55G150KY5050 (\$382.95)
(no drum deposit)

275 TOTE #330G150KY5050*

PRODUCT COLOR

 yellow

150K 50/50 PREDILUTED

AVAILABLE IN

1 GAL #1G150KG5050 (\$14.95)
UPC 7-22512-37928-2

5 GAL #5G150KG5050 (\$44.95)

55 GAL #55G150KG5050 (\$382.95)
(no drum deposit)

275 TOTE #330G150KG5050*

PRODUCT COLOR

 green

GLOBAL EXTENDED LIFE — NITRITE FREE

- Compatible with conventional & other extended life brands
- Protects all engine metals & reduces formation of abrasive solids to extend water pump life

750K 50/50 PREDILUTED

AVAILABLE IN

1 GAL #1G750KR5050 (\$16.95)
UPC 7-31236-28516-8

5 GAL #5G750KR5050 (\$60.95)

55 GAL #55G750KR5050 (\$528.95)
(no drum deposit)

330 TOTE #330G750KR5050*

PRODUCT COLOR

 red



*Call for pricing

Prices Subject to Change

FIND US AT THESE FINE RETAILERS



AND THOUSANDS OF CERTIFIED DEALERS NATIONWIDE!

HotShotSecret.com



HOT SHOT'S
SECRET

POWERED BY SCIENCE

**ENGINEERED
TO OUTPERFORM**

800.341.6516

HotShotSecret.com



POWERED BY SCIENCE



LUBRICATION
SPECIALTIES INC.

Where Innovation Lives



800.341.6516

3975 Morrow Meadows Dr.
Mt. Gilead, OH 43338

HotShotSecret.com

AUTHORIZED DEALER