

Version 4.2	Revision Date 03/31/2020	Print Date 08/31/2020
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION	
Material name	: ZEP INDUSTRIAL PURPLE DEG	RSR & CLNR CON
Material number	: ZU08565G	
Manufacturer or supplie	er's details	

Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137

Telephone : 404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

GHS Classification

Appearance	liquid
Colour	purple
Odour	ether-like

GH5 Classification	
Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	: Prevention:



Version 4.2	Revision Date 03/31/2020	Print Date 08/31/2020
	 P264 Wash skin thoroughly after hand P280 Wear protective gloves/ protecti protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWE induce vomiting. P303 + P361 + P353 IF ON SKIN (or immediately all contaminated clothing water/shower. P304 + P340 + P310 IF INHALED: Re and keep comfortable for breathing. In POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EY water for several minutes. Remove co and easy to do. Continue rinsing. Imm CENTER/doctor. P363 Wash contaminated clothing be Disposal: P501 Dispose of contents/container in regulation. 	ve clothing/ eye D: Rinse mouth. Do NOT hair): Take off . Rinse skin with emove person to fresh air nmediately call a 'ES: Rinse cautiously with ontact lenses, if present nediately call a POISON fore reuse.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 5
2-butoxyethanol	111-76-2	>= 1 - < 5
sodium hydroxide	1310-73-2	>= 1 - < 5
Fatty acids, tall-oil, sodium salts	61790-45-2	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention immediately.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Remove contaminated clothing and shoes.



Version 4.2	Revision Date 03/31/2020	Print Date 08/31/2020
	Wash contaminated clothing befor	e reuse.
In case of eye contact	 Small amounts splashed into eyes tissue damage and blindness. Rinse immediately with plenty of w for at least 15 minutes. Continue rinsing eyes during trans Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a set 	vater, also under the eyelids,
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to a DO NOT induce vomiting unless d physician or poison control center. Take victim immediately to hospita Do not give milk or alcoholic bever 	irected to do so by a
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed Symptoms may include blistering, Effects are dependent on exposure contact time). Causes severe skin burns and eye Review section 2 of SDS to see al 	irritation, burns, and pain. e (dose, concentration, e damage.
Notes to physician	: Treat symptomatically. Symptoms	s may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical Water spray jet Alcohol-resistant foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.
Special protective equipment	:	Wear self-contained breathing apparatus for firefighting if



Version 4.2	Revision Date 03/31/2020	Print Date 08/31/2020

for firefighters

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm	OSHA P0

-



ZEP INDUSTRIAL PURPLE DEGRSR & CLNR CON

Version 4.2	Revision	Revision Date 03/31/2020		Date 08/31/2020
			120 mg/m3	1
		PEL	20 ppm 97 mg/m3	CAL PEL
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
		С	2 mg/m3	CAL PEL

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-BUTOXYETHANOL	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200.mg/g Creatinine	ACGIH BEI
Engineering measures	s : eff	ective ventilation	on in all proc	essing area	IS	
Personal protective ec	Juipment					
Respiratory protection	ve	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.				rates
Hand protection Material Remarks	: Th	 Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves. 				ed
Eye protection	inc	Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.				

Tightly fitting safety goggles

: When using do not eat or drink. When using do not smoke.

problems.

: Impervious clothing

Wear face-shield and protective suit for abnormal processing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Skin and body protection

Hygiene measures

: liquid

SAFETY DATA SHEET



ZEP INDUSTRIAL PURPLE DEGRSR & CLNR CON

Version 4.2	Revision Date 03/31/2020	Print Date 08/31/2020
Colour	: purple	
Odour	: ether-like	
Odour Threshold	: No data available	
рН	: 13.5	
Melting point/freezing point	: No data available	
Boiling point	: 98.9 °C	
Flash point	: does not flash	
Evaporation rate	: 1	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: not determined	
Relative vapour density	: No data available	
Density	: 1.0230 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: 6.6 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids Oxidizing agents This product contains sodium hydroxide or potassium hydroxide that may corrode some soft metals and may react with tin, zinc, aluminum to form hydrogen gas.



ersion 4.2	Revision Date 03/31/2020	Print Date 08/31/2020
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and hydrocarbons (smoke).	lunburned
ECTION 11. TOXICOLOGICAL I	NFORMATION	
Potential Health Effects		
Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	: Effects are immediate and delayed. Symptoms may include blistering, irrita Effects are dependent on exposure (d contact time).	
Carcinogenicity:		
IARC	No component of this product present at equal to 0.1% is identified as probable, p human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with unknown humans	
OSHA	2-butoxyethanol No component of this product present at equal to 0.1% is on OSHA's list of regula	
NTP	No component of this product present at equal to 0.1% is identified as a known or by NTP.	levels greater than or
cute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/k Method: Calculation method	g
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h	
	Test atmosphere: vapour Method: Calculation method	
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/k Method: Calculation method	g
Components:		
Alcohols, C9-11, ethoxylated Acute oral toxicity	d: : LD50 Oral Rat: 1,400 mg/kg	
2-butoxyethanol: Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg	

SAFETY DATA SHEET



ZEP INDUSTRIAL PURPLE DEGRSR & CLNR CON

Version 4.2	Revision Date 03/31/2020	Print Date 08/31/2020
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg	
sodium hydroxide:		
Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,350	mg/kg
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosive	e and destructive to tissue.	
Serious eye damage/eye irritatio	on	
Product:		
Remarks: May cause irrevers	ible eye damage.	
Respiratory or skin sensitisation	n	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data available	е	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u> sodium hydroxide :

Toxicity to fish

: LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l



Version 4.2		Revision Date 03/31/2020	Print Date 08/31/2020
		Exposure time: 96 h Test Method: static test	
		LC50 (Oncorhynchus tshawytscha 152 mg/l Exposure time: 96 h	(chinook salmon)):
		LC50 (Oncorhynchus mykiss (rainl Exposure time: 48 h	oow trout)): 40 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea Exposure time: 48 h	l)): 34 - 47 mg/l
		EC50 (Crangon crangon (shrimp)) Exposure time: 48 h	: 33 - 100 mg/l
Persistence and degradability			
No data available Bioaccumulative potential			
Product:			
Partition coefficient: n- octanol/water	:	Remarks: No data available	
Mobility in soil			
No data available			
Other adverse effects			
No data available <u>Product:</u>			
Regulation		40 CFR Protection of Environment Stratospheric Ozone - CAA Section Substances	-
Remarks		This product neither contains, nor with a Class I or Class II ODS as d Clean Air Act Section 602 (40 CFF + B).	lefined by the U.S.
Additional ecological information	:	Not applicable	
<u>Components:</u> sodium hydroxide :			
Additional ecological information	:	Harmful to aquatic life.	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Do not dispose of waste into sewer.



Version 4.2	Revision Date 03/31/2020	Print Date 08/31/2020
	Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.	
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



Version 4.2	Revision Date 03/31/2020	Print Date 08/31/2020
SARA 311/312 Hazards	: Skin corrosion or irritation Serious eye damage or eye irritation	
SARA 302	: No chemicals in this material are sub requirements of SARA Title III, Section	, , ,
SARA 313	 The following components are subject established by SARA Title III, Section 2-butoxyethanol 	
California Prop. 65		
	This product does not contain any of California to cause cancer, birth de reproductive harm.	

The components of this product are reported in the following inventories:


DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:



		Print Date 08/31/2020
Hazard pictograms		
Signal word Hazard statements Precautionary statements	 Danger: Causes severe skin burns and eye damage. Prevention: Wash skin thoroughly after handling. Weat clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT in hair): Take off immediately all contaminated clothing. R INHALED: Remove person to fresh air and keep comfor call a POISON CENTER/doctor. IF IN EYES: Rinse can minutes. Remove contact lenses, if present and easy to Immediately call a POISON CENTER/doctor. Wash con reuse. 	nduce vomiting. IF ON SKIN (or tinse skin with water/shower. IF ortable for breathing. Immediately utiously with water for several to do. Continue rinsing.
	Disposal: Dispose of contents/container in accordance	e with local regulation.

Version:	4.2
Revision Date:	03/31/2020
Print Date:	08/31/2020

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.