# 50:1\(\frac{8}{2}\) ENGINEERED FUEL + OIL

READY TO USE FOR 2-CYCLE ENGINES

ETHANOL-FREE

**EXCELLENT FOR LONG TERM STORAGE** 



#### **DANGER:**

EXTREMELY FLAMMABLE LIQUID & VAPOR. VAPOR MAY CAUSE FLASH FIRE. VAPOR HARMFUL. HARMFUL OR FATAL IF SWALLOWED. IRRITATING TO RESPIRATORY TRACT, EYES & SKIN. CAREFULLY READ ALL WARNINGS ON BACK PANEL.

110 FL. OZ. (3.253 Liters)

TRUFUEL

## THE ORIGINAL ENGINEERED FUEL FOR OUTDOOR POWER EQUIPMENT



## TRUFUEL

POOR PERFORMING EQUIPMENT IS TYPICALLY THE RESULT OF ETHANOL AND OTHER CONTRIBUTING FACTORS FOUND IN PUMP GAS FROM THE STATION.

Whether you are running 2-cycle or 4-cycle outdoor power equipment, the key to optimal performance and protection is fuel specifically designed for small engines. TruFuel's ethanol-free, 92+ octane formula is the pioneer in engineered fuel, combatting the issues associated with pump gas that lead to poor performance, costly repairs and downtime.

## WHY IS "ETHANOL-FREE" SO IMPORTANT FOR SMALL ENGINE USE?

### PHASE SEPARATION

Phase separation is a common occurrence that results from the ethanol in pump gas drawing in moisture from the atmosphere. The water then bonds with the ethanol, separates and collects at the bottom of the tank. In addition to causing rust and corrosion, the raw ethanol and water are the first to enter your engine. This results in poor starts and high potential for internal damage, particularly in 2-cycle engines that no longer have the lubrication necessary to operate as the mix of fuel and oil has been disrupted and fuel treatment cannot bring it back to proper blend levels. Most do not realize that pump gas with ethanol destabilizes and becomes highly ineffective in as little as 30 days, so that red-can fill up at the gas station can be a recipe for disaster, particularly for limited use equipment.



| | | | | | | | | | | | ENGINEERED FOR OUTDOOR POWER EQUIPMENT

TruFuel has a shelf life of more than 5 years unopened and greater than 2 years after opening. It does not contain the components that break down fuel like station gas. TruFuel 40:1 and 50:1 mixes contain the exact blends of fuel & high quality synthetic oil recommended by equipment manufacturers, while TruFuel 4-cycle fuel contains our unique TF3 additive package that helps mowers, generators, power washers and snow throwers perform at their best, even despite limited use. TruFuel's ethanol-free, gum & varnish-free, benzene-free formula with balanced aromatics and proprietary stabilizer result in easy engine starts, smoother idling and stronger throttle response year after year.



## PRODUCT SETUP



#### *32 0Z.*

IIIOI OLL 40.1	THOI OLL SO.1	4-CYCLE
6525538	6525638	6527238
875750000736	875750000095	875750001849
875750000743	875750000156	875750002044
10875750000733	10875750000092	10875750002044
TRUFUEL 40:1 Pre-mix	TRUFUEL 50:1 Pre-mix	TRUFUEL 4-Cycle

TRUFUEL 50:1 Pre-Blend 2-Cycle

#### **Short Description Long Description**

MFG Order Number

Item UPC (Can)

Case Pack UPC

**GTIN (Case Pack)** 

Pack

#### 110 OZ.

ı	TRUFUEL 40:1	TRUFUEL 50:1	TRUFUEL 4-CYCLE
	6525506	6525606	6527206
ı	875750003210	875750002303	875750002327
ı	10875750002317	10875750002300	10875750002324
ı	00875750002310	00875750002303	00875750002358
ı	TRUFUEL 40:1 Pre-mix	TRUFUEL 50:1 Pre-mix	TRUFUEL 4-Cycle
	TRUFUEL 40:1 Pre-Blend 2-Cycle	TRUFUEL 50:1 Pre-Blend 2-Cycle	TRUFUEL 4-Cycle Straight Fuel
	4	4	4

#### 4.75 GAL.

6

TRUFUEL 40:1 Pre-Blend 2-Cycle

#### 48 GAL.

	TRUFUEL 40:1	TRUFUEL 50:1	4-CYCLE	TRUFUEL 40:1	TRUFUEL 50:1	4-CYCLE
MFG Order Number	6525514	6525614	6527214	6525511	6525611	6527211
Item UPC (Can)	875750002341	875750002334	875750002358	875750003188	875750003171	875750003195
Case Pack UPC	N/A	N/A	N/A	N/A	N/A	N/A
GTIN (Case Pack)	N/A	N/A	N/A	N/A	N/A	N/A
Short Description	TRUFUEL 40:1 Pre-mix	TRUFUEL 50:1 Pre-mix	TRUFUEL 4-Cycle	TRUFUEL 40:1 Pre-mix	TRUFUEL 50:1 Pre-mix	TRUFUEL 4-Cycle
Long Description	TRUFUEL 40:1 Pre-Blend 2-Cycle	TRUFUEL 50:1 Pre-Blend 2-Cycle	TRUFUEL 4-Cycle Straight Fuel	TRUFUEL 40:1 Pre-Blend 2-Cycle	TRUFUEL 50:1 Pre-Blend 2-Cycle	TRUFUEL 4-Cycle Straight Fuel
Pack	1	1	1	1	1	1

TRUFUEL 4-Cycle Straight Fuel

## PACKAGING SPECS

	32 OZ.	110 <b>OZ</b> .	4.75 GAL.	48 GAL
Case Length	10 1/2"	13 5/8"	N/A	N/A
Case Height	10"	10 5/8"	N/A	N/A
Case Width	7 1/4"	8 11/16"	N/A	N/A
Case Weight	192.7 oz. (12.04 lbs.)	416.9 oz. (26.05 lbs.)	N/A	N/A
Each Length	3 3/8"	6 1/2"	13" (diameter)	23" (diameter)
Each Height	93/4"	10 1/4"	15"	<i>35"</i>
Each Width	3 3/8"	3 3/16"	13"	23"
Each Weight	30.9 oz.	104 oz.	29.95 lbs.	329 lbs.
TI	22 cs.	13 cs.	14 pails	4 drums
Н	6	5	3	1
Cases Per Pallet	132 cs.	65 cs.	42 pails	4 drums
Truckload Cs./Eaches	3,168 cs. (19,008 ea.)	1,560 cs. (9,360 ea.)		
Restrict Transport	No	Yes	Yes	Yes
Contains Toulene	Yes	Yes	Yes	Yes
Hazardous Product	Yes	Yes	Yes	Yes
Hazardous Code	UN 1203	UN 1203	UN 1203	UN 1203
Description	Gasoline	Gasoline	Gasoline	Gasoline
Class	3	3	3	3
Packing Group	<b>//</b>		<b>//</b>	<i>II</i>
Domestic Ground Transport	ORM-D	HazMat	HazMat	HazMat
Hazmat by Ocean	Yes	Yes	Yes	Yes
Hazmat by Air	Yes	Yes	Yes	Yes





| | | | | | | | | | | | ENGINEERED FOR OUTDOOR POWER EQUIPMENT

#### ETHANOL-FREE I HIGH OCTANE I PREMIUM SYNTHETIC OIL

ATTRIBUTES	5001 4051 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
READY TO USE PREMIXED OIL AND FUEL	YES	FUEL ONLY	NO NO
92+ OCTANE ENGINEERED FUEL	YES	YES	NO
ETHANOL-FREE	YES	YES	NO
GUM AND VARNISH FREE	YES	YES	NO
BUTANE FREE	YES	YES	NO .
BENZENE FREE	YES	YES	NO
2+ YEAR SHELF LIFE	YES	YES	NO .
CONSISTENT FORMULA THROUGHOUT THE YEAR	YES	YES	NO
AROMATICS BALANCED	YES	YES	NO
SYNTHETIC OIL FD JASO FD, ISO-L-EGD, and API TC	YES	NO	NO
FUEL STABILIZER	YES	YES	NO NO
EASY POUR CONTAINER	YES	YES	NO

Engineered to help your equipment run the way it was designed, TruFuel provides the convenience of easy storage and readiness to use when you need it. Please visit trufuel50.com or search "TruFuel" on the web to learn more about the leader in Engineered Fuel technology.









TRUFUEL50.COM