



Category: Air Compressor
UPC: 743369780106

8.0 Gallon
1 HP Motor
120 PSI MAX
3.0 CFM @90PSI
40 Decibels




SPECIFICATION SHEET

Model: 8010SPCAD

PRODUCT OVERVIEW

The CALIFORNIA AIR TOOLS 8010SPC **Ultra Quiet & Oil-Free Air Compressor** is designed to be one of the quietest 1.0 horse power air compressors in the industry having only 40 decibels of sound.



FEATURES

- The powerful 1.0 HP motor operates at only 1400 RPM creating less noise, vibration, and creating less wear.
- The MP Series of Ultra Quiet Air Compressor Motors have been designed to increase duty cycle and allow for longer continuous run times.
- The cabinet has two latching doors that allows for easy access to the compressor and components.
- The two cabinet exhaust fans are use to remove the air from the cabinet to a cool working condition for the air compressor..

SPECIFICATIONS AND PERFORMANCE



ULTRA QUIET & OIL-FREE AIR COMPRESSOR IN SOUND PROOF CABINET



BENEFITS

- The CAT-MP100LF Motor/Pump is tested for a minimum pump life of 4000 hours before service. 30% more life before repair.
- The large 8.0 gallon steel air tank is internally coated with epoxy to prevent any corrosion.
- The complete Sound Proof Cabinet is 131 lbs.
- The 4 caster wheels makes moving the air compressor from location to location very easy.
- The Sound Proof Cabinet is made of a sturdy metal frame with 1/4" Acoustic Sound Proofing Foam insulation to reduce the noise by 30%.
- This air compressor is ideal for anyone working inside (office, shop, store, warehouse or home) where noise is a major issue.

SPECIFICATIONS

Specification	Details
Material	Alloy Steel
Color	White
Weight	131 Pounds
Height	31.5 inches
Item Dimensions L x W x H	19.75"L x 19.75"W x 31.5"H
Capacity	8 Gallons
Maximum Current	8 Gallons
Voltage	110 Volts
Noise Level	40 dB

FEATURES


1. **Ultra Quiet – Only 40 decibels**
2. Oil-Free Pump – Cleaner air for better tool operation. Less maintenance and Costs.
3. Two pressure control gauges
4. One – Female industrial “Push to Connect” quick connector
5. Thermal Overload Protector
6. 115 PSI Maximum Pressure
7. Kick On Pressure 85 PSI – Kick Off Pressure 115 PSI
8. 110v / 60 Hz
9. Low Amp Draw – Only 7.6 Amps
10. Duty Cycle – 70/30*
11. Maximum continuous running 30-60 min. (Depending PSI & CFM)
12. Tank fill rate from empty to full 3 minutes
13. 4 Caster Swivel Wheels
14. L (19.75") x W (19.75") x H (31.5"), 131 pounds
15. Non-ASME Air Tank
16. 18 Month Limited Warranty
17. Commercial Use: Refer to State & City Codes

Product Overview:

[California Air Tools 8010SPC Website.](#)

COMPATIBLE ACCESSORIES

- 16 Piece Air Hose & Air Tool Accessory Kit (CAT-376)
- California Air Tools Hybrider Flex 1/4in 25 Foot Hybrid Air Hose
- 317 Water (moisture) & Oil Separator Air Filter 1/4 NPT.



Part Number	CAT-8010SPC
UPC	743369780106
Shipping Dimensions	30"L x 30"W x 43"H
Shipping Weight	167 lbs
Shipping Class	85
Ship Type	Parcel
Cage Code	7VRJ0
HTSUS	8414.80.1685
Country of Origin	USA