



Bug-No-More

LARGE PROPERTY INSECT CONTROL CONCENTRATE

For Outdoor Residential Use Only.

ACTIVE INGREDIENT:	By Wt.
Zeta-Cypermethrin*	17.1%
OTHER INGREDIENTS:	82.9%
	TOTAL 100.0%

This product contains 1.5 pounds of active ingredient per gallon.

*Cis/trans ratio: Max. 55%(±) cis and min. 45% (±) trans.

KEEP OUT OF REACH OF CHILDREN WARNING



Read the label before use.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, shoes, socks, gloves and protective eyewear. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Get medical attention if irritation persists.

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

(First Aid continued on next column)

FIRST AID (cont.)

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment information.

NOTE TO PHYSICIAN: Skin contact (vapor or spray) may be followed by transient tingling or numbness, usually of the face, but this subsides without treatment. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive.

For Information Regarding the Use of this Product Call 1-877-800-5556.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Do not contaminate water when disposing of equipment washwaters or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before Use, Read and follow the directions below:

SHAKE WELL BEFORE USING

Farmstead Insecticide

Bug-No-More® Large Property Insect Control Concentrate is formulated to kill the listed pests that pose harm and nuisance to country and suburban homes and farmsteads. Bug-No-More Large Property Insect Control Concentrate is a versatile tool against insects that can infest and attack lawns, vegetable and flower gardens. Ideal for use with all standard spray equipment including hose-end, pump-style, 12-volt spot, ATV and tow-behind sprayers.

MIXING INSTRUCTIONS

When using 12-Volt/Tow-Behind Boom Sprayers*

To calibrate your application equipment, consult your equipment owner's manual for speed and pressure settings required to deliver 0.5 to 1 gallon of spray solutions to treat 1,000 sq.ft. For example, at 4 mph a sprayer might deliver ½ gallon per 1,000 sq.ft. at 40 psi.

*Spray method for use only with perimeter treatment or home lawn and ornamental gardens.

To apply evenly, drive at a constant speed that delivers the prescribed amount of spray required for the area to be treated.

Mix the appropriate amount of product and water in the sprayer using the following table as a guide:

Table 1: 12-Volt and Pull Behind Sprayers Application Guide					
Tank Size	Spray Volume	Coverage Area (sq.ft.)	Concentrate to add to tank (0.2 fl.oz. rate)	Concentrate to add to tank (0.4 fl.oz. rate)	Concentrate to add to tank (0.6 fl.oz. rate)
15 gal.	1 gal./1000 sq.ft.	15,000	3 fl.oz.	6 fl.oz.	9 fl.oz.
25 gal.	1 gal./1000 sq.ft.	25,000	5 fl.oz.	10 fl.oz.	15 fl.oz.

1. LAWNS AND ORNAMENTAL GARDENS

Pests: Ants, armyworms, annual bluegrass weevil, billbugs, black turfgrass Taenius, centipedes, chinch bugs, crickets, cutworms, earwigs, fleas (adults), grasshoppers, Japanese beetles, leafhoppers, mealybugs, millipedes, mole crickets, pillbugs, sod webworms, sow bugs and blacklegged and brown dog ticks.

Use higher volume applications if the thatch layer is excessive or if a relatively long mowing height is being maintained.

Where to Use: Use Bug-No-More Large Property Insect Control Concentrate on lawns, vacant lots, ornamental trees, shrubs, and flowers and other similar areas where insect pests are present.

When to Use: Treat lawns and vegetation when insects or damage first appears. Retreatment may be necessary during periods of high pest pressure. Repeat application is necessary only if there are signs of renewed insect activity.

How Much to Apply: Mix 0.2 fl.oz. in 1 gallon of water to treat 1,000 sq.ft. For control of fleas (adults) and blacklegged and brown dog ticks use 0.4 fl.oz. in 1 gallon of water to treat 1,000 sq.ft.

Mixing Instructions				
Tank Size	Spray Volume	Coverage Area (sq.ft.)	Concentrate to add to tank (0.2 fl.oz. rate)	Concentrate to add to tank (0.4 fl.oz. rate)
1 gal.	1 gal./1000 sq.ft.	1,000	0.2 fl.oz.	0.4 fl.oz.
15 gal.	1 gal./1000 sq.ft.	15,000	3 fl.oz.	6 fl.oz.
25 gal.	1 gal./1000 sq.ft.	25,000	5 fl.oz.	10 fl.oz.

Do not use household utensils to measure Bug-No-More Large Property Insect Control Concentrate. Utensils such as spoons and measuring cups must not be used for food purposes after use in measuring pesticides.

How to Apply: Apply Bug-No-More Large Property Insect Control Concentrate as a broadcast treatment. Use application volumes of up to 5 gallons per 1000 sq.ft. to get uniform coverage when treating dense grass foliage. Lawn should not be longer than 3 inches at the time of application. Arid climates generally require the higher volume. Use higher volume applications if the thatch layer is excessive or if a relatively long mowing height is being maintained.

Do not allow people or pets to enter the treated area until after sprays have dried.

Coverage: One bottle, treats up to 100,000 sq.ft. at 0.2 fl.oz./1000 sq.ft.

2. HOME INVADING PESTS OUTDOORS

Pests: Ants, boxelder bugs, chiggers, crickets, earwigs, elm leaf beetles, firebrats, fleas (adults), flies (excluding biting flies), millipedes, blacklegged and brown dog ticks, silverfish & sowbugs (pillbugs).

PERIMETER TREATMENT

How much to Apply: When using a tank sprayer: Use 0.60 fl.oz. of this product per gallon of water to be sprayed over 1,000 sq.ft.

Mixing Instructions			
	For Spot Applications	For Broadcast Applications	
Amount of Water in Sprayer	1 Gallon	15 Gallons	25 Gallons
Amount of Product to add to sprayer	0.6 fl.oz. (3.6 tsp.)	9 fl.oz. (18 Tbsp.)	15 fl.oz. (30 Tbsp.)
Area to Treat in Square Feet	1,000	15,000	25,000

Do not use household utensils to measure Bug-No-More Large Property Insect Control Concentrate. Utensils such as spoons and measuring cups must not be used for food purposes after use in measuring pesticides.

How to Apply: Close doors and windows prior to treatment. Use a hose-end or tank sprayer to spray a 5 to 10 foot band of soil around the house (structure) next to the foundation. Spray the foundation of the house (structure) to a height of 2 to 3 feet. House siding may also be spot treated if pests such as ants, boxelder bugs, chiggers, crickets, earwigs, elm leaf beetles, firebrats, flies (excluding biting flies), millipedes, silverfish & sowbugs (pillbugs) are present.

Aim spray at nest openings in ground, bushes, and in cracks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible.

Do not allow people or pets to enter the treated area until after sprays have dried.

Where to Use: Use Bug-No-More Large Property Insect Control Concentrate outdoors as a perimeter spray to obtain up to 3 months* of continuous protection around homes, buildings, stables, barns and other structures. Spray 5 to 10 feet outwards from structures and 2 to 3 feet up the foundation to kill insect pests and provide up to 3 months* of continuous protection.

*except fleas

When to Use: Application should be made in the late evening when insects are at rest.

Coverage: One bottle, treats up to 33,333 sq.ft. at 0.6 fl.oz./1000 sq.ft.

Insects Controlled	
Aphid spp. ¹ Alfalfa Looper Armyworms Cabbage webworm Celery leaf Tier Chinchbug Colorado Potato Beetle Corn Borers Corn Earworm Corn Rootworm (adult) Corn Silkworm Crickets Cucumber beetles Cutworms Diamondback moth Flea beetle Garden Webworm Grasshoppers Ground beetles Hornworms Imported cabbage worm Japanese Beetle (adults) Leafhoppers	Leafminers (adults) Loopers Lygus bugs Meadow Spittlebug Onion Maggot Adults Pepper Maggot (adults) Pepper Weevil Plant bug spp. Potato Leafhopper Saltmarsh Caterpillar Sap Beetle (adults) Southern Corn Rootworm (adult) Stink Bugs Thrips ² Tobacco Budworm Tomato Fruitworm Tomato Psyllid Tomato Pinworm Vegetable Weevil Wireworm (adults) Whitefly ² Whitefringed Beetle (adult)
¹ Aphid control may be variable depending on species present and host-plant relationships ² Aids in control	

Product Restrictions:

- **WARNING:** Do not use water based sprays of Bug-No-More Large Property Insect Control Concentrate in conduits, motor housings, junction boxes, switch boxes, or other electrical equipment because of possible shock hazard.
- Do not make applications during rain.
- Do not water the treated area to the point of run-off.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets off treated areas until dry.
- Do not treat pets with this product.
- Protect outdoor ornamental pools containing fish from spray mist.
- For best results, thoroughly wash out sprayer and screen with water and detergent before using Bug-No-More Large Property Insect Control Concentrate.
- Do not use this product with oil.
- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 1. Treatment to soil or vegetation around structures;
 2. Applications to lawns, turf, and other vegetation;
 3. Applications to building foundations up to a maximum height of 3 feet.
- Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Close cap tightly to ensure child resistance.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep from freezing. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. For rigid containers: After partial use, replace lids and close tightly.

PRODUCT DISPOSAL AND CONTAINER HANDLING: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available.

LIMITED WARRANTY AND DISCLAIMER

IMPORTANT: Read this LIMITED WARRANTY AND DISCLAIMER before buying or using this product. By opening and using this product,

