

# Fiberglass Fireplace Insert Insulation

#### 1 PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** Fiberglass Fireplace Insert Insulation

 SDS Number:
 52

 Product Code:
 105

 Revision Date:
 5/30/2019

Version:

**Product Description:** Self-adhesive fiberglass fireplace insert insulation

**Product Use:** 1.5" wide self-adhesive strip forms a smoke and gas tight seal between existing masonry and fireplace insert.

Recommend replacing insulation each time insert is removed for cleaning.

Supplier Details: Rutland Products

7 Crabtree Road Jacksonville, IL 62650

Contact: Faith Nergenah, Brian Miller

**Phone:** 217-245-7810 **Fax:** 217-245-1194

Email: faith@rutland.com bmiller@rutland.com

Web: www.rutland.com

**Emergency:** CHEMTREC (800) 424-9300

SDS Number: 52 Page: 1 / 4 Revision Date: 5/30/2019



## **Fiberglass Fireplace Insert Insulation**

#### 2

#### HAZARDS IDENTIFICATION

#### Classification of the Substance or Mixture

#### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Skin corrosion/irritation, 2

Health, Serious Eye Damage/Eye Irritation, 2 B

Health, Acute toxicity, 5 Inhalation

### **GHS Label Elements, Including Precautionary Statements**

GHS Signal Word: WARNING

### **GHS Hazard Pictograms:**



#### **GHS Hazard Statements:**

H315 - Causes skin irritation

H320 - Causes eye irritation

H333 - May be harmful if inhaled

#### **GHS Precautionary Statements:**

P264 - Wash skin thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 - If on skin: Wash with plenty of soap and water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do Continue rinsing.

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

#### Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes; Ingestion; Skin;

**Inhalation:** Taking precautions against inhalation of particles is recommended.

**Skin Contact:** May cause irritation. **Eye Contact:** May cause irritation.

**Ingestion:** Ingestion is not an applicable route of entry for intended use. May be harmful if swallowed.

### 3

## **COMPOSITION/INFORMATION OF INGREDIENTS**

	Chemical	Ingredients:
CAS#	%	Chemical Name:
65997-17-3	(	Glass, oxide, chemicals

Percentages withheld, Trade Secret



## **Fiberglass Fireplace Insert Insulation**

### 4 FIRST AID MEASURES

**Inhalation:** Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.

**Skin Contact:** Wash with plenty of water. Get medical attention if irritation develops or persists.

Eye Contact: Immediately flush eyes with plenty of water. After initial flushing, remove contact lenses and continue flushing for at

least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to

mechanical action.

Ingestion: If Swallowed, DO NOT INDUCE VOMITING. Immediately call a POISON CONTROL CENTER (1-800-222-1222),

physician or emergency room.

### 5 FIRE FIGHTING MEASURES

Flammability: Non-Flammable

Use any standard agent - choose the one most appropriate for type of surrounding fire.

### 6 ACCIDENTAL RELEASE MEASURES

Vacuum or sweep the material into a bag or other sealed container and dispose of in accordance with local requirements.

### 7 HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes, skin, or clothing. Use with adequate ventilation. Avoid prolonged and repeated

contact with skin. Wash thoroughly after handling. Keep away from food and drinking water.

**Storage Requirements:** Store in a cool, well ventilated area.

#### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** A system of local and/or general exhaust is recommended to keep employee exposures as low as

possible.

Personal Protective

Equipment:

EYES AND FACE: Wear safety glasses with side shields. Chemical splash goggles and face shield

(ANSI Z87.1 or approved equivalent) are recommended.

SKIN: Wear protective clothing, including long sleeves and gloves, to prevent skin contact. Thoroughly wash clothing before reuse. RESPIRATORY: In case of insufficient ventilation, wear suitable respiratory

equipment.

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Tan fiberglass strip w/ adhesive backing

Physical State: Solid Odor: None

**Odor Threshold:** Not Available Molecular Formula: Not Available **Particle Size:** Not Available Solubility: Insoluble in water Spec Grav./Density: **Softening Point:** Not Available Not Available Not Available Viscosity: Not Available **Percent Volatile: Saturated Vapor** Not Available **Heat Value:** Not Available

Concentration:

**Boiling Point:** Not Available Freezing/Melting Pt.: Not Available **Flash Point:** Flammability: Not Flammable Not Applicable **Partition Coefficient:** Not Available Octanol: Not Available **Vapor Pressure:** Not Available Vapor Density: Not Available Not Available VOC: Not Available pH:

Evap. Rate:Not AvailableBulk Density:Not AvailableMolecular weight:Not AvailableAuto-Ignition Temp:Not AvailableDecomp Temp:Not AvailableUFL/LFL:Not Applicable

SDS Number: 52 Page: 3 / 4 Revision Date: 5/30/2019



## **Fiberglass Fireplace Insert Insulation**

10 STABILITY AND REACTIVITY

**Reactivity:** This product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical Stability:** Product is stable under normal conditions.

Conditions to Avoid: None Known

Materials to Avoid: None Known

Hazardous Decomposition: Not known.

Hazardous Polymerization: Will not occur.

11

**TOXICOLOGICAL INFORMATION** 

No data available.

12

**ECOLOGICAL INFORMATION** 

No information available

13

**DISPOSAL CONSIDERATIONS** 

Dispose of this product in accordance with all applicable local, state and federal regulations.

14

TRANSPORT INFORMATION

Not Regulated

15

REGULATORY INFORMATION

RQ (CAS#) Substance - Reg Codes

-----

Glass, oxide, chemicals (65997-17-3) TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

-----

TSCA = Toxic Substances Control Act

16

OTHER INFORMATION

PREPARED BY: Brian Miller

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances.

Revision Date: 5/30/2019

SDS Number: 52 Page: 4 / 4 Revision Date: 5/30/2019