


## ANCHORING YOUR FOUNTAIN WITH THE MOORING KIT



### What's Included:

- 2 Fountain Stakes
- 2 Carabiners
- 4 Cable Clamps  
(2 are pre-installed on the 75' & 125' mooring lines)
- 2 75' or 125' Mooring Lines\*  
-OR-
- 1 500' Mooring Line\*  
(\*Depending on which kit you ordered)

## Tools Required:

- 5/16" Wrench or Nut Driver
- Side Cutters
- Hammer



## Installation Instructions

### Step 1

Thread one preassembled mooring loop through one of the mounting holes in the fountain float and secure with a carabiner. For 500' kits you will need to first measure and cut the cable to create two lines. Follow steps 4-6 for creating a mooring loop.



### Step 2

Place fountain in pond. With the help of a 2<sup>nd</sup> person, grab the mooring lines and walk to opposite sides of the pond to pull the fountain to desired location.




### Step 3

Using a hammer, install a fountain stake at one location angled slightly away from the pond.




## Step 4

Loop the mooring cable around the fountain stake leaving a loop only large enough to slide on and off the stake.




## Step 5

Use a 5/16" wrench or nut driver to secure the mooring line loop with a cable clamp.



## Step 6

Trim excess line with side cutters, leaving only a few inches of excess line.



## Step 7

Repeat steps 3-6 to secure the mooring line on the opposite side of the pond. Pull the line tight to ensure little to no movement of the fountain.



**Airmax<sup>®</sup>, Inc.**  
Safe, Simple Solutions<sup>™</sup>

P.O. Box 38  
Romeo, MI 48065

866-424-7629  
[airmaxeco.com](http://airmaxeco.com)