

148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



SAFETY DATA SHEET

Section 1: Product Identification

Product Name MELT Enviro Blend Ice Melter

Identified Uses Melt Snow and Ice

Manufacturer's Details Kissner Milling Company Limited

148 Manitou Drive, Suite 301

Kitchener, Ontario, Canada N2C 1L3

Phone Number (519) 279-4860

Emergency Contact (24 Hrs) (613) 996-6666 CANUTEC

Section 2: Hazard Identification

Classification (GHS) Not Classified

GHS Labelling No Labelling applicable

Percentage Not applicable

Other Hazards Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When

heated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged contact.

Section 3: Composition/Information On Ingredients

Ingredients	Percentage	CAS. NO.	Classification
Sodium Chloride	85.0-99.9%	7647-14-5	Not Classified
Magnesium Chloride	0.01-5.0%	7786-30-3	Not Classified
Calcium Magnesium Acetate (CMA)	0.01-5.0%	76123-46-1	Acute Tox. 4 (Inhalation:dust,mist), H332; Eye Irrit. 2B, H320
Product may contain color indicator		N/A	

Section 4: First-Aid Measures

Description of First Aid Measures

Eye Contact

General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at

rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists. Remove contaminated clothing. Brush off loose particles. Drench affected area with water for at least

Skin Contact

15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.

Rinse cautiously with water for several minutes. Brush off loose particles. Remove contact lenses, if

present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.



148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Most Important Symptoms and Effects Both Acute and Delayed

General Dust may cause mechanical irritation to eyes, nose, throat, and lungs

Inhalation Prolonged contact with large amounts of dust may cause mechanical irritation.

Skin Contact Skin contact with large amounts of dust may cause mechanical irritation.

Eye Contact Contact may cause irritation due to mechanical abrasion Ingestion Ingestion is not likely to be harmful or have adverse effects

Contact with large amount of dust may cause mechanical irritation to eyes, nose, throat, and Other

lungs.

Chronic Symptoms Not available

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Do not use a heavy water stream. Use of heavy stream of water may spread fire. **Unsuitable Extinguishing Media:**

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: When heated to decomposition, emits toxic fumes. Toxic Gas.

Hazardous Combustion Products: Toxic fumes are released. Hydrogen chloride. Sodium oxides. Chlorine.

Do not allow run-off from firefighting to enter drains or water courses. Other Information:

Section 6: Accidental Release Measures

Personal Precautions Avoid breathing (dust). Avoid all contact with skin, eyes, or clothing.

Protective Equipment: Use appropriate personal protection equipment (PPE).

Environmental Precautions Prevent entry to sewers and public waters. Avoid release to the environment.

Clear up spills immediately and dispose of waste safely. Recover the product by **Methods for Cleaning Up** vacuuming, shoveling or sweeping. Contact competent authorities after a spill.

Section 7: Handling And Storage

Precautions for Safe Handling

When heated to decomposition, emits toxic fumes. Contact with water causes an

Additional Hazards exothermic heat reaction, which may cause significant temperature rise. Corrosive to When Processed

metals upon prolonged contact. May release hydrogen gas on prolonged contact with

certain metals.

Handle in accordance with good industrial hygiene and safety procedures. Wash hands and **Hygiene Measures**

other exposed areas with mild soap and water before eating, drinking, or smoking and



148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations

Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Storage Conditions Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition

sources, and incompatible materials.

Incompatible Materials Strong acids. Strong bases. Strong oxidizers.

Section 8: Exposure Controls/Personal Protection

No Occupational Exposure Limits (OELs) have been established for this product or its **Control Parameters**

chemical components.

Appropriate Engineering

Controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory

Ensure adequate ventilation, especially in confined areas

Personal Protective

Equipment

protection. Gloves.

Materials for Protective

Clothing:

Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or face shield. Skin and Body Protection: Wear suitable protective clothing.

Use NIOSH-approved air-purifying or supplied-air respirator where airborne **Respiratory Protection:**

concentrations are expected to exceed exposure limits.

Section 9: Physical And Chemical Properties

Appearance/ Physical State Green coloured granules. Odorless. Solid

Vapour Pressure (mm Hg at 20°C) Not applicable Vapour Density (Air = 1.0) Not applicable **Bulk Density** Not applicable **Solubility in Water** Water Soluble Specific Gravity (gm/cc, Water = 1.0) Not applicable % Volatile by Volume Non-volatile **Boiling Range (Deg. Celsius)** Not available Not available **Melting Point**



148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



Coefficient of Water/Oil Distribution Not applicable

pH 10 (1% solution @ 20°C)

Section 10: Stability And Reactivity

Chemical Stability: Stable under normal conditions.

Reactivity: When heated to decomposition, emits toxic fumes. Toxic Gas.

Possibility of Hazardous Reactions: Polymerization occurs with calcium chloride when mixed with methyl vinyl ether.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Reactive metals.

Hazardous Decomposition Toxic gases. Hydrogen chloride. Chlorine. Sodium oxides. Oxides of magnesium.

Products: Oxides of calcium.

Section 11: Toxicological Information

Acute Toxicity: Not classified LD50 and LC50 Data: Not available

Skin Corrosion/Irritation:Not classified pH: 10Serious Eye Damage/Irritation:Not classified pH: 10

Not classified **Respiratory or Skin Sensitization: Germ Cell Mutagenicity:** Not classified Not available Teratogenicity: Not classified Carcinogenicity: **Specific Target Organ Toxicity (Repeated Exposure):** Not classified **Reproductive Toxicity:** Not classified **Specific Target Organ Toxicity (Single Exposure):** Not classified **Aspiration Hazard:** Not classified

Information on Toxicological Effects - Ingredient(s)

Sodium chloride (7647-14-5)	LD50 Oral Rat	3 g/kg
	LC50 Inhalation Rat	> 42 g/m³ (Exposure time: 1 h)
Calcium Magnesium Acetate (76123-46-1)	LC50 Inhalation Rat	> 4600 mg/m³ (Exposure time: 4 h)
Potassium Chloride (7447-40-7)	LD50 Oral Rat	2600 mg/kg

Section 12: Ecological Information

Toxicity No additional information available

Sodium chloride (7647-14-5)

LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])



148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
Potassium Chloride (7447-40-7)			
LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Specie	es: Lepomis macrochirus [stactic])	
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC 50 Fish 2	750-1020 mg/l (Exposure time: 96 h - Species: Pimephales Promelas [stactic])		
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [stactic])		
Persistence and degradability	Not available		
Bio accumulative potential			
Sodium chloride (7647-14-5)	BCF Fish 1	(no bioaccumulation)	
Mobility in Soil	Not available		

Mobility in Soil Not available

Other Information Avoid release to the environment

Section 13: Disposal Considerations

Waste Disposal Dispose of waste material in accordance with all local, regional, national, provincial,

Recommendations territorial and international regulations.

Section 14: Transport Information

In Accordance with DOT
In Accordance with IMDG
In Accordance with IATA
In Accordance with IATA
In Accordance with TDG
Not regulated for transport
Not regulated for transport
Not regulated for transport

Section 15: Regulatory Information

US Federal Regulations

Sodium chloride (7647-14-5)	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Potassium Chloride (7447-40-7)	Listed on the United States TSCA (Toxic Substances Control Act) inventory

Canadian Regulations

MELT Enviro Blend Ice Melter	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Sodium chloride (7647-14-5)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Calcium Magnesium Acetate (76123-46-1)	Listed on the Canadian DSL (Domestic Substances List)



148 Manitou Drive, Suite 301 Kitchener, Ontario N2C 1L3 1 (800) 434-8248 • (519) 279-4860 Fax: (877) 434-8250



WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Magnesium Chloride (7786-30-3)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Potassium Chloride (7447-40-7)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Section 16: Other Information

Other Information:

This document has been prepared in accordance with the SDS requirements of the

OSHA Hazard Communication Standard 29 CFR 1910.1200.

Effective Date: April 4, 2022

Version 2

Contact <u>sds@kissner.com</u>

The information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to review this information, satisfy themselves as to its suitability and completeness and pass on the information to its employees or customers. Kissner Milling Company Limited does not accept responsibility for any loss or damage, which may occur from the use of this information.