



# “QUICK DRAW” Overhead Gun Rack

Model: QD857-OGR JEEP  
ADJUSTS FROM 42” UP TO 48”

**⚠ WARNING**

**PLEASE READ ALL INSTRUCTIONS AND WARNINGS BEFORE USING THE QUICK DRAW OVERHEAD GUN RACK FOR JEEPS.**

**NOTE: FAILURE TO READ INSTRUCTIONS & WARNINGS COULD RESULT IN INJURY OR DEATH.**

## INSTRUCTIONS FOR INSTALLATION AND USE:



**CONTENTS**

### CONTENTS:

- 1 – 857 MOUNTING BAR
  - 2 – GUN CLIP SETS
  - 2 – 1/4" X 1 3/4" BOLTS
  - 2 – 1/4" LOCKNUTS
  - 4 – FLAT WASHERS
  - 1 – 3/4" FLAT WASHER
  - 1 – ALL THREAD ADJUSTMENT ROD W/2 JAM NUTS
- \*\*NOTE\*\*THE FLAT WASHER IS TO BE INSTALLED BETWEEN THE JAM NUTS & THE GUN RACK BODY**

Attach gun clips to mounting bar using 1/4" x 1-3/4" bolts, flat washers, and locknuts (**FIG.1**) NOTE: There are three sets of holes in 857 mounting bar. Choose holes that best accommodate guns.



**FIG. 1**

Slide threaded adjustment rod into open end of mounting bar. Place gun rack between left and right roll bar of jeep (**FIG. 2**) and slide adjustment bar out until gun rack is extended between roll bars.



FIG. 2

Hand tighten jam nuts on adjustment rod against mounting bar until 857 gun rack is securely held between roll bars. (**FIG. 3**) When tightening jam nuts they will move away from roll bars toward mounting bar.



FIG. 3

Completely tighten nut and jam nut against mounting bar using and adjustable wrench. (**FIG. 4 & FIG. 5**)



FIG. 4



FIG. 5

**\*\*NOTE\*\*ONCE GUN RACK IS INSTALLED IN JEEP PLACE GUN(S) INTO GUN RACK AND CHECK POSITION FOR HEAD CLEARANCE.\*\***

For more information about this or other products, contact us at:

**Great Day, Inc.**

604 Kimbrough Dr. \* Tallulah, LA 71282 \* (866) 649-1918 \* [www.greatdayinc.com](http://www.greatdayinc.com)

**\*\*  WARNING \*\***

1. \*NEVER PLACE A LOADED GUN(S) INTO “QUICK DRAW” OVERHEAD GUN RACK.
2. \*NEVER HAVE AMMUNITION READILY AVAILABLE OR ACCESSIBLE TO CHILDREN OR OTHER PASSENGERS.
3. \*NEVER ALLOW CHILDREN TO INSTALL OR REMOVE GUN(S) FROM “QUICK DRAW” OVERHEAD GUN RACK WITHOUT ADULT SUPERVISION.
4. \*NEVER USE “QUICK DRAW” OVERHEAD GUN RACK OR FIREARMS IN ANY MANNER THAT IS IN VIOLATION OF APPLICABLE STATE OR FEDERAL LAWS.
5. \*DO NOT MOUNT “QUICK DRAW” OVERHEAD GUN RACK INTO VEHICLE WHERE IT MAY IMPAIR DRIVER’S VISION.
6. \*DO NOT INSTALL “QUICK DRAW” OVERHEAD GUN RACK IN VEHICLE WHERE IT COULD CAUSE AIRBAG INTERFERENCE.
7. \*MAKE SURE THE MUZZLE(S) OF THE GUN(S) IS POINTED UP AND AWAY FROM ANY VEHICLE OCCUPANTS.
8. \*DO NOT MOUNT THE “QUICK DRAW” GUN RACK INTO VEHICLE WHERE IT WILL INTERFERE IN ANY WAY WITH THE OPERATION OF THE VEHICLE. I.E. STEERING WHEEL, BRAKE PEDAL, OR GAS PEDAL.
9. \*NEVER USE “QUICK DRAW” OVERHEAD GUN RACK TO CARRY ANYTHING OTHER THAN AN UNLOADED GUN(S). I.E. AXES, KAISER BLADES, SHOVELS.....
10. \*MAKE SURE GUN(S) ARE PROPERLY SECURED INTO CRADLES WITH VELCRO STRAPS BEFORE OPERATING VEHICLE.
11. \*NEVER TRY TO INSTALL OR REMOVE GUN(S) FROM THE “QUICK DRAW” OVERHEAD GUN RACK WHILE OPERATING THE VEHICLE OR WHILE THE VEHICLE IS MOVING.

**\*\*  WARNING \*\***

**PLEASE READ AND FOLLOW ALL INSTRUCTIONS AND WARNINGS INCLUDED WITH THIS PRODUCT.**