



PRO
HEAVY DUTY SERIES



STP® HEAVY DUTY NOAT EXTENDED LIFE ANTIFREEZE/COOLANT



TECHNICAL DATA

Since 1954, STP® has been the premier American brand name for automotive additives, lubricants and performance products in the USA. STP® Heavy Duty NOAT Extended Life Antifreeze/Coolant is a Nitrite Organic Acid Technology (NOAT) formulation that meets or exceeds ASTM requirements. This superior quality, ethylene glycol-based engine coolant is free of phosphates, silicates and amines. It protects all cooling system. The product is specially formulated with industry-leading additives to provide extended service maintenance protection in heavy duty applications without the addition of SCAs.

Performance, Features & Benefits:	<ul style="list-style-type: none"> Prevents pitting caused by cavitation and corrosion of brass, copper, solder, steel, cast iron and aluminum Extended service life – up to 1,000,000 miles / 20,000 hours protection* Free of phosphates, silicates, and amines Compatible with most major brands of extended life Organic Acid Technology (OAT)-type antifreeze coolant 												
Package Size Offerings	<table border="1"> <tr> <td>Concentrate 3x1 Case</td> <td>Part #11095</td> </tr> <tr> <td>Concentrate Drum</td> <td>Part #10263</td> </tr> <tr> <td>Concentrate Tote</td> <td>Part #10260</td> </tr> <tr> <td>Ready-To-Use 3x1 Case</td> <td>Part #11096</td> </tr> <tr> <td>Ready-To-Use Drum</td> <td>Part #10280</td> </tr> <tr> <td>Ready-To-Use Tote</td> <td>Part #10277</td> </tr> </table>	Concentrate 3x1 Case	Part #11095	Concentrate Drum	Part #10263	Concentrate Tote	Part #10260	Ready-To-Use 3x1 Case	Part #11096	Ready-To-Use Drum	Part #10280	Ready-To-Use Tote	Part #10277
Concentrate 3x1 Case	Part #11095												
Concentrate Drum	Part #10263												
Concentrate Tote	Part #10260												
Ready-To-Use 3x1 Case	Part #11096												
Ready-To-Use Drum	Part #10280												
Ready-To-Use Tote	Part #10277												
Aluminum Compatibility	Yes												
Contains Bitterant	Yes												
Base Fluid	100% Virgin Ethylene Glycol												
pH, 50% Volume Solution	8.2-8.8												
Product Color	Red												
Specifications, Approvals & Recommendations*†	<p>ASTM D3306, ASTM 6210, CAT EC-1, SAE J1941, TMC RP329.</p> <p>*For a full list of performance specifications, visit www.stpcoolant.com. †Meets most performance requirements but may or may not meet certain chemical requirements.</p>												
Recommended Change Interval	Up to 1,000,000 Miles/20,000 Hours												



KOST® USA, Inc. recommends to always properly dispose of spent coolant. Contact your state or local municipality for instructions on proper disposal to protect our environment. If a coolant spill occurs, call local authorities and ask for proper instruction on how to clean up the spill.

All reasonable care has been taken to ensure that the information herein is accurate as of the date of printing. The test results listed are typical properties only. Formula and blending changes may result in slight color and appearance changes.

STPHDPDS03012016

