

Product Guide

Agri+Fab[®]

Lawn Care Made Easy[®]



LAWN CARE

SPRING



- Sweep up winter lawn debris to prevent mold.
- Roll lawn to level out uneven areas caused by freezing and thawing soil.
- Aerate to open up compacted soil.
- Overseed bare areas.
- Apply pre-emergent herbicide in early spring.
- Start mowing only after grass has started to actively grow again. (Mower height depends on your species of grass and your climate, but a general rule is to mow slightly lower in the spring and fall; higher in the summer.)
- Apply a light dressing of low-nitrogen fertilizer in late spring.

SUMMER



- Apply grub control product in early summer.
- Mow grass regularly. (Adjust mower height in weather extremes: In drought conditions, mow higher and less often; in a wet season, mow slightly lower and more often.)
- Trim grass edges.
- Fertilize and feed if necessary, but do not use these products during dry spells.
- Water grass deeply and only when really needed.

FALL



- De-thatch and sweep up debris.
- Aerate compacted soil if you didn't do this in the spring.
- Overseed bare areas if you didn't do this in the spring.
- Apply seed about a month before first frost.
- Apply a light dressing of fertilizer once in early fall, and again in late fall.
- Remove leaves.
- For final mowing, raise the mower height slightly.
- Spray perennial weeds.

WINTER



- Perform maintenance on lawn care equipment according to your owner's manual.
- Sharpen mower blades.
- Remove fallen branches and winter debris as necessary.
- Apply fungicide in late winter/early spring.



1,000 lb. Poly Cart (ATV/UTV)

MODEL 45-0529

- Quick release lever for easy dumping.
- Strong poly bed holds up to 1,000 lbs.
- Swivels up to 100° to allow for easy dumping.



800 lb. Poly Cart

MODEL 45-0519

- Foot lever lets you unload in one easy step.
- Easily and quickly attaches to all tractors.
- Pneumatic tires make it easy to go where you want.



650 lb. Poly Cart

MODEL 45-0533

- Foot lever lets you unload in one easy step.
- Wheel bearings feature grease zerks for easy maintenance and long life
- Pneumatic tires make it easy to go where you want.



350 lb. Convertible Poly Cart

MODEL 45-0345

- Push and pull capability.
- Pneumatic tires let you go where you want.
- Poly bed made to last.



200 lb. Carry-All Cart

MODEL 45-0528

- Rustproof poly hopper.
- Steel tube handle for easily moving items.
- 20" rubber wheels for smooth transport.



1,200 lb. Steel Cart

MODEL 45-0240

- Quick release lever for easy dumping.
- Strong steel bed holds up to 1,200 lbs.
- Pneumatic tires let you go anywhere.



750 lb. Steel Cart

MODEL 45-0101-999

- Quick release lever for easy dumping.
- Strong steel bed holds up to 750 lbs.
- Pneumatic tires let you go anywhere.



350 lb. Steel Cart

MODEL 45-0303

- Quick release lever for easy dumping.
- Strong steel bed holds up to 350 lbs.
- Pneumatic tires let you go anywhere.



SmartLINK™ Master Platform

MODEL 45-0473 Patent 7,604,066

- Accepts all SmartLINK™ attachments easily.
- Durable steel deck and universal hitch.
- Easy, stand up storage capability.



SmartLINK™ Tine De-thatcher

MODEL 45-0457 Patent 7,604,066 & 7,073,317

- Attaches to the SmartLINK™ Master Platform.
- Easily cleans away thatch build up for a healthy lawn.
- Twenty heat-treated spring tines for durability.



SmartLINK™ Plug Aerator

MODEL 45-0474 Patent 7,604,066

- Attaches to the SmartLINK™ Master Platform.
- Twenty-four rustproof aerator knives.
- Knives create ground plugs which allow air, water and nutrients to reach the soil.



SmartLINK™ Spike Aerator

MODEL 45-0458 Patent 7,604,066

- Attaches to the SmartLINK™ Master Platform.
- Ten spike discs designed for thorough soil penetration.
- Excellent for use in lightly compacted soil.



48" Plug Aerator

MODEL 45-0299

- Thirty-two galvanized knives to penetrate the soil easily.
- Flat free tire for smooth transport.
- Transport handle for easy raising and lowering of the aerator knives.



40" Plug Aerator

MODEL 45-0518

- Twenty-four galvanized knives to penetrate the soil easily.
- Flat free tire for smooth transport.
- Transport handle for easy raising and lowering of the aerator knives.



40" Spike Aerator

MODEL 45-0544

- Ten galvanized steel spike disks for thorough aeration.
- 40" weight tray holds up to 100 lbs.
- Folding tongue for easy storage.



Push Spike Aerator

MODEL 45-0365 Patent D510,687

- 16" aerator width.
- 7" aerator disc diameter provides for a 2.5" soil penetration depth.
- Wide weight tray holds a patio brick for increased soil penetration.



48" Tine De-thatcher

MODEL 45-0295 Patent 7,073,317

- Twenty-four durable spring tines for easy thatch removal.
- 48" tray holds up to 70 lbs. for added soil penetration.
- Transport handle for easy raising and lowering of the tines.



40" Tine De-thatcher

MODEL 45-0294 Patent 7,073,317

- Twenty durable spring tines for easy thatch removal.
- 40" tray holds up to 70 lbs. for added soil penetration.
- Transport handle for easy raising and lowering of the tines.



Universal Front Mount De-thatcher

MODEL 45-0343

- Fourteen durable spring tines loosen thatch for a healthy lawn.
- Easily attaches to most lawn sweepers.



Multi-Fit Tow Behind Tiller

MODEL 45-0308

- Six, double edge heavy duty tines make tilling your seed beds easy.
- Forward rotating tines prepare seed beds quickly.



Sleeve Hitch Disc Cultivator

MODEL 45-0266

- Eight durable, 11" steel discs.
- Adjustable working width for 30" to 38".

Note: Requires sleeve hitch for operation; consult your tractor manufacturer for sleeve hitch attachment.



Sleeve Hitch Scraper Box

MODEL 45-0265

- 3/16" steel blade.
- 42" working width for time saving scraping coverage.

Note: Requires sleeve hitch for operation; consult your tractor manufacturer for sleeve hitch attachment.



Sleeve Hitch Rock Rake

MODEL 45-0366

- 1/4" heat-treated steel tangs spaced for thorough coverage.
- 48" working width for coverage of large areas.

Note: Requires sleeve hitch for operation; consult your tractor manufacturer for sleeve hitch attachment.



18" x 48" Poly Roller

MODEL 45-0269

- 550 lb. capacity.
- Has a scraper bar to prevent clumps of soil from being compacted on the roller drum.
- Roller drain/fill plug empties easily and fills with garden hose.



18" x 36" Poly Tow Roller

MODEL 45-0268

- 400 lb. capacity.
- Has a scraper bar to prevent clumps of soil from being compacted on the roller drum.
- Roller drain/fill plug empties easily and fills with garden hose.



18" x 24" Push/Tow Poly Roller

MODEL 45-0267

- 250 lb. capacity.
- Has a scraper bar to prevent clumps of soil from being compacted on the roller drum.
- Roller drain/fill plug empties easily and fills with garden hose.



24" x 48" Steel Tow Roller

MODEL 45-0216

- 910 lb. capacity.
- Has a scraper bar to prevent clumps of soil from being compacted on the roller drum.
- Roller drain/fill plug empties easily and fills with garden hose.



24" x 36" Steel Tow Roller

MODEL 45-0179

- 640 lb. capacity.
- Has a scraper bar to prevent clumps of soil from being compacted on the roller drum.
- Roller drain/fill plug empties easily and fills with garden hose.



25 Gallon Tow Sprayer

MODEL 45-0293

- 25 gallon capacity.
- No clog spray nozzle.
- Hand wand sprays up to 30 feet for hard to reach trees and bushes.



15 Gallon Tow Sprayer

MODEL 45-0292

- 15 gallon capacity.
- No clog spray nozzle.
- Hand wand sprays up to 30 feet for hard to reach trees and bushes.



185 lb. Tow Spreader

MODEL 45-0329

- 185 lb. capacity covers about 1 acre (40,000 sq. ft.).*
- Raised on/off control accessible from ATV/UTV seat.
- Extra-large 15" x 6" pneumatic tires with ball bearings and a gear disengage feature that allows for higher transport speeds.



175 lb. Tow Drop Spreader

MODEL 45-0288

- 175 lb. capacity covers about 1 acre (40,000 sq. ft.).*
- Galvanized steel agitator is rust resistant and easy to clean.
- Pneumatic tires allow for smooth transport.



175 lb. Tow Spiker/Seeder/Drop Spreader

MODEL 45-0545

- 175 lb. capacity covers about 1 acre (40,000 sq. ft.).*
- Combination design allows you to aerate and seed in one pass.
- Ten galvanized steel spike disks for thorough aeration.



130 lb. Tow Spreader

MODEL 45-0463 Patent D602,045 & Patent Pending

- 130 lb. capacity covers about 1/2 acre (25,000 sq. ft.).*
- Enclosed gearbox.
- Equipped with large pneumatic tires.



110 lb. Tow Spreader

MODEL 45-0527

- 110 lb. capacity covers about 1/3 acre (17,500 sq. ft.).*
- Rust-proof poly hopper and spreader plate increases product life.
- Pneumatic tires let you go anywhere.



100 lb. Tow Spiker/Seeder/Spreader

MODEL 45-0543

- 100 lb. capacity covers about 1/3 acre (17,500 sq. ft.).*
- Combination design allows you to aerate and seed in one pass.
- Eight galvanized steel spike disks for thorough aeration.



85 lb. Tow Spreader

MODEL 45-0530

- 85 lb. capacity covers about 1/4 acre (14,000 sq. ft.).*
- Rust-proof poly hopper and spreader plate increases product life.
- Pneumatic tires let you go anywhere.



130 lb. Push Spreader

MODEL 45-0502 Patent D602,045 & Patent Pending

- 130 lb. capacity covers about 1/2 acre (25,000 sq. ft.).*
- Enclosed gearbox.
- Equipped with large pneumatic tires.



130 lb. Push Spreader

MODEL 45-0462 Patent D602,045 & Patent Pending

- 130 lb. capacity covers about 1/2 acre (25,000 sq. ft.).*
- Enclosed gearbox.
- Equipped with large pneumatic tires.



110 lb. Push Spreader

MODEL 45-0526

- 110 lb. capacity covers about 1/3 acre (17,500 sq. ft.).*
- Rust-proof poly hopper and spreader plate increases product life.
- Pneumatic tires allow for increased maneuverability.



85 lb. Push Spreader

MODEL 45-0388

- 85 lb. capacity covers about 1/4 acre (14,000 sq. ft.).*
- Rust-proof poly hopper and spreader plate increases product life.
- Pneumatic tires allow for increased maneuverability.



85 lb. Push Spreader Deluxe

MODEL 45-0531

- 85 lb. capacity covers about 1/4 acre (14,000 sq. ft.).*
- Rust-proof poly hopper and spreader plate increases product life.
- Cable control.



85 lb. Push Spreader Pro

MODEL 45-0532

- 85 lb. capacity covers about 1/4 acre (14,000 sq. ft.).*
- Rust-proof poly hopper and spreader plate increases product life.
- Direct rod control.



50 lb. Push Spreader

MODEL 45-0409

- Compact size for smaller lawns.
- Rust-proof poly hopper and spreader plate increases product life.
- Durable poly wheels.




Hand-Held Spreader

MODEL 45-0282

- Pre-assembled ready to go. Just take it out of the box.
- Precise control device spreads just the right amount.
- Easy to operate, just fill and turn the knob to spread.

*Depending on material used and speed of application.


Specifications subject to change without notice or obligation.



Grate Kit

MODEL 69411

- Optional spreader grate kit which improves material flow and performance.
- Ready to use with 130 lb. spreaders.
- Grate can be trimmed with wire cutters along three edges to adjust for use with 110 lb. spreaders.



Grate Kit

MODEL 69128

- Optional spreader grate kit which improves material flow and performance.
- Fits 85 lb. push/tow spreaders.



Deflector Kit

MODEL 69115

- Agri-Fab® deflector kit narrows the spread width to four feet, controlling the flow of material and protecting areas from unwanted distribution.
- Fits 85 lb. push/tow spreaders.
- Attaches in seconds to your spreader.



Deflector Kit

- Agri-Fab® deflector kit #68871 narrows the spread width to four feet, controlling the flow of material and protecting areas from unwanted distribution.
- Fits 110 lb. and 130 lb. Agri-Fab® push or tow spreaders.



Hopper Cover

- 40825: Fits Agri-Fab® 125 lb.–175 lb. broadcast spreaders.
- 40883: Fits Agri-Fab® 85 lb.–100 lb. broadcast spreaders.
- 41316: Fits Agri-Fab® 130 lb. spreaders.



52" Lawn Sweeper

MODEL 45-0546

- Extra-large flow through bag so you don't have to dump as often.
- 52" sweeper width makes for faster clean-up.
- Versatile, easily and quickly attaches to all tractors.



44" Lawn Sweeper

MODEL 45-0492 Patent 8,549,689, 8,640,294 & 8,646,141

- Extra-large flow through bag so you don't have to dump as often.
- Patented Off-Set Hitch allows you to sweep and mow at the same time.
- Collapses for easy storage.



42" Tow Lawn Sweeper

MODEL 45-0521 Patent 8,640,294 & 8,646,141

- Extra-large flow through bag so you don't have to dump as often.
- Patented Off-Set Hitch allows you to sweep and mow at the same time.
- Collapses for easy storage.



42" Tow Lawn Sweeper

MODEL 45-0320

- Easy height adjustment and strong brushes make cleaning up your lawn easier than a rake.
- Stamped steel housing provides durability.
- Easily and quickly attaches to all tractors.



26" Push Lawn Sweeper

MODEL 45-0218

- Made with sturdy lasting parts.
- It's lightweight so you can do the clean up job quickly and better than a rake.
- It folds up to fit comfortably in your garage.



Hard Top Chip-N-Vac®

MODEL 45-0540

- 32 cubic foot capacity.
- Deck adapter fits most tractor mowers.
- Durable vented hard top design reduces airborne dust.
- Easily chips branches up to 2" in diameter.

NOTE: Prior to towing anything with your zero-turn mower, please review your mower's owner's manual.



Hard Top Mow-N-Vac®

MODEL 55188

- 32 cubic foot capacity.
- Deck adapter fits most popular tractor mower decks.
- Durable vented hard top design reduces airborne dust.

NOTE: Prior to towing anything with your zero-turn mower, please review your mower's owner's manual.



Remote Hose Kit

MODEL 45-0253

- Attaches quickly and easily. 12' hose for great reach. Fits Mow-N-Vac® and Chip-N-Vac®



Hose Kit

MODEL 65640






- Necessary hose kit for use with zero-turn mowers.
















| CARTS | 1,000 lb. Poly Cart (ATV/UTV)  MODEL 45-0529 | 800 lb. Poly Cart  MODEL 45-0519 | 650 lb. Poly Cart  MODEL 45-0533 | 350 lb. Convertible Poly Cart  MODEL 45-0345 |
|-------------------------------|---|--|---|---|
| Tow or Push-Style | Tow-style | Tow-style | Tow-style | Tow/Push-style |
| Capacity | 1,000 lb. capacity | 800 lb. capacity | 650 lb. capacity | 350 lb. capacity |
| Wheels | 18.5" x 9.5" pneumatic tires | 16" x 6.5" pneumatic tires | 16" x 4" pneumatic tires | 14" x 4" pneumatic tires |
| Dumping | Foot-lever dumping mechanism | Foot-lever dumping mechanism | Single-lever release dump mechanism | Single-lever release dump mechanism |
| Assembly | Some assembly required | Some assembly required | Some assembly required | Some assembly required |
| Construction | Durable poly bed, steel frame with scratch-resistant, powder-coat paint | Durable poly bed, steel frame with scratch-resistant, powder-coat paint | Durable poly bed, steel frame with scratch-resistant, powder-coat paint | Durable poly bed, steel frame with scratch-resistant, powder-coat paint |
| Hitch | Universal hitch attaches to all tractors ATV/UTV compatible | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors |
| Warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty |
| Assembled Product Size | 80" x 53" x 32" | 72" x 42" x 32" | 60" x 33.75" x 27.5" | 56" x 33" x 30" |
| Carton Size L x W x H | 59" x 39.25" x 16.5" | 61" x 39.5" x 17" | 45.25" x 35.25" x 11.375" | 45.2" x 35.4" x 11.4" |
| Weight | 137 lbs. | 147 lbs. | 56.5 lbs. | 66 lbs. |
| UPC Code Ref. | 052613104675 | 052613104385 | 052613105429 | 052613453452 |
| Pallet Quantity | 5 | 5 | 6 | 7 |
| Pallet Size | 62" x 44" | 62" x 44" | 36" x 47" | 36" x 47" |
| VIG Link | | | | http://bit.ly/1EBQR3z |








| <p>200 lb. Carry-All Cart</p>  <p>MODEL 45-0528</p> | <p>1,200 lb. Steel Cart</p>  <p>MODEL 45-0240</p> | <p>750 lb. Steel Cart</p>  <p>MODEL 45-0101-999</p> | <p>350 lb. Steel Cart</p>  <p>MODEL 45-0303</p> |
|---|---|---|---|
| Push-style | Tow-style | Tow-style | Tow-style |
| 200 lb. capacity | 1,200 lb. capacity | 750 lb. capacity | 350 lb. capacity |
| 20" rubber tires | 16" x 6.5" pneumatic tires | 16" x 4" pneumatic tires | 13" x 4" pneumatic tires |
| Lift and dump | Removable tailgate, single-lever release dump mechanism | Single-lever release dump mechanism | 18-gauge removable tailgate, single-lever release dump mechanism |
| Some assembly required | Some assembly required | Some assembly required | Some assembly required |
| Durable poly bed, steel frame with scratch-resistant, powder-coat paint | Steel bed and frame with scratch-resistant, powder-coat paint | Steel bed and frame with scratch-resistant, powder-coat paint | Steel bed and frame with scratch-resistant, powder-coat paint |
| – | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors |
| 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty |
| 33" x 36" x 46" | 70" x 37" x 33" | 70" x 33" x 29" | 60" x 33" x 28" |
| 37.5" x 27.25" x 19" | 49.313" x 21" x 16.5" | 48" x 19" x 13.5" | 42" x 17.3" x 14" |
| 41 lbs. | 141 lbs. | 102 lbs. | 68 lbs. |
| 052613104606 | 052613452400 | 052613451014 | 052613453032 |
| 8 | 8 | 10 | 10 |
| 55" x 38" | 51" x 44" | 49" x 40" | 36" x 43.5" |
| | | | http://bit.ly/1wsrCug |









| GROOMERS | SmartLINK™ Master Platform  MODEL 45-0473 | SmartLINK™ Tine De-thatcher  MODEL 45-0457 | SmartLINK™ Plug Aerator  MODEL 45-0474 | SmartLINK™ Spike Aerator  MODEL 45-0458 | Universal Front Mount De-thatcher  MODEL 45-0343 |
|-------------------------------|--|---|---|--|---|
| Tow or Push-Style | Tow-style | Tow-style with Master Platform | Tow-style with Master Platform | Tow-style with Master Platform | Front Mount-style |
| Product Width | 40" wide | 40" wide | 40" wide | 40" wide | 42" wide |
| De-thatch | – | 20 heat-treated spring tines | – | – | 14 durable spring tines |
| Aerate | – | – | 24 rustproof plug aerator knives | 10 rustproof spike aerator knives | – |
| Wheels | Flat Free Tire | – | – | – | – |
| Assembly | Easy to assemble. Attachments attach in seconds without tools | Attach in seconds without tools to SmartLink™ Master Platform | Attach in seconds without tools to SmartLink™ Master Platform | Attach in seconds without tools to SmartLink™ Master Platform | Some assembly required |
| Construction | Durable heavy-gauge steel deck and welded drawbar | Durable galvanized steel tines resist rust | Durable galvanized steel knives resist rust | 12 gauge steel is extremely durable | Durable heavy-gauge steel |
| Operation | Simple-to-use cantilever transport handle for easy raising and lowering | – | – | – | Universal front-mount tine de-thatcher easily attaches to most lawn sweepers |
| Hitch | Universal hitch fits any tractor regardless of brand | – | – | – | – |
| Warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty |
| Assembled Product Size | 55" x 53" x 19" | 42" x 9" x 9" | 42" x 13" x 13" | 41" x 8" x 8" | N/A |
| Carton Size L x W x H | 49.75" x 20.25" x 9.125" | 43" x 10.3" x 10.8" | 42.3" x 9" x 8.3" | 42.5" x 10" x 11" | 45.3" x 13.8" x 3.3" |
| Weight | 62 lbs. | 18.5 lbs. | 29 lbs. | 22.2 lbs. | 12 lbs. |
| UPC Code Ref. | 052613102633 | 052613102107 | 052613102640 | 052613102091 | 052613453438 |
| Pallet Quantity | 16 | 16 | 30 | 25 | 42 |
| Pallet Size | 49" x 42" | 44" x 44" | 43" x 49" | 43" x 49" | 43" x 47" |
| VIG Link | http://bit.ly/1yYY673 | http://bit.ly/15DVkHr | http://bit.ly/1JiaNvd | | |

| 48" Plug Aerator  MODEL 45-0299 | 40" Plug Aerator  MODEL 45-0518 | 40" Spike Aerator  MODEL 45-0544 | 48" Tine De-thatcher  MODEL 45-0295 | 40" Tine De-thatcher  MODEL 45-0294 | Push Spike Aerator  MODEL 45-0365 |
|--|--|--|--|--|--|
| Tow-style | Tow-style | Tow-style | Tow-style | Tow-style | Push-style |
| 48" wide | 40" wide | 40" wide | 48" wide | 40" wide | 16" wide |
| – | – | – | 24 durable spring tines | 20 durable spring tines | – |
| 32 galvanized plug aerator knives | 24 galvanized curved aerator blades | 10 galvanized steel spike disks for thorough aeration | – | – | 5 Heavy-duty spikes penetrate up to 2½" for deep soil penetration |
| Flat Free Tire | Flat Free Tire | 10" semi pneumatic wheels | Semi pneumatic wheels | Semi pneumatic wheels | – |
| Some assembly required | Some assembly required | Some assembly required | Some assembly required | Some assembly required | Some assembly required |
| Durable heavy-gauge steel deck and welded drawbar | Durable heavy-gauge steel deck and welded drawbar | Durable heavy-gauge steel deck with 10 galvanized steel aerator spike disks | Durable heavy-gauge steel deck and welded drawbar | Durable heavy-gauge steel deck and welded drawbar | Durable heavy-gauge steel deck and welded drawbar |
| Simple-to-use cantilever transport handle for easy raising and lowering | Simple-to-use cantilever transport handle for easy raising and lowering | Simple-to-use cantilever transport handles for easy raising and lowering | Simple-to-use cantilever transport handle for easy raising and lowering | Simple-to-use cantilever transport handle for easy raising and lowering | Simply push and go |
| Universal hitch fits any tractor regardless of brand | Universal hitch fits any tractor regardless of brand | Universal hitch fits any tractor regardless of brand | Universal hitch fits any tractor regardless of brand | Universal hitch fits any tractor regardless of brand | – |
| 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty |
| 35" x 60" x 36" | 50" x 39" x 24" | 31" x 48" x 18" | 40" x 48" x 41" | 40" x 41" x 41" | 17" x 8" x 38" |
| 51" x 17.2" x 7.3" | 43" x 17.6" x 8.6" | 44.4" x 11.5" x 13.9" | 50.6" x 11.4" x 4.5" | 40.9" x 11.4" x 4.5" | 18.2" x 13.5" x 3.7" |
| 94 lbs. | 79 lbs. | 45 lbs. | 36.8 lbs. | 29.8 lbs. | 28 lbs. |
| 052613452998 | 052613104323 | 052613105481 | 052613452950 | 052613452943 | 052613100172 |
| 12 | 15 | 12 | 18 | 32 | 54 |
| 55" x 38" | 55" x 43" | 36" x 49" | 55" x 38" | 43" x 49" | 38" x 42" |
| http://bit.ly/1t7tKwu | | | http://bit.ly/1t7ulOU | http://bit.ly/1t7ulOU | |



| GROUND ENGAGING | Multi-Fit Tow Behind Tiller  MODEL 45-0308 | Sleeve Hitch Disc Cultivator  MODEL 45-0266 | Sleeve Hitch Scraper Box  MODEL 45-0265 | Sleeve Hitch Rock Rake  MODEL 45-0366 |
|-------------------------------|---|---|--|--|
| Product Width | 36" working width | Adjustable 30" to 38" working width | 42" working width | 48" working width |
| Assembly | Some assembly required | Some assembly required | Some assembly required | Some assembly required |
| Construction | 6 double-edge, 11" diameter heavy-duty powder-coated steel tines | 8 durable 11" discs, powder-coated for durability | Durable powder-coated steel construction. 3/16" steel blade | Durable powder-coated steel construction. 1/4" heat-treated steel tangs spaced for thorough coverage |
| Operation | Forward-rotating tines adjust from 1½" - 5½" | Disc angle adjustments from 10° - 20° for a well groomed look | 30° angle adjustment | 24° angle adjustment |
| Wheels | Plastic wheels | - | - | - |
| Hitch | Hitch pin attachment allows for easy fit-ups to vehicles without any additional equipment required | Requires sleeve hitch for operation; consult tractor manufacturer for sleeve hitch | Requires sleeve hitch for operation; consult tractor manufacturer for sleeve hitch | Requires sleeve hitch for operation; consult tractor manufacturer for sleeve hitch |
| Warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty |
| Assembled Product Size | 56" x 38" x 32" | 28" x 36" x 15" | 27" x 45" x 18" | 24" x 50" x 17" |
| Carton Size L x W x H | 54" x 43.5" x 38" | 33" x 12.2" x 6" | 45.4" x 13.6" x 8.6" | 50.5" x 12.5" x 7.5" |
| Weight | 257 lbs. | 61 lbs. | 81 lbs. | 73 lbs. |
| UPC Code Ref. | 052613453087 | 052613452660 | 052613452653 | 052613100066 |
| Pallet Quantity | 1 | 18 | 15 | 18 |
| Pallet Size | 60" x 45" | 40" x 43" | 42" x 46" | 53" x 40" |
| VIG Link | http://bit.ly/1BuF5av | | | |



| ROLLERS | 18" x 48" Poly Roller | 18" x 36" Poly Tow Roller | 18" x 24" Push/Tow Poly Roller | 24" x 48" Steel Tow Roller | 24" x 36" Steel Tow Roller |
|-------------------------------|--|---|---|--|--|
| |  |  |  |  |  |
| | MODEL 45-0269 | MODEL 45-0268 | MODEL 45-0267 | MODEL 45-0216 | MODEL 45-0179 |
| Tow or Push-Style | Tow-style | Tow-style | Push or Tow-style | Tow-style | Tow-style |
| Roller Width | 48" width | 36" width | 24" width | 48" width | 36" width |
| Capacity | 550 lb. capacity when filled with water | 400 lb. capacity when filled with water | 250 lb. capacity when filled with water | 910 lb. capacity when filled with water | 640 lb. capacity when filled with water |
| Storage | Lightweight when empty, for easy transport and storage | Lightweight when empty, for easy transport and storage | Lightweight when empty, for easy transport and storage | Unplug and drain before storing | Unplug and drain before storing |
| Assembly | Some assembly required | Some assembly required | Some assembly required | Some assembly required | Some assembly required |
| Construction | Durable rustproof poly construction, support disc inside for added durability. Scraper bar to prevent buildup | Durable rustproof poly construction, support disc inside for added durability. Scraper bar to prevent buildup | Durable rustproof poly construction, support disc inside for added durability. Scraper bar to prevent buildup | Welded seam steel construction for strength and durability. Scraper bar to prevent buildup | Welded seam steel construction for strength and durability. Scraper bar to prevent buildup |
| Operation | Drain/fill plug empties easily and fills with a regular garden hose | Drain/fill plug empties easily and fills with a regular garden hose | Drain/fill plug empties easily and fills with a regular garden hose | Drain/fill plug empties easily and fills with a regular garden hose | Drain/fill plug empties easily and fills with a regular garden hose |
| Hitch | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors | Heavy-duty hitch tubes. Universal hitch attaches easily and quickly to all tractors | Heavy-duty hitch tubes. Universal hitch attaches easily and quickly to all tractors |
| Warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty |
| Assembled Product Size | 50" x 54" x 18" | 50" x 42" x 18" | 50" x 30" x 18" | 52" x 51" x 24" | 40" x 51" x 24" |
| Carton Size L x W x H | 54" x 20" x 20" | 43.5" x 20" x 18.75" | 31.5" x 20" x 18.75" | 53" x 52" x 50" | 50" x 40" x 50" |
| Weight | 56 lbs. | 45 lbs. | 40 lbs. | 114 lbs. | 93 lbs. |
| UPC Code Ref. | 052613452691 | 052613452684 | 052613452677 | 052613452165 | 052613451793 |
| Pallet Quantity | 10 | 15 | 15 | 4 | 4 |
| Pallet Size | 57" x 40" | 62" x 44" | 60" x 32" | 53" x 52" | 48.5" x 40" |
| VIG Link | | | | | |

| SPREADERS | 185 lb. Tow Spreader | 175 lb. Tow Drop Spreader | 175 lb. Tow Spiker/Seeder/Drop Spreader | 130 lb. Tow Spreader | 110 lb. Tow Spreader | 100 lb. Tow Drop Spiker/Seeder/Spreader | 85 lb. Tow Spreader |
|---|---|---|---|---|---|---|---|
| |  |  |  |  |  |  |  |
| | MODEL 45-0329 | MODEL 45-0288 | MODEL 45-0545 | MODEL 45-0463 | MODEL 45-0527 | MODEL 45-0543 | MODEL 45-0530 |
| Tow or Push-Style | Tow-style | Tow-style | Tow-style | Tow-style | Tow-style | Tow-style | Tow-style |
| Approximate Square Foot Coverage | 1 acre (40,000 sq. ft.)* | 1 acre (40,000 sq. ft.)* | 1 acre (40,000 sq. ft.)* | 1/2 acre (25,000 sq. ft.)* | 1/3 acre (17,500 sq. ft.)* | 1/3 acre (17,500 sq. ft.)* | 1/4 acre (14,000 sq. ft.)* |
| Spreader Width | Up to 12 ft. spread | 42" Controlled spread | 42" Controlled spread | 10 - 12 ft. spread | Up to 10 ft. spread | 32" Controlled spread | Up to 10 ft. spread |
| Hopper Size | 185 lb. Capacity | 175 lb. Capacity | 175 lb. Capacity | 130 lb. Capacity | 110 lb. Capacity | 100 lb. Capacity | 85 lb. Capacity |
| Wheels | Extra large 15" x 6" Pneumatic tires with ball bearings and a gear disengage | Pneumatic tires | Flat Free Tire | Large pneumatic tires | Pneumatic tires | Flat Free Tire | Pneumatic tires |
| Assembly | Some assembly required | Some assembly required | Some assembly required | Fast and easy assembly | Some assembly required | Some assembly required | Some assembly required |
| Construction | Poly hopper and spreader plate, enclosed gear box | Poly hopper and spreader plate, galvanized steel agitator | Poly hopper and spreader plate, galvanized steel agitator | Poly hopper and spreader plate, enclosed gear box | Poly hopper and spreader plate | Poly hopper and spreader plate, galvanized steel agitator | Poly hopper and spreader plate, enclosed gear box |
| Operation | On/off control accessible from the tractor seat | On/off control accessible from the tractor seat | On/off control accessible from the tractor seat | On/off control accessible from the tractor seat | On/off control accessible from the tractor seat | On/off control accessible from the tractor seat | On/off control accessible from the tractor seat |
| Maintenance | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency |
| Hitch | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors | Universal hitch attaches easily and quickly to all tractors |
| Warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty |
| Accessories Sold Separately | Hopper cover included, Deflector kit can be purchased | – | – | Pro kit and Grate kit | Deflector kit and Hopper cover | – | Hopper cover |
| Assembled Product Size | 43" x 38" x 41" | 33" x 50" x 28" | 34.75" x 54" x 22.5" | 46" x 27.125" x 31.5" | 41" x 26" x 25" | 36" x 42" x 20" | 33" x 22" x 25" |
| Carton Size L x W x H | 38.7" x 18.25" x 24.9" | 53" x 15" x 21" | 53.6" x 16.9" x 20.25" | 27" x 25.5" x 15" | 28.8" x 24.8" x 14.5" | 37" x 13" x 19" | 22.25" x 16.25" x 14.5" |
| Weight | 58 lbs. | 50.5 lbs. | 79 lbs | 37 lbs | 31 lbs. | 37.5 lbs. | 18 lbs. |
| UPC Code Ref. | 052613453292 | 052613452882 | 052613105498 | 052613102428 | 052613104590 | 052613105450 | 052613104637 |
| Pallet Quantity | 9 | 9 | 6 | 10 | 10 | 12 | 36 |
| Pallet Size | 55" x 38" | 53" x 47" | 55" x 38" | 56" x 32" | 51" x 32" | 40" x 43" | 51" x 46" |
| VIG Link | http://bit.ly/15IXv1q | http://bit.ly/1CKk2Qz | | http://bit.ly/1BRB1nd | | | |

| 130 lb. Push Spreader | 130 lb. Push Spreader | 110 lb. Push Spreader | 85 lb. Push Spreader | 85 lb. Push Spreader Deluxe | 85 lb. Push Spreader Pro | 50 lb. Push Spreader | Hand-Held Spreader |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| MODEL 45-0502 | MODEL 45-0462 | MODEL 45-0526 | MODEL 45-0388 | MODEL 45-0531 | MODEL 45-0532 | MODEL 45-0409 | MODEL 45-0282 |
| Push-style | Push-style | Push-style | Push-style | Push-style | Push-style | Push-style | Hand held style |
| 1/2 acre (25,000 sq. ft.)* | 1/2 acre (25,000 sq. ft.)* | 1/3 acre (17,500 sq. ft.)* | 1/4 acre (14,000 sq. ft.)* | 1/4 acre (14,000 sq. ft.)* | 1/4 acre (14,000 sq. ft.)* | Compact for small lawns | For small lawns and hard to reach areas |
| 10 - 12 ft. spread | 10 - 12 ft. spread | Up to 10 ft. spread | Up to 10 ft. spread | Up to 10 ft. spread | Up to 10 ft. spread | Up to 8 ft. spread | Controlled spread |
| 130 lb. Capacity | 130 lb. Capacity | 110 lb. Capacity | 85 lb. Capacity | 85 lb. Capacity | 85 lb. Capacity | 50 lb. Capacity | 1 lb. Capacity |
| Large pneumatic tires | Large pneumatic tires | Pneumatic tires | Pneumatic tires | Pneumatic tires | Pneumatic tires | Durable poly wheels | – |
| Fast and easy assembly | Fast and easy assembly | Some assembly required | Some assembly required | Some assembly required | Some assembly required | Some assembly required | No assembly required |
| Poly hopper and spreader plate, enclosed gear box | Poly hopper and spreader plate, enclosed gear box | Poly hopper and spreader plate | Poly hopper and spreader plate | Poly hopper and spreader plate | Poly hopper and spreader plate | Poly hopper and spreader plate, enclosed gear box | Poly hopper |
| Easy direct rod control | Easy direct rod control | Easy cable control | Easy cable control | Easy cable control | Easy direct rod control | Easy cable control | Easy hand crank |
| Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency | Every Use – Check for loose fasteners, worn/damaged parts, tire inflation, and clean with hose when finished. Lubricate –Check manual for designated lubrication points and frequency |
| – | – | – | – | – | – | – | – |
| 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty |
| Hopper cover, Deflector kit and Grate included | Pro kit and Grate kit | Deflector kit and Hopper cover | Hopper cover | Hopper cover | Hopper cover | – | – |
| 48" x 27.125" x 33.625" | 48" x 27.125" x 33.625" | 43" x 26" x 38" | 35" x 22" x 33" | 20" x 22.5" x 27.5" | 20" x 22.5" x 27.5" | 31.9" x 17" x 34" | 10" x 9" x 9" |
| 27" x 25.5" x 15.5" | 27" x 25.5" x 15.75" | 28.8" x 24.8" x 14.5" | 24" x 16" x 14" | 22.75" x 16.5" x 15" | 22.75" x 16.5" x 15" | 16" x 16.9" x 24.2" | 26.5" x 18.25" x 14.75" |
| 38 lbs. | 37 lbs. | 30 lbs. | 20 lbs. | 19 lbs. | 22 lbs. | 8 lbs. | 2 lbs. |
| 052613103708 | 052613102411 | 052613104583 | 052613100394 | 052613104828 | 052613104804 | 052613101124 | 052613452820 |
| 10 | 10 | 10 | 35 | 30 | 30 | 36 | 216 |
| 56" x 32" | 56" x 32" | 51" x 32" | 48" x 40" | 51" x 46" | 51" x 46" | 52" x 48" | 44" x 48" |
| | http://bit.ly/1GIuuOL | | http://bit.ly/1BkZfDy | | | | |

| SWEEPERS | 52" Lawn Sweeper | 44" Lawn Sweeper | 42" Lawn Sweeper | 42" Lawn Sweeper | 26" Push Lawn Sweeper |
|-------------------------------|---|---|--|---|---|
| |  |  |  |  |  |
| | MODEL 45-0546 | MODEL 45-0492 | MODEL 45-0521 | MODEL 45-0320 | MODEL 45-0218 |
| Tow or Push-Style | Tow-style | Tow-style | Tow-style | Tow-style | Push-style |
| Sweeper Width | 52" Sweeper width | 44" Sweeper width | 42" Sweeper width | 42" Sweeper width | 26" Sweeper width |
| Hopper Size | 25-Cubic feet capacity bag | 25-Cubic feet capacity bag | 24-Cubic feet capacity bag | 12-Cubic feet capacity bag | 7-Cubic feet capacity bag |
| Brushes | Tough, durable brushes | Tough, durable brushes | Tough, durable brushes | Tough, durable brushes | Tough, durable brushes |
| Wheels | 11" x 2.5" Semi pneumatic wheels | 12" x 3" Semi pneumatic wheels | 11" x 2.5" Semi pneumatic wheels | 11" x 2.5" Semi pneumatic wheels | 9.75" x 2.25" Plastic wheels |
| Storage | Collapsible hopper for storage | Collapsible hopper and folding hitch for compact storage | Collapsible hopper and folding hitch for compact storage | Collapsible hopper for storage | Collapsible hopper for storage |
| Hopper Removal | Hopper can easily be removed | Hopper can be removed using the spring loaded quick release | Hopper can be removed using the spring loaded quick release | Hopper can easily be removed | Hopper easily hooks/unhooks |
| Hopper Dump Mechanism | Empty hopper from the tractor by pulling release rope | Empty hopper from the tractor using the steel lever | Empty hopper from the tractor by pulling release rope | Empty hopper from the tractor by pulling release rope | Lift to empty hopper |
| Assembly | Some assembly required | Some assembly required | Some assembly required | Some assembly required | Some assembly required |
| Construction | Durable stamped steel housing to last season after season | Durable stamped steel housing to last season after season | Durable stamped steel housing to last season after season | Durable stamped steel housing to last season after season | Poly housing resists rust |
| Height Setting | Adjustable brush height | Adjustable brush height | Adjustable brush height | Adjustable brush height | Adjustable brush height |
| Hitch | Universal hitch quickly adjusts to the height of the tractor | Universal hitch quickly adjusts to the height of the tractor | Universal hitch quickly adjusts to the height of the tractor | Universal hitch easily and quickly adjusts to any tractor | – |
| Offset Hitch | – | Offset tongue capability to mow and sweep in one pass | Offset tongue capability to mow and sweep in one pass | – | – |
| Warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty | 3 year limited warranty |
| Accessories | Universal Front Mount De-Thatcher can be attached for additional versatility | Universal Front Mount De-Thatcher can be attached for additional versatility | Universal Front Mount De-Thatcher can be attached for additional versatility | Universal Front Mount De-Thatcher can be attached for additional versatility | – |
| Assembled Product Size | 70" x 60" x 38" | 78" x 55" x 52" | 75" x 49" x 44" | 67" x 51" x 24" | 52.5" x 31" x 33" |
| Carton Size L x W x H | 61.25" x 17.75" x 13.75" | 54.125" x 18" x 19.5" | 50" x 18" x 20.4" | 51.75" x 12.625" x 11.5" | 32.8" x 12" x 14.9" |
| Weight | 95.2 lbs. | 95 lbs. | 84.5 lbs. | 68 lbs. | 26 lbs. |
| UPC Code Ref. | 052613105467 | 052613103630 | 052613104651 | 052613453209 | 052613452189 |
| Pallet Quantity | 10 | 8 | 8 | 18 | 30 |
| Pallet Size | 61.5" x 42" | 55" x 38" | 54.5" x 37.5" | 55" x 42.5" | 68" x 39" |
| VIG Link | | http://bit.ly/1upC7Px | http://bit.ly/AF45-0521 | http://bit.ly/1xKnYh6 | http://bit.ly/1Ju9is6 |

| VACS | Hard Top Chip-N-Vac® | Hard Top Mow-N-Vac® |
|------------------------------------|---|---|
| |  MODEL 45-0540 |  MODEL 55188 |
| Capacity | 26-bushel/32 cu. ft. | 26-bushel/32 cu. ft. |
| Assembly | Some assembly required | Some assembly required |
| Construction | Durable, vented hard-top design | Durable, vented hard-top design |
| Operation | 80 MPH suction provides enough power for leaves, pine needles and grass clippings. Easily chips branches up to 2" in diameter | 80 MPH suction provides enough power for leaves, pine needles and grass clippings. |
| Wheels | Pneumatic wheels | Pneumatic wheels |
| Hitch | Versatile design fits over 40 different tractor decks up to 54" wide (template included). Additional Hose Kit needed for use with zero-turn mowers. <i>Part #64640 Prior to towing anything with your zero-turn mower, please review your mower's owner's manual</i> | Versatile design fits over 40 different tractor decks up to 54" wide (template included). Additional Hose Kit needed for use with zero-turn mowers. <i>Part #64640 Prior to towing anything with your zero-turn mower, please review your mower's owner's manual</i> |
| Accessories Sold Separately | 12' Hose Kit may be purchased separately | 12' Hose Kit may be purchased separately |
| Warranty | 3 year limited warranty | 3 year limited warranty |
| Assembled Product Size | 96" x 33" x 62" | 96" x 33" x 62" |
| Carton Size L x W x H | 52.25" x 33.5" x 55" | 33.5" x 52" x 54.8" |
| Weight | 370 lbs. | 335 lbs. |
| UPC Code Ref. | 052613104705 | 052613104576 |
| Pallet Quantity | 1 | 1 |
| Pallet Size | 53" x 34" | 53" x 34" |
| VIG Link | | |

| SPRAYERS | 25 Gallon Tow Sprayer | 15 Gallon Tow Sprayer |
|-------------------------------|--|--|
| |  MODEL 45-0293 |  MODEL 45-0292 |
| Capacity | 25 gallon | 15 gallon |
| Product Width | 7' spray coverage when booms are extended | 7' spray coverage when booms are extended |
| Assembly | Some assembly required | Some assembly required |
| Construction | Poly tank, Steel frame | Poly tank, Steel frame |
| Operation | 60 psi sprayer pump for reliable operation. Large screw cap for easy mixing of chemicals. Easy operation from vehicle seat. Hand wand sprays up to 30' for extra reach | Large screw cap for easy mixing of chemicals. Easy operation from vehicle seat. Hand wand sprays up to 30' for extra reach |
| Wheels | Pneumatic wheels | Pneumatic wheels |
| Hitch | Connects easily to vehicle's electric source. Universal hitch fits any tractor regardless of brand | Connects easily to vehicle's electric source. Universal hitch fits any tractor regardless of brand |
| Warranty | 3 year limited warranty | 3 year limited warranty |
| Assembled Product Size | 55" x 26" x 20" | 55" x 24" x 18" |
| Carton Size L x W x H | 40.3" x 18.8" x 23.1" | 37.9" x 16.6" x 15.6" |
| Weight | 54.3 lbs. | 40 lbs. |
| UPC Code Ref. | 052613452936 | 052613452929 |
| Pallet Quantity | 8 | 12 |
| Pallet Size | 40" x 43" | 40" x 43" |
| VIG Link | http://bit.ly/1zDJMAw | |

DISPLAYS

**Groomer Display
67515**



Three Product Setup



Four Product Setup

**Three Sweeper Display
69251-1**



**Sweeper, Spreader Display
639592S**



**Cart Display
68371**



**Roller Display
63612-2**



**Roller Display
69265**



**SmartLINK™ Display
66703A**



**Sweeper, Spreader and Cart Display
66681A**



3Yr Warranty

Agri-Fab® Consumer Limited Warranty

Agri-Fab® Consumer Attachments are **warranted for three (3) years** with the exception of wear parts. This warranty does not cover misuse, negligent handling or lack of reasonable maintenance and product care. For more information regarding this limited warranty or other Agri-Fab® family product warranties, please contact our Customer Care Department at 800-448-9282 or visit our website at www.agri-fab.com.

Exception... Agri-Fab® engine-powered products are warranted for one (1) year excluding wear parts. Actual engines on Agri-Fab® engine-powered products are covered by the engine manufacturer.* Product used in commercial applications warranted for 90 days.

*Wear parts are subject to change without notice.

This document is protected under the U.S. Copyright Laws and the copyright laws of foreign countries, pursuant to the Universal Copyright Convention and the Berne Convention. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying or recording, or by any information storage or retrieval system, without the express written permission of Agri-Fab®, Inc. Unauthorized uses and/or reproductions of this document will subject such unauthorized user to civil and criminal penalties as provided by the United States Copyright Laws.

SpeedEPart®

SpeedEPart® is the easiest way to order Agri-Fab® or the Agri-Fab® family of parts. SpeedEPart® is available when you need to order parts, 24 hours, 7 days a week, 365 days a year. Most part orders are shipped within the following 24 hours, with the exception of holidays and weekends. To order parts under warranty, please contact our Customer Care Department at **800-448-9282**.



Agri-Fab[®]

agri-fab.com • 800-448-9282

809 South Hamilton Street

Sullivan, IL 61951

info@agri-fab.com

