

TSC PNEUMATIC SHOP STOOL

1361892

INSTRUCTION MANUAL



SAVE THESE INSTRUCTIONS !

This manual contains important safety and operating instructions.
Read all instructions and follow them with use of the product.



Read and understand this instruction manual thoroughly before using the product.

It contains important information for your safety as well as operating.

SAFETY INSTRUCTIONS



WARNING!

- ✓ Do not exceed the maximum rated capacity of 300lbs(136kgs).
- ✓ For use on smooth, level, seamless surfaces only.
- ✓ Sit down gently! Avoid shock loads caused by jumping or falling onto seat.
- ✓ Do not stand on the seat.
- ✓ Do not sit on edge of seat.
- ✓ Failure to heed the above warnings may result in personal injury and/or property damage.

NOTE: We Can Not Be Responsible For Damage Or Injury Resulting From Unsafe Use Of Product, Lack Of Maintenance, Or Incorrect Product And System Application !



WARNING!

- ✓ This product can expose you to chemicals including Di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to **www.P65Warnings.ca.gov**.



WARNING!

- ✓ Contains lead.Maybe harmful if eaten or chewed.May generate dust containing lead.Keep out of the reach of children.

NOTE: Be aware of dynamic loading! Sudden shifts in the load may briefly create excess load, which may result in product failure.

SPECIFICATIONS

Weight Capacity	300lbs(136kgs)
Minimum Height	30.0 in
Maximum Height	32.0 in
Cushion Diameter	14.0 in



ASSEMBLY

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list . If any part is missing or damaged, do not attempt to assemble, install or operate the product. Return to your closest store.

Visually inspect all components for any missing parts or damage.


Please refer to below:

CHECK BEFORE INSTALL!


A	35MM M6 Screws	 A × 4	4	B	45MM M6 Screws	 B × 4	4	C	40MM M6 Screws	 C × 4	4
D	M6 Nuts	 D × 12	12	E	Allen Wrench	 E × 1	1	F	Allen Wrench	 F × 1	1
G	Open End Wrench	 G × 1	1	H	Center Hub	 H × 1	1	I	Round Plate	 I × 1	1
J	Legs	 J × 4	4	K	Upper Outer Ring	 K × 1	1	L	Lower Inner Ring	 L × 1	1
M	Foot Pads	 M × 4	4	N	Seat	 N × 1	1	O	Backrest Tubes	 O × 2	2
P	Backrest	 P × 1	1	Q	Pneumatic Cylinder	 Q × 1	1				

STEP 1


Place four Legs(J) between Center Hub(H) and Round Plate(I), then use Allen Wrench (F) and Open-End Wrench (G) to tighten with 4pcs 40MM M6 Screws(C) and 4pcs M6 Nut(D).

**STEP 2**

Place the Upper Outer Ring(K) on the outside of the four legs like below, and use Open End Wrench(G) and Allen Wrench(E) to install the 4pcs M6 Nut(D) and 4pcs 35MM M6 Screw(A), but do not tighten them tightly.


**STEP 3**

Turn the frame upside down, and then place the Lower Inner Ring(L) on the inside of four Legs(J), and install it with 4pcs 45MM Screws (B) and 4pcs M6 Nuts(D) by using Allen Wrench(E), but do not tighten them tightly.




STEP 4


Align all the parts, tighten all the screws and nuts that installed on the frame with wrench. Align the Foot Pad(M) with the screw holes of the four legs, and tighten them.

**STEP 5**

Remove the protective cover on the head of the Pneumatic Cylinder(Q), and then install it onto the Center Hub(H).


**STEP 6**

Insert the Backrest Tubes (O) into the Backrest (P). Adjust the Backrest Tubes(O) until the buttons pop out of the holes on the Backrest (P).
NOTE! Pay attention to the direction of the buttons!



STEP 7


- ① Loosen the two knobs on the bottom of the Seat (N).
- ② Insert the Backrest Tubes(O) to the end of the tubes on the bottom of the Seat(N).
- ③ Tighten both knobs.



STEP 8

Firmly push down the center of the Seat(N) to secure it to the Pneumatic Cylinder (Q). The installation is complete.

Attention: Ensure all the bolts and nuts are tightened and the stool is level before using it.



Distributed by:
TRACTOR SUPPLY COMPANY
5401 VIRGINIA WAY BRENTWOOD, TN
37027

For customer support
Call: 1-888-376-9601
www.TractorSupply.com

MADE IN CHINA