

Why be **kinda safe?**
When you can be
Weigh Safe!

Weigh Safe, LLC.
420 N. Geneva Road
Lindon, Utah 84042

☎ 801.820.7020

✉ support@weigh-safe.com

WWW.WEIGH-SAFE.COM



@weighsafe



Why be kinda safe?
When you can be
Weigh Safe!

Weigh Safe!
MEASURES TONGUE WEIGHT

**2022
PRODUCT CATALOG**

WEIGH-SAFE.COM



POP DISPLAY STANDS

REGULAR RED POP



Houses (4) units + accessories
Part #: WSPOP-HS
Dimensions: 25.75 x 55.5 x 20.5"

LARGE RED POP



Houses (8) units + accessories
Part #: WSPOP-XL
Dimensions: 21.45 x 50 x 53.4"

WEIGHT DISTRIBUTION POP



Houses (1) WD unit
Part #: WSPOP-WD
Dimensions: 33 x 51 x 28.25"

END CAP POP



Houses (4) units + accessories
Part #: WSPOP-EC
Dimensions: 12.5 x 48 x 9.36"

COUNTERTOP POP



Houses (1) 6" drop/2" shank unit + accessories
Part #: WSPOP-CT
Dimensions: 7.85 x 18.5 x 21.3"

OTHER PROMOTIONAL MATERIAL



Scan this QR code to see other promotional material (i.e. brochures, counter mats) and for POP instruction guides.

Please contact our sales team for pricing/availability and any other questions: sales@weigh-safe.com



CERAKOTE UNITS

WEIGH SAFE

- WS4-2-CER-BLA
- WS4-2.5-CER-BLA
- WS6-2-CER-BLA
- WS6-2.5-CER-BLA
- WS6-3-CER-BLA
- WS8-2-CER-BLA
- WS8-2.5-CER-BLA
- WS8-3-CER-BLA
- WS10-2-CER-BLA
- WS10-2.5-CER-BLA
- WS10-3-CER-BLA

WEIGH SAFE KEYED ALIKE

- WS4-2-KA-CER-BLA
- WS4-2.5-KA-CER-BLA
- WS6-2-KA-CER-BLA
- WS6-2.5-KA-CER-BLA
- WS6-3-KA-CER-BLA
- WS8-2-KA-CER-BLA
- WS8-2.5-KA-CER-BLA
- WS8-3-KA-CER-BLA
- WS10-2-KA-CER-BLA
- WS10-2.5-KA-CER-BLA
- WS10-3-KA-CER-BLA

180- STAINLESS STEEL TOW BALLS

- LTB4-2-CER-BLA
- LTB4-2.5-CER-BLA
- LTB6-2-CER-BLA
- LTB6-2.5-CER-BLA
- LTB6-3-CER-BLA
- LTB8-2-CER-BLA
- LTB8-2.5-CER-BLA
- LTB8-3-CER-BLA
- LTB10-2-CER-BLA
- LTB10-2.5-CER-BLA
- LTB10-3-CER-BLA

180- STAINLESS STEEL TOW BALLS KEYED ALIKE

- LTB4-2-KA-CER-BLA
- LTB4-2.5-KA-CER-BLA
- LTB6-2-KA-CER-BLA
- LTB6-2.5-KA-CER-BLA
- LTB6-3-KA-CER-BLA
- LTB8-2-KA-CER-BLA
- LTB8-2.5-KA-CER-BLA
- LTB8-3-KA-CER-BLA
- LTB10-2-KA-CER-BLA
- LTB10-2.5-KA-CER-BLA
- LTB10-3-KA-CER-BLA

180- CHROME PLATED TOW BALLS

- CTB4-2-CER-BLA
- CTB4-2.5-CER-BLA
- CTB6-2-CER-BLA
- CTB6-2.5-CER-BLA
- CTB6-3-CER-BLA
- CTB8-2-CER-BLA
- CTB8-2.5-CER-BLA
- CTB8-3-CER-BLA
- CTB10-2-CER-BLA
- CTB10-2.5-CER-BLA
- CTB10-3-CER-BLA

180- CHROME PLATED TOW BALLS KEYED ALIKE

- CTB4-2-KA-CER-BLA
- CTB4-2.5-KA-CER-BLA
- CTB6-2-KA-CER-BLA
- CTB6-2.5-KA-CER-BLA
- CTB6-3-KA-CER-BLA
- CTB8-2-KA-CER-BLA
- CTB8-2.5-KA-CER-BLA
- CTB8-3-KA-CER-BLA
- CTB10-2-KA-CER-BLA
- CTB10-2.5-KA-CER-BLA
- CTB10-3-KA-CER-BLA

SLIDERS

- WS01..... WS BRUSHED ALUMINUM 1,500 LB GAUGE
- WS01.5..... WS BRUSHED ALUMINUM 2,200 LB GAUGE
- TB01..... 180 BRUSHED ALUMINUM
- WS01-CER-BLA..... WS CERAKOTE ALUMINUM 1,500 LB GAUGE
- WS01.5-CER-BLA..... WS CERAKOTE ALUMINUM 2,200 LB GAUGE
- TB01-CER-BLA..... 180 CERAKOTE ALUMINUM
- SWS01..... WS STEEL 1,500 LB GAUGE
- SWS01.5..... WS STEEL 2,200 LB GAUGE

DRAW BARS

- DB4-2
- DB4-2.5
- DB6-2
- DB6-2.5
- DB6-3
- DB8-2
- DB8-2.5
- DB8-3
- DB10-2
- DB10-2.5
- DB10-3

- DB4-2-CER-BLA
- DB4-2.5-CER-BLA
- DB6-2-CER-BLA
- DB6-2.5-CER-BLA
- DB6-3-CER-BLA
- DB8-2-CER-BLA
- DB8-2.5-CER-BLA
- DB8-3-CER-BLA
- DB10-2-CER-BLA
- DB10-2.5-CER-BLA
- DB10-3-CER-BLA

- SDB6-2
- SDB6-2.5
- SDB8-2
- SDB8-2.5

LOCKS

- WS03..... BRUSHED ALUMINUM DUAL PIN KEY LOCK
- SWS03..... STEEL DUAL PIN KEY LOCK
- WS03-CER-BLA..... CERAKOTE ALUMINUM DUAL PIN KEY LOCK
- WS04..... ALUMINUM WS BALL RETAINING PIN
- SWS04..... STEEL WS BALL RETAINING PIN
- WS05..... HITCH LOCKING PIN
- WS08..... DUST LOCK COVER
- WS09..... KEYS
- WS10..... HITCH LOCKING PIN DUST LOCK COVER
- WS11..... ADJUSTABLE COUPLER LOCK
- WS12..... PADLOCK
- TB04..... 180 BALL RETAINING PIN
- TB05..... COTTER PIN LOCK PLATE

TOW BALLS

- WSB-L..... 1-7/8" STAINLESS STEEL WS TOW BALL
- WSB-XL..... 2" STAINLESS STEEL WS TOW BALL
- WSB-XXL12.5..... 2-5/16" STAINLESS STEEL WS TOW BALL (2" SHANK)
- WSB-XXL18.5..... 2-5/16" STAINLESS STEEL WS TOW BALL (2.5" SHANK)
- WSB-XXL21..... 2-5/16" STAINLESS STEEL WS TOW BALL (3" SHANK)
- TB03..... 1-7/8" X 2" 180 STAINLESS STEEL BALL COMBO
- TB02..... 2" X 2-5/16" 180 STAINLESS STEEL BALL COMBO (2.5" SHANK)
- TB07..... 2" X 2-5/16" 180 STAINLESS STEEL BALL COMBO (2" SHANK)
- TB08..... 2" X 2-5/16" 180 STAINLESS STEEL BALL COMBO (3" SHANK)
- TB10..... 2" X 2-5/16" 180 CHROME PLATED BALL COMBO (2" SHANK)
- TB11..... 2" X 2-5/16" 180 CHROME PLATED BALL COMBO (2.5" SHANK)
- TB12..... 2" X 2-5/16" 180 CHROME PLATED BALL COMBO (3" SHANK)
- STB01..... FIXED HEIGHT 2" STAINLESS STEEL TOW BALL
- WS07..... CLAMSHELL CONVERTER
- WS18..... WS TOW BALL STORAGE BAG



TABLE OF CONTENTS

- What is Towing Peace Of Mind..... Page 4
- Why is Tongue Weight Important?..... Page 5
- New Products Coming Soon..... Page 6
- New Products Now Available..... Page 7
- Safe Load Gooseneck Products..... Page 8
- True Tow Weight Distribution Hitch..... Page 11
- Weigh Safe Ball Mount..... Page 14
- 180 Turnover Ball Mount..... Page 16
- Fixed Height & Universal Tow Ball..... Page 18
- Accessories..... Page 19
- About Weigh Safe..... Page 20
- Warranty Information..... Page 21
- Additional SKU Numbers..... Page 22
- Promotional & Marketing Material..... Page 23



WHAT IS TOWING PEACE OF MIND?

Here at Weigh Safe we strive for "Towing Peace of Mind", which is "a mental and emotional calmness while towing, with no worries, fears or stress. When towing this way you can experience a sense of towing safety and increased vehicle and trailer performance". Is that even possible? What is safe towing? Safe towing is understanding, calculating and staying within the specified weight limits of each part of your towing system.

If you have towed anything before, you know that these are valid questions. Choosing to tow is a serious decision that requires our most precise attention to detail. Weigh Safe is committed to manufacturing towing products and tools that provide the required measurements and calculations for your entire towing system.

In November of 2013, we entered the towing industry when we first introduced the now patented trailer hitch ball mount with a built-in scale that measures tongue weight. This first product introduction occurred at the SEMA Show where it won the show's Best New Tools and Equipment Product of the Year.

Since that day, Weigh Safe is the only trailer hitch manufacturer in the United States with patented technology that revolutionized the industry in creating an even more important demand for safety and performance. We are also proud to be a MADE IN THE USA manufacturing facility located in Lindon, Utah, with experts in mechanical, manufacturing, electrical engineering, and precision hands-on design and machining. Our product development and manufacturing team continues to innovate in the development of products in ALL towing categories, along with new innovative towing accessories. Why be kinda safe when you can be Weigh Safe?!

Thank you for your trust in us!

Brandon Doman - President/Co-Owner



WARRANTY INFORMATION

At Weigh Safe, we carefully inspect every product before it goes out the door and believe they will live up to your high expectations. We are confident that our products will provide you with the "Towing Peace of Mind" that you desire and help you in your towing journey. However, if you feel that our product doesn't match the Weigh Safe standards, we want to make it right.

If your Weigh Safe product is damaged due to an accident or mishandling of your doing, we would love to hear from you and try our best to assist in resolving the issue at hand. In the towing industry we know that it's impossible to keep your product in perfect condition and with jobs that need to be done and trailers that need to be towed, our products will age with normal wear and tear.

The built-in scales on the majority of our products do not require any maintenance, but a few of our products do. If you maintain your products and ONLY use them as they are intended, you will get many years of use and "Towing Peace of Mind".

Visit our website to register your product or call/text 801.820.7020 for more information.

**Thank you and enjoy
your Weigh Safe product!**



**SCAN FOR
FULL
WARRANTY**





ABOUT WEIGH SAFE

Weigh Safe, LLC is a Lindon, Utah based company focused on delivering the safest and highest quality products in the towing industry. Our Weigh Safe Team is committed to providing state-of-the-art towing equipment to ensure "Towing Peace of Mind" for both families and businesses across the globe. We have and will continue to work hard to improve and enhance the towing industry, ensuring that ALL of us can have towing tools and equipment that provide a safer high-performing experience at work and home, and enjoying the many awesome adventures that towing provides us! With a future full of innovation, we are prepared to change the way people tow.



SCAN FOR ABOUT US VIDEO

THE MAN BEHIND THE HITCHES

Kevin McAllister (1961-2018)

Kevin McAllister gained national attention when he won the 2014 Best New Product of Tools and Equipment at the SEMA Show in Las Vegas for his tongue weighing trailer hitch, Weigh Safe. However, McAllister was making a difference long before he thought of the innovative Weigh Safe Adjustable Ball Mount.

Through the years McAllister has accumulated 14 individual U.S. patents for an array of novel innovations. These patents span the breadth of the automotive industry, yet share a single goal: safety. The Weigh Safe Adjustable Ball Mount is the pinnacle of McAllister's professional achievements as it quickly grows to be one of the most popular towing accessories in the United States. It took over a decade of research and development to perfect the design, "Towing Peace of Mind."

Today, our Weigh Safe Team is hard at work continually developing new innovations to ensure that our products are among the safest and highest quality in the towing industry. The Safe Load Fifth Wheel Hitch and the Weigh Safe Pintle Attachment are just a few of the new products that Weigh Safe has designed. In the upcoming years, Weigh Safe plans on releasing many more products that will change the towing and automotive industry forever.



Since the unveiling of the Weigh Safe Adjustable Ball Mount, we have expanded into all 50 states and even Australia and Europe. With our state-of-the-art products, skilled and dedicated team, and desire to help people tow safely and properly, Weigh Safe has now become a dominant force in the towing industry.

WHY IS PROPER TONGUE WEIGHT IMPORTANT?

Towing a trailer with improper tongue weight (the static force the trailer tongue exerts on the hitch/tow ball) would feel nearly the same as driving with egg-shaped tires. You have little to no control of your vehicle, let alone the trailer you are towing. It puts everyone around you at risk, which is why knowing your tongue weight and making sure it is within 10-15% of your gross trailer weight (GTW) is so important.



If you have less than 10% of your GTW on the tongue of your trailer, you have too little tongue weight which means most of your load is on the back end of your trailer.



This shows that the trailer is not properly loaded. When you have less than 10% tongue weight, trailer sway (or fishtailing) will most likely occur, especially when the vehicle is traveling fast. It is best to properly distribute your load prior to hitting the road and avoid this side-to-side movement from the get go.

If you do start to experience trailer sway while towing, it is best not to hit the brakes. You should first reduce your speed by letting off the gas pedal and make sure your steering wheel is straight. This should reduce the trailer sway and once it has stopped and you are in control again, make sure to pull over and reload your trailer so that your tongue weight is within 10-15% of your GTW.

On the other hand, too much tongue weight means that most of your load is on the front end of your trailer and you exceed 15% of your GTW on the trailer tongue. This looks more like a "V" shape and is sometimes called "jack knife."



SCAN FOR A DEMONSTRATION

Too much tongue weight could overload the rear tires of the towing vehicle, pushing the rear end of the vehicle around. When this happens, the vehicle is difficult to control; corners or curves may become more difficult to maneuver and your vehicle may not be as responsive when you try to brake.

Just the right amount of tongue weight (between 10-15% of GTW) will reflect a balanced line from the front of the truck to the back of the trailer with the coupler between the truck and trailer nearly level. If you maintain a proper tongue weight within this range, you will improve your vehicle and trailer towing experience by improving performance and minimizing risk on the road.

NEW PRODUCTS - COMING SOON

TRUE TOW WEIGHT DISTRIBUTION 2.0



SAFE LOAD FIFTH WHEEL HITCH



The Safe Load Fifth Wheel Hitch has built-in dual gauges that measure tongue weight to let you know if you're within the 15-25% range of your GTW. This fifth wheel hitch has a base that is made out of 100% aluminum weighing in between 37-40 pounds making it easy to install and remove from your truck bed. It has a built-in dampening device to minimize forward and aft loads and has a stainless steel tow ball that rests on Nylotron plastic which is self-lubricating so you don't have to use any additional grease or lubricant. The base can hook to a gooseneck tow ball or fifth wheel/ISR rails and it comes with a tool that acts as a wrench to change the hitch height on one side and a key on the other side to unlatch/latch your system so you don't have to climb into the bed of your truck to do so!

RATINGS

25,000 LBS
GROSS TRAILER WT.

6,000 LBS
MAX VERTICAL WT.

CLAM SHELL CONVERTER

This stainless steel Clam Shell converts most 2" tow balls into a 2-5/16" tow ball and can be used on most bumper pull systems. With its free rotation design, this must-have accessory has been created to have a free rotation around the tow ball which will minimize friction wear and increase the longevity of your Clam Shell. The conservative design is meant to minimize weight and increase the ease of use. You can store this accessory in your glove box or under the seat, eliminating the need of heavy, awkward additional tow balls.



SCAN FOR
PRODUCT
VIDEO



PART # (SKU): WS07



ACCESSORIES

ALL OF OUR WEIGH SAFE LOCKS CAN BE KEYED ALIKE TO YOUR WEIGH SAFE HITCH SO THAT YOU HAVE ONE KEY FOR EVERYTHING!

***Complete *Weigh Safe Keyed Alike Lock Set* also available (WS15). Includes (1) WS03, (1) WS05, (1) WS11 and (1) WS12.



A. STAINLESS STEEL TOW BALLS
(WSB-L) (WSB-XL) (WSB-XXL)

Only compatible with the Weigh Safe Drop Hitch; not compatible with the 180 Drop Hitch.

B. TOW BALL STORAGE BAG
(WS18)

Plastic lined, pleather bag to store your Weigh Safe tow ball or clamshell designed to reduce dirt, grease and grime.

C. PADLOCK
(WS12)

Constructed of hardened steel.

D. DUST LOCK COVER
(WS08)

Durable rubber designed to keep debris out of your dual pin key lock assembly.

E. DUAL PIN KEY LOCK ASSEMBLY
(WS03)

Secures the slider to the draw bar for reliable security. Available in aluminum, black cerakote aluminum and black powder coated steel.

F. ADJUSTABLE TRAILER COUPLER LOCK
(WS11)


Constructed of stainless steel; 4 1/2" long and 1/4" in diameter.

G. HITCH LOCKING PIN
(WS05)

Constructed of solid stainless steel and fits 2", 2.5" and 3" receiver sizes.

FIXED HEIGHT BALL MOUNT

The Weigh Safe Fixed Height Ball Mount has a 2" drop and is designed to function with any 2" receivers. It is available with our Fixed Height 2" Tow Ball and Clam Shell converter, but is also compatible with other tow balls on the market.



BUILT-IN SCALE MEASURES TONGUE WEIGHT

TARGET TONGUE WEIGHT PREVENTS TRAILER SWAY 10-15% GTW

STB01 - Fixed Height 2" Stainless Steel Tow Ball

WS07 - 2" to 2-5/16" Clam Shell converter

SCAN FOR PRODUCT VIDEO

| PART # (SKU) | SHANK | GTWR |
|--|-------|------|
| WSFH2-2 (Just the ball mount) | 2" | 10K |
| WSFH2-2-01 (2" tow ball included) | 2" | 10K |
| WSFH2-2-07 (2" tow ball + clam-shell included) | 2" | 10K |

ACCESSORIES

Every Universal Tow Ball is equipped with a built-in scale to measure tongue weight. Made of stainless steel, the Universal Tow Ball is available in a 2" ball or a 2" ball with our Weigh Safe Clam Shell converter.



SCAN FOR PRODUCT VIDEO

TARGET TONGUE WEIGHT PREVENTS TRAILER SWAY 10-15% GTW

BUILT-IN SCALE MEASURES TONGUE WEIGHT



| PART # (SKU) | SIZE | CLAM SHELL (WS07) | GTWR |
|--------------|---------|-------------------|------|
| WSUN-1 | 2" Ball | Included | 10K |
| WSUN-2 | 2" Ball | Sold Separately | 10K |

NEW PRODUCTS - NOW AVAILABLE

ANTI-RATTLE RECEIVER REDUCER

The Weigh Safe Anti-Rattle Receiver Reducer is an all in one anti-rattle device and receiver reducer. This reduces receiver sizes from a 2.5" receiver size to a 2" receiver size and has an anti-rattle device built right on to the reducer to minimize rattling or thumping while towing. This helps give you a safer, smoother and quieter ride while towing! It can be used both vertically or horizontally depending on your preference.



PART # WSARR-2

SCAN FOR RECEIVER REDUCER PRODUCT VIDEO



SCAN TO DOWNLOAD APP

WEIGH SAFE APP



The Weigh Safe App is an informational tool designed to help people know what their ratings are for their entire towing system, including truck, hitch and trailer. Knowing your limits of your towing application helps you to not exceed any of your ratings and therefore have a much safer and smoother towing experience. This app can be used whether you own a Weigh Safe product or not! If you do own a Weigh Safe product, it gives you the ability to further perfect your towing set up by measuring your tongue weight! The Weigh Safe App is the perfect towing guide for both inexperienced and experienced towers alike!

WEIGH SAFE PINTLE ATTACHMENT

PART # ???



The Weigh Safe Pintle Attachment is constructed of high-strength carbon steel. The bottom portion is chrome-plated and the latch is a matte black powder coating for corrosion resistance. It has an easy latching system to lock/unlock with a safety clip. This pintle attachment is ONLY compatible with our STEEL Weigh Safe Adjustable Drop Hitch. This attachment was designed to be used in the drop position but can also work in the rise position at a maximum height of 5".

RATINGS
18,500 LBS GROSS TRAILER WT. WITH 2.5" SHANK
12,500 LBS MAX VERTICAL WT. WITH 2" SHANK

SAFE LOAD

BW INSERT GOOSENECK BALL

Introducing the first ever gooseneck hitch insert ball that can truly measure your tongue weight (pin load weight). Our Weigh Safe Safe Load BW Insert Gooseneck Ball is made of high-strength stainless steel and is designed to be compatible with the B&W Turnover Gooseneck Hitch.



RATINGS

30,000 LBS
GROSS TRAILER WT.

7,500 LBS
MAX VERTICAL WT.



| PART #/SKU | GTWR | MAX TONGUE WEIGHT |
|------------|------------|-------------------|
| WSBW | 30,000 LBS | 7,500 LBS |



SCAN FOR PRODUCT VIDEO

***Our BW Insert Safe Load Gooseneck Ball fits all BW Turnoverball hitch models EXCEPT THE FOLLOWING PART NUMBERS: GNXA2006-FOR TOYOTA GNRK1257 & GNXA2005-FOR RAM GNRK1309



AVAILABLE SIZES



SCAN FOR CERAKOTE PRODUCT VIDEO

Optional keyed alike Hitch Locking Pin (See "Keyed Alike" SKUS below)



DUAL PIN KEY LOCK ASSEMBLY (WS03) TO SECURE PRODUCT

DUST LOCK COVER (WS08)



ALSO AVAILABLE IN A 1-7/8" X 2" COMBO



CHROME-PLATED STEEL COMBO BALL 2" & 2-5/16" TOW BALLS

| PART # (SKU) | DROP | SHANK | KEYED ALIKE |
|--------------|------|-------|--------------|
| CTB4-2 | 4" | 2" | CTB4-2-KA |
| CTB4-2.5 | 4" | 2.5" | CTB4-2.5-KA |
| CTB6-2 | 6" | 2" | CTB6-2-KA |
| CTB6-2.5 | 6" | 2.5" | CTB6-2.5-KA |
| CTB6-3 | 6" | 3" | CTB6-3-KA |
| CTB8-2 | 8" | 2" | CTB8-2-KA |
| CTB8-2.5 | 8" | 2.5" | CTB8-2.5-KA |
| CTB8-3 | 8" | 3" | CTB8-3-KA |
| CTB10-2 | 10" | 2" | CTB10-2-KA |
| CTB10-2.5 | 10" | 2.5" | CTB10-2.5-KA |
| CTB10-3 | 10" | 3" | CTB10-3-KA |



Stow when not in use! ***Except 3" shank sizes



Also available in black cerakote aluminum!



180 DROP HITCH

STAINLESS STEEL TOW BALLS

The 180 Hitch by Weigh Safe is the definition of adaptability and ease. Made of aircraft grade 6061 aluminum, available in stainless steel or chrome-plated combo balls!

AVAILABLE SIZES

SHANK SIZES & GROSS TRAILER WEIGHT RATINGS



DROP LENGTHS



Optional keyed alike Hitch Locking Pin (See "Keyed Alike" SKUS below)



| PART # (SKU) | DROP | SHANK | KEYED ALIKE |
|--------------|------|-------|--------------|
| LTB4-2 | 4" | 2" | LTB4-2-KA |
| LTB4-2.5 | 4" | 2.5" | LTB4-2.5-KA |
| LTB6-2 | 6" | 2" | LTB6-2-KA |
| LTB6-2.5 | 6" | 2.5" | LTB6-2.5-KA |
| LTB6-3 | 6" | 3" | LTB6-3-KA |
| LTB8-2 | 8" | 2" | LTB8-2-KA |
| LTB8-2.5 | 8" | 2.5" | LTB8-2.5-KA |
| LTB8-3 | 8" | 3" | LTB8-3-KA |
| LTB10-2 | 10" | 2" | LTB10-2-KA |
| LTB10-2.5 | 10" | 2.5" | LTB10-2.5-KA |
| LTB10-3 | 10" | 3" | LTB10-3-KA |



Also available in black cerakote aluminum!



Stow when not in use!
***Except 3" shank sizes

SAFE LOAD

OEM GOOSENECK BALL

Introducing the first ever gooseneck hitch OEM ball that can truly measure your tongue weight (pin load weight). Our Weigh Safe Safe Load OEM Gooseneck Ball is made of high-strength stainless steel and is designed to be compatible with OEM puck systems (Ford, Dodge, Nissan, Toyota, Chevy, GMC).



RATINGS

30,000 LBS
GROSS TRAILER WT.

7,500 LBS
MAX VERTICAL WT.

| PART #/SKU | GTWR | MAX TONGUE WEIGHT |
|------------|--|-------------------|
| WSOEM | 30,000 LBS | 7,500 LBS |
| PART #/SKU | DESCRIPTION | |
| WSOEMPR | INCLUDES OEM BALL, CASE, DUST COVER, KEYS & RAM CHAIN ANCHOR PUCKS FOR RAM TRUCKS | |
| WSOEMPU | INCLUDES OEM BALL, CASE, DUST COVER, KEYS & GENERIC CHAIN ANCHOR PUCKS FOR FORD, GM, CHEVROLET, NISSAN, TOYOTA | |

SAFE LOAD

ISR GOOSENECK HITCH



BUILT-IN GAUGE MEASURES TONGUE WEIGHT

2-5/16" STAINLESS STEEL TOW BALL

HIGH STRENGTH STAINLESS STEEL WITH BLACK POWDER COATED FINISH



INCLUDES (4) RAIL PINS & (4) COTTER PINS

RATINGS

30,000 LBS
GROSS TRAILER WT.

7,500 LBS
MAX VERTICAL WT.



| PART #/SKU | GTWR | MAX TONGUE WEIGHT |
|------------|------------|-------------------|
| WSISR | 30,000 LBS | 7,500 LBS |



SCAN FOR PRODUCT VIDEO



STEEL WEIGH SAFE DROP HITCH

Along with the classic aluminum Weigh Safe Drop Hitch, the **STEEL** Weigh Safe Adjustable Ball Mount provides "Towing Peace of Mind" with a high-grade steel construction and stainless steel tow balls, the Steel Weigh Safe Drop Hitch will get the job done!

AVAILABLE SIZES

SHANK SIZES & GROSS TRAILER WEIGHT RATINGS



DROP LENGTHS



Optional keyed alike Hitch Locking Pin (See "Keyed Alike" SKUS below)



| PART # (SKU) | DROP | SHANK | KEYED ALIKE |
|--------------|------|-------|-------------|
| SWS6-2 | 6" | 2" | SWS6-2-KA |
| SWS6-2.5 | 6" | 2.5" | SWS6-2.5-KA |
| SWS8-2 | 8" | 2" | SWS8-2-KA |
| SWS8-2.5 | 8" | 2.5" | SWS8-2.5-KA |

NOT COMPATIBLE WITH ANY ALUMINUM COMPONENTS! DRAW BAR NOT COMPATIBLE WITH WEIGHT DISTRIBUTION.



SCAN FOR PRODUCT VIDEO



DUAL PIN KEY LOCK ASSEMBLY (WS03) TO SECURE PRODUCT

2-5/16" STAINLESS STEEL TOW BALL INCLUDED

2" STAINLESS STEEL TOW BALL INCLUDED

DUST LOCK COVER (WS08)

BUILT-IN SCALE MEASURES TONGUE WEIGHT



Stow when not in use!





WEIGH SAFE DROP HITCH

The patented Weigh Safe Adjustable Ball Mount is the ONLY ball mount in the industry that has a built-in scale to measure tongue weight. With components made of 6061 aircraft grade aluminum and stainless steel tow balls, this ball mount will offer you "Towing Peace of Mind" with every towing journey.

AVAILABLE SIZES

SHANK SIZES & GROSS TRAILER WEIGHT RATINGS



DROP LENGTHS



Optional keyed alike Hitch Locking Pin (See "Keyed Alike" SKUS below)



SCAN FOR PRODUCT VIDEO

| PART # (SKU) | DROP | SHANK | KEYED ALIKE |
|--------------|------|-------|-------------|
| WS4-2 | 4" | 2" | WS4-2-KA |
| WS4-2.5 | 4" | 2.5" | WS4-2.5-KA |
| WS6-2 | 6" | 2" | WS6-2-KA |
| WS6-2.5 | 6" | 2.5" | WS6-2.5-KA |
| WS6-3 | 6" | 3" | WS6-3-KA |
| WS8-2 | 8" | 2" | WS8-2-KA |
| WS8-2.5 | 8" | 2.5" | WS8-2.5-KA |
| WS8-3 | 8" | 3" | WS8-3-KA |
| WS10-2 | 10" | 2" | WS10-2-KA |
| WS10-2.5 | 10" | 2.5" | WS10-2.5-KA |
| WS10-3 | 10" | 3" | WS10-3-KA |



Also available in black cerakote aluminum!



Stow when not in use!
***Except 3" shank sizes



The Weigh Safe True Tow Weight Distribution system is the first and only weight distribution system that measures vehicular tongue weight & provides exact measurement and force needed to accurately redistribute weight across your towing platform. Not only does it measure and redistribute your weight effectively, it also boasts the simplest and quickest installation process in the industry.

BRACKETS ATTACH TO TRAILER

SWAY BARS FOR SWAY CONTROL

BUILT-IN SCALE MEASURES TONGUE WEIGHT

2-5/16" STAINLESS STEEL TOW BALL

LIVE ADJUSTMENT SCREW

DUAL PIN KEY LOCK ASSEMBLY (WS03) TO SECURE PRODUCT

2-5/16" STAINLESS STEEL TOW BALL INCLUDED

2" STAINLESS STEEL TOW BALL INCLUDED

DUST LOCK COVER (WS08)

BUILT-IN SCALE MEASURES TONGUE WEIGHT

10-15% GTW TARGET TONGUE WEIGHT PREVENTS TRAILER SWAY

10-15% GTW TARGET TONGUE WEIGHT PREVENTS TRAILER SWAY

SCAN FOR PRODUCT VIDEO

DROP LENGTHS

SHANK SIZES & GROSS TRAILER WEIGHT RATINGS

*****ONLY COMPATIBLE WITH 3"-6" WIDE TRAILER FRAMES UP TO 2.5" THICK**

AVAILABLE SIZES

TRUE TOW FEATURES

LIVE ADJUSTMENT SYSTEM

Built into the head assembly with an internal pivot point for quicker and easier installation and anytime adjustment.

EASY HEIGHT ADJUSTMENT


Dual Pin Key Lock Assembly provides safety from theft & ease with 1" hole increments for more accurate height adjustment which means no more torquing bolts!

EXTENDED SLEEK DESIGN

Generally gives you the ability to lower your tailgate or open your liftgate without a trailer/jack interfering.

TRUE DISTRIBUTION

Truly distributes the tongue weight of the trailer between the back axle of the tow vehicle & the axle(s) of the trailer & returns the lost weight off the front axle to provide a safer & smoother ride.



BUILT-IN SCALE

Measures both tongue weight to ensure 10-15% of GTW & distributed tongue weight to truly give you a distributed towing system.

DTW TOOL

DTW (Distributed Tongue Weight) tool application for smartphones or available on our website to set up the highly accurate distributed system by outputting a DTW that the Weigh Safe gauge on the hitch will read when distributed correctly.

ANTI-SWAY PROPERTIES

Provides anti-sway friction areas to help reduce sway. These areas reside in the sway connection points in the head assembly & trailer bracket connection points.



SCAN TO DOWNLOAD THE APP

TRUE TOW STANDARD BALL MOUNT ADAPTER KIT



Converts a weight distribution towing system to a standard adjustable ball mount.



WDH FULL UNIT SKUS/PARTS NUMBERS

| PART # (SKU) | DROP | SHANK | MAX GTW | DESCRIPTION |
|--|------|-------|------------|--|
| WSWD6-2 (Master Part) WDSL2 (Box 1) WDBSMLA (Box 2) WDDB6-2 (Box 3) WDHW2 (Box 4) | 6" | 2" | 15,000 LBS | Weigh Safe Weight Distribution System with Tongue Weight Gauge Weight Distribution Slider for 2" Shank Drawbar (includes SWS03) 2 x Weight Distribution Small Bars for 2 inch Slider w/ (1) Lift Arm Weight Distribution 6 inch Drop 2 inch Shank Drawbar Weight Distribution Hardware, 2 x A-Frame Brackets, 2-5/16" Tow Ball |
| WSWD6-2.5 (Master Part) WDSL2.5 (Box 1) WDBLGLA (Box 2) WDDB6-2.5 (Box 3) WDHW2.5 (Box 4) | 6" | 2.5" | 20,000 LBS | Weigh Safe Weight Distribution System with Tongue Weight Gauge Weight Distribution Slider for 2.5" Shank Drawbar (includes SWS03) 2 x Weight Distribution Large Bars for 2.5 inch Slider w/ (1) Lift Arm Weight Distribution 6 inch Drop 2.5 inch Shank Drawbar Weight Distribution Hardware, 2 x A-Frame Brackets, 2-5/16" Tow Ball |
| WSWD8-2 (Master Part) WDSL2 (Box 1) WDBSMLA (Box 2) WDDB8-2 (Box 3) WDHW2 (Box 4) | 8" | 2" | 15,000 LBS | Weigh Safe Weight Distribution System with Tongue Weight Gauge Weight Distribution Slider for 2" Shank Drawbar (includes SWS03) 2 x Weight Distribution Small Bars for 2 inch Slider w/ (1) Lift Arm Weight Distribution 8 inch Drop 2 inch Shank Drawbar Weight Distribution Hardware, 2 x A-Frame Brackets, 2-5/16" Tow Ball |
| WSWD8-2.5 (Master Part) WDSL2.5 (Box 1) WDBLGLA (Box 2) WDDB8-2.5 (Box 3) WDHW2.5 (Box 4) | 8" | 2.5" | 20,000 LBS | Weigh Safe Weight Distribution System with Tongue Weight Gauge Weight Distribution Slider for 2.5" Shank Drawbar (includes SWS03) 2 x Weight Distribution Large Bars for 2.5 inch Slider w/ (1) Lift Arm Weight Distribution 8 inch Drop 2.5 inch Shank Drawbar Weight Distribution Hardware, 2 x A-Frame Brackets, 2-5/16" Tow Ball |

WDH COMPONENT SKUS/PARTS NUMBERS

| WDH W/ KEYED ALIKE HITCH LOCKING PIN | DESCRIPTION | TOW BALLS | DESCRIPTION |
|--------------------------------------|--|--------------------|---|
| WSWD6-2-KA..... | 6" DROP, 2" SHANK W/ MATCHING WS05 | WSB-XL..... | 2" SS TOW BALL (8K MAX GTW) |
| WSWD6-2.5-KA.... | 6" DROP, 2.5" SHANK W/ MATCHING WS05 | WSB-XXL15..... | 2-5/16" SS BALL FOR 2" SHANK WD (15K MAX GTW) |
| WSWD8-2-KA..... | 8" DROP, 2" SHANK W/ MATCHING WS05 | WSB-XXL20..... | 2-5/16" SS BALL FOR 2.5" SHANK WD (20K MAX GTW) |
| WSWD8-2.5-KA.... | 8" DROP, 2.5" SHANK W/ MATCHING WS05 | BRACKETS | |
| DRAW BARS | | WDBR..... | WD BRACKET SET (2 X HARDWARE + BRACKETS) |
| WDDB6-2..... | 6" DROP, 2" SHANK DRAW BAR | WDBR1..... | WD BRACKET SET (1 X HARDWARE + BRACKET) |
| WDDB6-2.5..... | 6" DROP, 2.5" SHANK DRAW BAR | HARDWARE | |
| WDDB8-2..... | 8" DROP, 2" SHANK DRAW BAR | WDHW2..... | BRACKETS, HARDWARE, WSB-XXL15 (2-5/16" BALL) |
| WDDB8-2.5..... | 8" DROP, 2.5" SHANK DRAW BAR | WDHW2.5..... | BRACKETS, HARDWARE, WSB-XXL20 (2-5/16" BALL) |
| HEAD ASSEMBLY | | WDHW-02..... | BRACKETS, HARDWARE, WSB-XL (2" BALL) |
| WDSL2..... | WD SLIDER FOR 2" SHANK DRAW BAR | SPRING ARMS | |
| WDSL2.5..... | WD SLIDER FOR 2.5" SHANK DRAW BAR | WDBSM..... | (2) SMALL BARS FOR 2" SLIDER |
| LIFT ARM | | WDBLG..... | (2) LARGE BARS FOR 2.5" SLIDER |
| WDLA..... | WEIGHT DISTRIBUTION LIFT ARM | QUICK LINKS | |
| ADAPTER KITS | | WDQL..... | 2 X WD 3/8" QUICK LINK CHAIN EXTENDER (16K MAX GTW) |
| SWS05..... | STEEL WS SLIDER, BALL PIN, 2" TOW BALL | | |
| SWS07..... | STEEL WS SLIDER, BALL PIN, 2-5/16" TOW BALL | | |
| SWS09..... | STEEL WS SLIDER, BALL PIN, 2" & 2-5/16" TOW BALLS | | |
| SWS11..... | STEEL WS SLIDER, BALL PIN, 2" TOW BALL & CLAMSHELL | | |