



PyrantelCare™ Daily Dewormer 2.11%

(pyrantel tartrate)

Equine Anthelmintic

MIXING AND FEEDING DIRECTIONS: PyrantelCare™ Daily Dewormer 2.11% (pyrantel tartrate) is to be administered on a continuous basis either as a top-dress or mixed in the horse's daily grain ration at the rate of 1.2 mg pyrantel tartrate per pound of body weight daily. To achieve this dose, administer 0.5 oz. (½ scoop) of PyrantelCare™ dewormer 2.11% per 250 lb. of body weight. (For example, a 1,000 lb. horse requires 2 oz. or two scoops. See Top-Dress Directions.) Please note that the measuring cup is different in size and shape from the PyrantelCare™ Daily Dewormer 1.06% measuring cup due to the higher concentration of PyrantelCare™ Daily Dewormer 2.11%. PyrantelCare™ dewormer 2.11% should be administered for the entire period that the animal is at risk to internal parasites. Unprotected animals that have grazed may already have an established *S. vulgaris* larval infestation. Before administering PyrantelCare™ dewormer 2.11%, these animals should be treated with a therapeutic dose of a larvicidal product.

Foals may be administered PyrantelCare™ dewormer 2.11% as soon as consistent intake of grain mix is occurring. This is generally between 2 to 3 months of age.

PyrantelCare™ dewormer 2.11% may be used in mares at any stage of pregnancy or lactation. Stallion fertility is not affected by the use of PyrantelCare™ dewormer 2.11%.

TOP-DRESS DIRECTIONS

LB BODY WEIGHT	OUNCES PER DAY OF PYRANTEL CARE™ DAILY DEWORMER 2.11%
250	0.5
500	1.0
750	1.5
1000	2.0
1250	2.5

1 oz. Measuring Scoop Enclosed = 1 Level Scoop per 500 lb. body weight

MEDICATED GRAIN MIX DIRECTIONS

LB OF MEDICATED GRAIN MIX PER 100 LB OF BODY WEIGHT	LB OF PYRANTEL CARE™ DAILY DEWORMER 2.11%	LB OF NON-MEDICATED FEED	CONCENTRATION GRAMS PER TON
2.0	12.5	1987.5	120
1.5	16.5	1983.5	160
1.0	25.0	1975	240
0.5	50.0	1950	480
0.2	125.0	1875	1200

CAUTION: Consult your veterinarian before using in severely debilitated animals and for assistance in the diagnosis, treatment and control of parasitism. Do not mix in feeds containing bentonite.

Store at or below 25° C (77° F).

WARNING:
Do not use in horses
intended for human
consumption

TAKE TIME

OBSERVE LABEL
DIRECTIONS

Lot:
Exp:



Manufactured for:
FARNAM COMPANIES, INC.
P.O. Box 34820 • Phoenix, Arizona 85067-4820
farnam.com

In case of emergency or for product use information, call 800-234-2269
Item: 100521749 • RM: 99.0002184.00 • Rev 03-2019

©2017 Farnam Companies Inc.
Farnam with design, PyrantelCare and the red to yellow gradation are trademarks of Farnam Companies, Inc.
Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

CENTRAL
Garden & Pet



0 86621 02744 2