

# **DK2**

## **2019 CATALOG**

**DK2 USA WEST**  
4301 S Valley View Blvd,  
Suite 10-11, Las Vegas,  
Nevada, 89103, United States

**DK2 CANADA**  
1080 Clay Avenue,  
Unit 2, Burlington, Ontario,  
L7L 0A1, Canada

**DK2 USA EAST**  
6245 Industrial Parkway  
Whitehouse, Ohio,  
43571, United States

**TEL: 1-888-277-6960 [WWW.DETAILK2.COM](http://WWW.DETAILK2.COM)**



## **ABOUT US**

---

DK2 is a leading manufacturer of power products and automotive accessory items. Our line has expanded into 5 categories of products; Snow Plows, Trailers, Winches, Auto Accessories, and Power Products.

We believe in providing quality first and are focused on delivering our products to our customers on time and in accordance with their ever changing needs.

We believe that our business can – and should – have a positive impact on the communities we serve.

With Distribution Centres in both Canada and the US, we service a wide range of wholesale and retail channels by maintaining our commitment of providing products that are designed and created with high ethical standards.

## **LIMITED 1 YEAR WARRANTY**

---

### **WHAT IS COVERED**

DK2 Inc. warrants to the original purchaser of any DK2 product that it will be free and clear of manufacturing defects in workmanship and materials under normal use and service for a period of one (1) year from the date of the original purchase.

If within one (1) year from the original date of purchase this product fails due to defect in material or workmanship, Detail K2 will repair, replace, or supply any defective part at our option. Upon expiry of one (1) year, Detail K2 will have no further liability related to the product. Detail K2 does not authorize any party, including its authorized distributors or dealers, to offer any other warranty on behalf of Detail K2 Inc.

### **THIS WARRANTY DOES NOT COVER OR APPLY TO:**

- (a) Damage to the product due to misuse, mishandling and abuse
- (b) Improper installation, maintenance and storage
- (c) Expendable parts such as nuts and bolts, pins and springs
- (d) Normal wear and tear
- (e) Consequential damage & incidental damages such as damage to persons or property

### **PROCEDURE FOR OBTAINING A RETURN AUTHORIZATION**

Within the one (1) year warranty period, the purchaser of the product must notify an authorized distributor or dealer of the claimed defect and provide proof of original purchase. At this time the validity of the claim will be determined and a Return Goods Authorization Number (RGA) will be issued if approved. No returned product will be accepted under warranty unless accompanied by an RGA# issued by Detail K2 Inc.

### **RESOLUTION FOR A DEFECTIVE PRODUCT**

Detail K2 Inc. will at its option repair or replace the defective product covered by this warranty. The repaired product will be shipped to the purchaser upon completion. All transportation charges shall be the responsibility of the purchaser. Any damage in transit will be the responsibility of the carrier or at the risk of the purchaser.





**DK2 TRAILERS**

Utility Trailers  
Landscape Trailers

**PAGES: 4-9**



**DK2 POWER**

Stump Grinder  
Wood Chippers  
Log Splitters  
Trenchers  
Tractors

**PAGES: 10-20**



**DK2 SNOW PLOWS**

Snow Plows - Hydraulic  
Snow Plows - Universal Mount  
Snow Plows - Custom Mount

**PAGES: 21-25**



**DK2 AUTO ACCESSORIES**

Bike Carriers  
Cargo Carriers  
Truck Rack  
Motorcycle Carrier  
Battery Boosters

**PAGES: 26-33**



**DK2 WARRIOR WINCHES**

Winches - Electric  
Winches - Hydraulic  
Winch Accessories

**PAGES: 34-47**



# 5<sup>in1</sup> UTILITY TRAILER 5X7

**Item Number: MMT5X7**  
**UPC: 826518003391**

## DESCRIPTION


The single axle multi-utility trailer from DK2 is one of the most versatile trailer on the market. Sitting on a solid square tube cambered axle with 30.5 cm (12 in.) 6 ply bias tires, and a load capacity of 1,639 lb (743.4kg). When the front and back load-bearing gates are down, the trailer bed extends to nearly 3.5 m (11.58 ft.). Another great feature is the tilt/dump capability that makes it easy to load or unload heavy items. Fabricated from 100% steel, all of the components are reinforced, adjustable, removable and / or interchangeable.

## SPECIFICATION

GVW:	2,090 lb. 948.0 kg
Curb weight	451 lb. 204.6 kg
Payload capacity	1,639 lb. 743.4 kg
Bed dimensions	52 x 88 to 52 x 136 inches 1.32 x 2.24 to 1.32 x 3.45 m
Overall length	177 in. 4.50m tongue extended
Floor height	20 in. 50.8 cm
Construction	Fully welded tubular steel frame (hot dipped galvanized available)
Side panels	14 in. H 35.6 cm H Corrugated steel
Drop gates	24 in. H 61 cm H Corrugated
Lighting	Trailer comes pre wired with quick connect LED lighting. Complies with DOT requirements. Adjustable rear light protectors and protected side markers.
Dump bed	2 position
Hitch height	16 in. 40.6 cm
Flooring	100% steel corrugated welded reinforced bed
Assembly time	60 minutes approx.
Carton dimensions	88.5 x 55 x 8 inches (DWH) 224.79 x 139.7 x 20.32cm

## FEATURES

- Back drop gate
- 100% Steel
- Heavy duty
- Best in Class
- Exclusive Design
- Extended bed length: nearly 12 feet / 3.66 metres.
- 2 position dump bed
- Quick release lock pin
- Load bearing gates
- Removable steel side panels
- Corrugated steel floor
- 100% welded tubular steel frame
- Heavy-duty tail light protectors
- Solid square tube cambered axle
- Easy-lube 5 on 4.5 hub assembly
- V tongue for added strength
- 2" coupler with safety chains
- 12 x 5.3 - 6 ply bias tires





# 5<sup>in</sup> UTILITY TRAILER 5X7

**Item Number: MMT5X7G**

**UPC: 826518004848**

## DESCRIPTION


The new addition to the DK2 trailer line up is the Hot Dipped Galvanized 5 x 7 Utility Trailer. Constructed from 100% steel all the components are reinforced, adjustable, removable or interchangeable. The MMT5X7G is fully welded and hot dipped galvanized to protect the steel from the elements especially in coastal regions. This unit offers the end user excellent value for their money and will dramatically add to the life of the trailer kit. Each trailer ships in a single carton including pre wired LED lighting for easy installation.

## SPECIFICATION

GVW:	2,090 lb. 948.0 kg
Curb weight	451 lb. 204.6 kg
Payload capacity	1,639 lb. 743.4 kg
Bed dimensions	52 x 88 to 52 x 136 inches 1.32 x 2.24 to 1.32 x 3.45 m
Overall length	177 in. 4.50m tongue extended
Floor height	20 in. 50.8 cm
Construction	Fully welded hot dipped galvanized tubular steel frame
Side panels	14 in. H 35.6 cm H Corrugated steel
Drop gates	24 in. H 61 cm H Corrugated
Lighting	Trailer comes pre wired with quick connect LED lighting. Complies with DOT requirements. Adjustable rear light protectors and protected side markers
Dump bed	2 position
Hitch height	16 in. 40.6 cm
Flooring	100% steel corrugated reinforced bed
Assembly time	60 minutes approx.
Carton dimensions	88.5 x 55 x 8 inches (DWH) 224.79 x 139.7 x 20.32cm (DWH)

## FEATURES

- Back drop gate
- 100% Steel
- Heavy duty
- Best in Class
- Extended bed length: nearly 12' / 3.66 metres.
- 2 position dump bed
- Quick release lock pin
- Load bearing gates
- Removable steel side panels
- Corrugated steel floor
- 100% welded tubular steel frame
- Heavy-duty tail light protectors
- Solid square tube cambered axle
- Easy-lube 5 on 4.5 hub assembly
- V tongue for added strength
- 2" coupler with safety chains
- 12 x 5.3 - 6 ply bias tires





# DK2 LANDSCAPE TRAILER 4X6

**Item Number: MMT4X60**  
**UPC: 826518005623**

## DESCRIPTION

The “little brother” of the best-selling DK2 MMT5X7 is specially designed for handling a variety of hauling tasks. This trailer is the perfect solution for anyone needing to pull a trailer behind a small vehicle, full size truck, law tractor, or ATV.

The trailers are engineered to provide exceptional balance and ease of mobility without giving up one ounce of payload capacity. Every trailer is made from 100% welded tubular steel with expanded steel decks. Our back gate design is multi-purpose and can sit flat in the bed, up in a vertical position, or lying down as a ramp for easy loading.

## SPECIFICATION

GVW:	1,600 lb. 725.7 kg
Curb weight	305 lb. 138.3 kg
Payload capacity	1,295 lb. 587.4 kg
Bed dimensions	48 x 72 inches (1.21 x 1.82 m)
Overall length	152 in. 3.86m tongue extended
Floor height	18 in. 45.7 cm
Construction	Fully welded HD tubular steel
Side panels	Open Sides
Floating Ramp Gate	36 in. Reinforced square tube steel ramp with heavy duty round tube exterior
Lighting	Trailer comes pre wired with quick connect LED lighting. Complies with DOT requirements. Adjustable rear light protectors and protected side markers.
Hitch height	14 in. 35.5 cm
Flooring	100% welded down corrugated steel floor panel

## FEATURES


- Capacity: 587.4 kg (1,295 lb.)
- Fully welded heavy-duty powder-coated steel frame
- Corrugated steel floor
- Solid square tube cambered axle
- Drive up rear ramp tailgate
- 2 position dump bed axle mount with quick release lock pin
- Hitch height: 40.6 cm (16 in.)
- Heavy-duty tail light protectors
- LED quick connect lighting with side markers
- Wheel diameter: 12”
- Wheel bolt pattern: 5 on 4-1/2”
- Tire size: 4.80-12
- Load range: C
- Assembly required
- 1 7/8” coupler



**Ships in a single carton.**



**Ships in a Stack on 10.**



# DK2 LANDSCAPE TRAILER 4X6

**Item Number: MMT4X6**

**UPC: 826518004831**

## DESCRIPTION

The “little brother” of the best-selling DK2 MMT5X7 is specially designed for handling a variety of hauling tasks. This trailer is the perfect solution for anyone needing to pull a trailer behind a small vehicle, full size truck, law tractor, or ATV.

The trailers are engineered to provide exceptional balance and ease of mobility without giving up one ounce of payload capacity. Every trailer is made from 100% welded tubular steel with expanded steel decks. Our back gate design is multi-purpose and can sit flat in the bed, up in a vertical position, or lying down as a ramp for easy loading.

## SPECIFICATION

GVW:	1,600 lb. 725.7 kg
Curb weight	305 lb. 138.3 kg
Payload capacity	1,295 lb. 587.4 kg
Bed dimensions	48 x 72 inches (1.21 x 1.82 m)
Overall length	152 in. 3.86m tongue extended
Floor height	18 in. 45.7 cm
Construction	Fully welded HD tubular steel
Side panels	Solid Sides
Floating Ramp Gate	36 in. Reinforced square tube steel ramp with heavy duty round tube exterior
Lighting	Trailer comes pre wired with quick connect LED lighting. Complies with DOT requirements. Adjustable rear light protectors and protected side markers.
Hitch height	14 in. 35.5 cm
Flooring	100% welded down corrugated steel floor panel

## FEATURES


- Capacity: 587.4 kg (1,295 lb.)
- Fully welded heavy-duty powder-coated steel frame
- Corrugated steel floor & solid side and front panels/rails
- Solid square tube cambered axle
- Drive up rear ramp tailgate
- 2 position dump bed axle mount with quick release lock pin
- Hitch height: 40.6 cm (16 in.)
- Heavy-duty tail light protectors
- LED quick connect lighting with side markers
- Wheel diameter: 12"
- Wheel bolt pattern: 5 on 4-1/2"
- Tire size: 4.80-12
- Load range: C
- Assembly required
- 1 7/8" coupler



**Ships in a single carton.**



**Ships in a Stack on 10.**



# DK2 LANDSCAPE TRAILER 5 X 7



**Item Number: MMT5X7-DUG**  
**UPC: 826518005296**

## DESCRIPTION

The single axle multi-utility trailer from DK2 is one of the most versatile trailer on the market. Sitting on a solid square tube cambered axle with 30.5 cm (12 in.) 6 ply bias tires, and a load capacity of 1,639 lb (743.4kg). When the front and back load-bearing gates are down, the trailer bed extends to nearly 3.5 m (11.58 ft.). Another great feature is the tilt/dump capability that makes it easy to load or unload heavy items. Fabricated from 100% steel, all of the components are reinforced, adjustable, removable and / or interchangeable.

## SPECIFICATION

GVW:	2,090 lb. 948.0 kg
Curb weight	451 lb. 204.6 kg
Payload capacity	1,639 lb. 743.4 kg
Bed dimensions	52 x 88 to 52 x 136 inches 1.32 x 2.24 to 1.32 x 3.45 m
Overall length	177 in. 4.50m tongue extended
Floor height	20 in. 50.8 cm
Construction	Fully welded tubular steel frame (hot dipped galvanized available)
Side panels	14 in. H 35.6 cm H Corrugated steel
Drop gates	24 in. H 61 cm H Corrugated
Lighting	Trailer comes pre wired with quick connect LED lighting. Complies with DOT requirements. Adjustable rear light protectors and protected side markers.
Dump bed	2 position
Hitch height	16 in. 40.6 cm
Flooring	100% steel corrugated welded reinforced bed
Assembly time	60 minutes approx.
Carton dimensions	88.5 x 55 x 8 inches (DWH) 224.79 x 139.7 x 20.32cm

## FEATURES


- Back drop gate
- 100% Steel
- Heavy duty
- Best in Class
- Exclusive Design
- Extended bed length: nearly 12 feet / 3.66 metres.
- 2 position dump bed
- Quick release lock pin
- Load bearing gates
- Removable steel side panels
- Corrugated steel floor
- 100% welded tubular steel frame
- Heavy-duty tail light protectors
- Solid square tube cambered axle
- Easy-lube 5 on 4.5 hub assembly
- V tongue for added strength
- 2" coupler with safety chains
- 12 x 5.3 - 6 ply bias tires




**Ships in a single carton.**



**Ships in a Stack on 10.**



**Accessories Available**





# DK2 LANDSCAPE TRAILER 5X7



**Item Number: MMT5X7G-DUG**  
**UPC: 826518005302**

## DESCRIPTION



The new addition to the DK2 trailer line up is the Hot Dipped Galvanized 5 x 7 Utility Trailer. Constructed from 100% steel all the components are reinforced, adjustable, removable or interchangeable. The MMT5X7G is fully welded and hot dipped galvanized to protect the steel from the elements especially in coastal regions. This unit offers the end user excellent value for their money and will dramatically add to the life of the trailer kit. Each trailer ships in a single carton including pre wired LED lighting for easy installation.

## SPECIFICATION

GVW:	2,090 lb. 948.0 kg
Curb weight	451 lb. 204.6 kg
Payload capacity	1,639 lb. 743.4 kg
Bed dimensions	52 x 88 to 52 x 136 inches 1.32 x 2.24 to 1.32 x 3.45 m
Overall length	177 in. 4.50m tongue extended
Floor height	20 in. 50.8 cm
Construction	Fully welded hot dipped galvanized tubular steel frame
Side panels	14 in. H 35.6 cm H Corrugated steel
Drop gates	24 in. H 61 cm H Corrugated
Lighting	Trailer comes pre wired with quick connect LED lighting. Complies with DOT requirements. Adjustable rear light protectors and protected side markers
Dump bed	2 position
Hitch height	16 in. 40.6 cm
Flooring	100% steel corrugated reinforced bed
Assembly time	60 minutes approx.
Carton dimensions	88.5 x 55 x 8 inches (DWH) 224.79 x 139.7 x 20.32cm (DWH)

## FEATURES

- Back drop gate
- 100% Steel
- Heavy duty
- Best in Class
- Extended bed length: nearly 12' / 3.66 metres.
- 2 position dump bed
- Quick release lock pin
- Load bearing gates
- Removable steel side panels
- Corrugated steel floor
- 100% welded tubular steel frame
- Heavy-duty tail light protectors
- Solid square tube cambered axle
- Easy-lube 5 on 4.5 hub assembly
- V tongue for added strength
- 2" coupler with safety chains
- 12 x 5.3 - 6 ply bias tires





**12" COMMERCIAL  
 GRADE STUMP  
 GRINDER**



**Item Number: OPG777**  
**UPC: 826518005524**

**DESCRIPTION**

Powered by 14HP KOHLER® Command PRO commercial engine. Mounted on a Heavy Duty welded 2x2 Steel, solid frame structurally engineered for endurance performance. Extreme duty 2x2 axle with dual locking hitch pins for trouble free wheel brakes and transport over rough terrain. Direct Power Drive delivers 3600RPM and 22.7 Gross Torque FT lb to a 12 inch solid steel cutting wheel mounted on premium pillar bearings.

Demolishes stumps with 9 Carbide teeth cutting 3 ½ inches wide per cut. Cuts any diameter stump 12" high and 9 in below ground. Designed and manufactured for Strength, Durability and Performance. Features Key shut-off, locking throttle, drop stand, solid bar lift handles.

Free towbar and free extra set of 9 carbide teeth.

**SPECIFICATION**

Engine Model	KOHLER CH440
Engine	14HP Command PRO Commercial
Rated Power[Kw(HP)]	14
Rated Speed(RPM)	3600
Tires	ATV Locking Heavy Duty Axles
Wheelbase	32"
Stump Dia/Height Max	Any Diameter 12 Inches High
Cutting Blades	9 Dual Carbide Cast Mounted Cutters
Cutting Width	3 ½" Cutting Path
Gearbox	Direct Drive Dual Belts
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	91 x 32 x 52"
Weight	234 lb
Shipping Crate Dims	42 x 23 x 25" - 275lb
Container Qty	158



**ATV Tires DUAL Locking - Off Road only**



**9 Carbide Cutting Head - Direct Drive**



**Adjustable Bow Handle With Heavy Duty Frame Mounting**



**Free Extra Set Of 9 Carbide Teeth**



**ATV TOWABLE  
 3" CHIPPER  
 SHREDDER**



**Item Number: OPC503**  
**UPC: 826518005487**

**DESCRIPTION**

ATV towable 3 inch 4000RPM Direct Drive combo chipper shredder. The dual blade, centrifugal force deteriorates trees, branches, leaves, and garden composting.

Additional premium features include extra large feed chutes, drop stand and handy removable tow bar, locking wheels, removable key shutoff, 4 Stage CYCLONIC Filter System, a 7HP KOHLER CH270 Command PRO Engine and a 3YR Commercial warranty .

**SPECIFICATION**

Engine Model	KOHLER CH270
Engine	7HP Command PRO Commercial
Rated Power[Kw(HP)]	7HP
Rated Speed(RPM)	4000
Tires	ATV Locking
Wheelbase	28"
Tree Diameter	3"
Cutting Blades	Dual Carbide
Chipper Shredder	Leaves Brush Garden Compost
Gearbox	Direct Drive
Expulsion Chute	Adjustable
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	63 x 32 x 43"
Weight	170 lb
Shipping Crate Dims	33 x 29 x 44" 198 lb
Container Qty	84




**ATV Tires-locking - Off Road only**



**1 7/8" Removable Tow Bar**



**Large Feed Chute**



**Lock Out Safety Keys**



**4" CYCLONIC  
 DIRECT DRIVE  
 CHIPPER  
 SHREDDER**



**CYCLONIC CUTTERS**



**Item Number: OPC504**  
**UPC: 826518005494**

**DESCRIPTION**

3600 RPM CYCLONIC Chippers. Direct Drive, Dual Swing Chutes for quick drum access.

4 inch chipping capacity, reversible dual edge high speed cutting blades. Auto Adjusting CYCLONIC drum chamber deteriorates trees and brush up to 6.25 inches in diameter all from one feed chute. Large quick open hoppers, 59" truck bed height chip chute with adjustable cast iron rotating hood, easy drop stand, removable tow bar, 2 inch hitch.

Premium built-in tool box, Key shutoff with lock out safety switch. Extended 48 inch safety stability axle with DOT tires. Safety kit includes, tools, glasses, ear protection and gloves. Integrated chute handles, powder coated for durability.

**SPECIFICATION**

Engine Model	KOHLER CH395
Engine	9.5 Command PRO Commercial
Rated Power[Kw(HP)]	9.5 HP
Rated Speed(RPM)	3600
Tires	D.O.T. 45 MPH
Wheelbase	47"
Tree Diameter	8"
Cutting Blades	Dual Reversible Double Edge Swords
Chipper Shredder	Auto Adjusting 4" To 1/8" Materials
Gearbox	Dual Direct Drive
Expulsion Chute	Adjustable 180° 59" Pickup Bed Height
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	102 x 47 x 59"
Weight	375 lb
Shipping Crate Dims	44 x 25 x 44" - 452 lb
Container Qty	72



**45MPH D.O.T. Tires**



**2 inch removable tow bar - D.O.T. Road Legal**



**Extended Axle / Dual Swing Chutes / Tool Box**



**Lock Out Safety Keys**



**5" ATV  
TOWABLE  
CHIPPER  
SHREDDER**



**Item Number: OPC505**  
**UPC: 826518005500**

**DESCRIPTION**

5" 14 HP Kohler Commercial 2400rpm Chipper, Dual 12 inch cutting blades auto adjust to pulverize brush up to 5" diameter trees, blades are double-edge cut reversible.

Feed Chute swings open for easy drum access. ATV tires 36" extended axle for unlevel ground and towing stability. Feed Chute dual handles for easy equipment moving. Quick drop stand and 1 7/8 in ball removable tow bar. Schedule 80 tool free chip chute pipe rotates 180 degrees and is pickup truck height for chip bed loading. Commercial Command Pro 3 year Kohler warranty.

Includes safety glasses, ear protection, work gloves, oil bottle and assembly tools.

**SPECIFICATION**

Engine Model	KOHLER CH444
Engine	14 Command PRO Commercial
Rated Power[Kw(HP)]	14 HP
Rated Speed(RPM)	3600
Tires	ATV
Tree Diameter	5"
Cutting Blades	Dual Reversible
Expulsion Chute	Cast
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	70 x 36 x 45"
Weight	418 lb
Shipping Crate Dims	35 x 30 x 48" - 451 lb
Container Qty	78



**ATV Tires**



**1 7/8 inch removable tow bar.**



**Quick Drop Stand.**



**Kohler 14 HP CH440 Engine - 3 Year Warranty**



## 5" AUTO FEED CHIPPER SHREDDER

**Item Number: OPC505A**  
**UPC: 826518005739**

### DESCRIPTION

5" chipper self contained auto feed system with hydraulic roller speeds up to 600 rpm.

Self adjusting feed chamber, large feed chute, adjustable chip chute. ATV tires with included tow bar. Advanced centrifugal clutch.

DK2 POWER manufactures performance equipment, driven by Kohler, CH440 14 HP 3 yr commercial warranty.

### SPECIFICATION

Engine Model	KOHLER CH444
Engine	14 Command PRO Commercial
Rated Power[Kw(HP)]	14 HP
Rated Speed(RPM)	3600
Tires	ATV
Tree Diameter	5"
Cutting Blades	Auto Feed
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	91 x 40 x 61"
Weight	638 lb
Shipping Crate Dims	63 x 35 x 49" - 727 lb
Container Qty	28



ATV Tires



1 7/8 inch removable tow bar.



Adjustable feed speed controls.



Kohler 14 HP CH440 Engine - 3 Year Warranty



**6" CYCLONIC  
 DIRECT DRIVE  
 CHIPPER  
 SHREDDER**



**CYCLONIC CUTTERS**



**DESCRIPTION**

3600 RPM CYCLONIC Chippers. Direct Drive, Dual Swing Chutes for quick drum access.

6 inch chipping capacity, reversible dual edge high speed cutting blades. Auto Adjusting CYCLONIC drum chamber deteriorates trees and brush up to 6.25 inches in diameter all from one feed chute. Large quick open hoppers, 59" truck bed height chip chute with adjustable cast iron rotating hood, easy drop stand, removable tow bar, 2 inch hitch.

Premium built-in tool box, Key shutoff with lock out safety switch. Extended 48 inch safety stability axle with DOT tires. Safety kit includes, tools, glasses, ear protection and gloves. Integrated chute handles, powder coated for durability.

**SPECIFICATION**

Engine Model	KOHLER CH440
Engine	14HP Command PRO Commercial
Rated Power[Kw(HP)]	14 HP
Rated Speed(RPM)	3600
Tires	D.O.T. 45 MPH
Wheelbase	47"
Tree Diameter	8"
Cutting Blades	Dual Reversible Double Edge Swords
Chipper Shredder	Auto Adjusting 6" To 1/8" Materials
Gearbox	Dual Direct Drive
Expulsion Chute	Adjustable 180° 59" Pickup Bed Height
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	102 x 47 x 59"
Weight	375 lb
Shipping Crate Dims	44 x 25 x 44" - 452 lb
Container Qty	72

**Item Number: OPC506  
 UPC: 826518005517**



**45MPH D.O.T. Tires**



**2 inch removable tow bar - D.O.T. Road Legal**



**Extended Axle / Dual Swing Chutes / Tool Box**



**Lock Out Safety Keys**



**40 TON KINETIC  
 1 SEC LOG  
 SPLITTER**



**Item Number: OPS240**  
**UPC: 826518005746**

**DESCRIPTION**

40 Ton Kinetic Ultimate speed 1 sec Commercial Grade Log Splitter.

KOHLER Command PRO 4000 RPM CH240 3YR warranty engine. Oversized reinforced steel work table, safety lockout, Clam shell quick access body. Extended stability axle with ATV tires. 2 IN ball hitch, 22 inch long logs.

This machine gets it done, quality manufactured for top performance. Auto retraction bearing guided ram. This powerful splitter performs during 40 ton force cycles.

Split safety, ear protection, safety glasses, work gloves, tools and oil bottle included.

**SPECIFICATION**

Engine Model	KOHLER CH240
Rated Power[Kw(HP)]	7HP
Rated Speed(RPM)	4000
Tires	ATV Tires
Max Log Length	22"
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	120 x 37 x 44"
Weight	573 lb
Shipping Crate Dims	71 x 27 x 23" - 607 lb
Container Qty	68
Tow Bar	2" Ball
Log Rails	Slide Reload
Wedge	8" Expansive
Cycle Time	1 Second
Ram Speed	½ Second Deployment




**8" Expansive solid steel wedge**



**Oversize steel work table**



**ATV Tires**



**2 inch ball hitch**





## **1100LB DUMP CART**

**Item Number: OPT811**

**UPC: 826518005722**

### **DESCRIPTION**

All terrain BIG DUMP moves 1100 LBS with self drive electric power. Run your Big Dump 6 to hours on one charge.

Hydraulic electric lift cylinder tip bucket to 90 degrees vertical to clean your load. Throttle bar speed control with articulated floating rear wheels keep your load level and steady.

At 6 MPH quickly move about your job site. Dual front wheel drive climbs over rough terrain with ease.

### **SPECIFICATION**

Max Capacity	1100 lb
Max Speed	6 mph
Charge Time	5 hours
Run Time	6 hours
Wheels	All terrain
Warranty	1YR Chassis
Assembled Dimensions	85 x 46 x 42"
Weight	320 lb
Shipping Crate Dims	54 x 32 x 35" 508 lb
Container Qty	69



**1000lb Max Capacity**



**All terrain tires**



**Max speed 6 mph**



**Vertical dump 90 degrees**



**DCA POWER**  
**KOHLER. Engines**



## 18" COMMERCIAL TRENCHER

**Item Number: OPT118**

**UPC: 826518005586**

### DESCRIPTION

Direct Chain Drive Trencher. High pressure sintered carbide teeth. 5 depth positions, dual locking wheels for digging in reverse. 3/8 plow plates with quick change teeth. Adjustable handle, Keyed safety lock out, 6 inch direct drive auger. Heavy gauge steel construction.

4000 RPM direct drive, 400 RPM tri-cut teeth chain drive.  
 200FT per hour dig rate.

### SPECIFICATION

Engine Model	KOHLER CH270
Engine	CH270 7HP Command PRO Commercial
Rated Power[Kw(HP)]	7HP 208CC 10.5 FT lb torque @ 4000RPM
Rated Speed(RPM)	4000
Chain Speed	1800 FT Per Minute
Chain Dimension	63"
Trench	4 x 18
Cutting Teeth	21 Carbide Alloy High Pressure Teeth. 400 RPM
Wheels	Dual Auto Lock In Reverse Dig
Gearbox	Dual Belt Chain Drive Auger
Auger	Side Offload Direct Drive
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	71 x 36 x 48"
Weight	320 lb
Shipping Crate Dims	41 x 30 x 34" 374 lb
Container Qty	99



**Tri-Cut High Carbide Teeth**



**Trolley Wheel**



**Lock out safety keys - Locking Throttle**



**Auger guard**



**DKA POWER**  
**KOHLER** Engines



## 24" COMMERCIAL TRENCHER

**Item Number: OPT124**  
**UPC: 826518005463**

### DESCRIPTION

Direct Chain Drive Trencher. High pressure sintered carbide teeth. 5 depth positions, dual locking wheels for digging in reverse. 3/8 plow plates with quick change teeth. Adjustable handle, Keyed safety lock out, 6 inch direct drive auger. Heavy gauge steel construction.

3600 RPM direct drive, 400 RPM tri-cut teeth chain drive. 200FT per hour dig rate.

### SPECIFICATION

Engine Model	KOHLER CH440
Engine	CH440 14HP Command PRO Commercial
Rated Power[Kw(HP)]	14HP 429CC 22.7 FT lb torque @ 3600RPM
Rated Speed(RPM)	3600
Chain Speed	1800 FT Per Minute
Chain Dimension	79"
Trench	4 x 24
Cutting Teeth	27 Carbide Alloy High Pressure Teeth. 400 RPM
Wheels	Dual Auto Lock In Reverse Dig
Gearbox	Dual Belt Chain Drive Auger
Auger	Side Offload Direct Drive
Warranty	3YR Engine - 1YR Chassis
Assembled Dimensions	85 x 36 x 48"
Weight	375 lb
Shipping Crate Dims	44 x 31 x 38" 474 lb
Container Qty	60



**Tri-Cut High Carbide Teeth**



**Trolley Wheel**



**Lock out safety keys - Locking Throttle**



**Auger guard**



**16HP DIESEL  
 TRACTOR  
 CRATED**

**Item Number: OPF316C**

**UPC: 826518005647**

**DESCRIPTION**

This unit sports plenty of torque at 3900 force (N). The quick response 540 rpm to 1000 rpm PTO drives 4 and 5 foot CAT1 implements with ease. Turf tires make this a versatile tractor for lawn, garden, and field work.

It has a Single-function clutch, (3+1)×2 gearbox delivers triple speed to P.T.O. Power steering for easy handling, Safe start switch, Enclosed metal hood, Dual head lamps, Combination meter, Absorber comfort seat with safety belt, Disc brakes, Roll over bar, Sun Canopy, Turf tires, Front weights, rear wheel weights and Top Link for 3pt implements all included. Dual hydraulic rear ports to drive log splitters and lift trailers. EPA approved Kohler Diesel engine delivers quality performance. National service provided by Kohler service centers.

A REMARKABLE tractor that delivers both Kohler PERFORMANCE and DK2 Power VALUE. Ships factory assembled direct to your home, wheels and sun canopy easy assembly required.

**SPECIFICATION**

Engine Model	KOHLER KDW1003
Engine	ED2A36E0-1
Rated Power[Kw(HP)]	11.8/16
Rated Speed(RPM)	2400
Tires	Front :5.00-12 Rear :7.50-16
Wheelbase	52.3"
Front-wheel Tread	31.1"
Rear-wheel Tread	35"
Rated Traction Force(N)	3500
PTO Speed(RPM)	540/1000 Double Speed
Speed m/h	0.82 - 8.65
Gearbox Few Stalls	(3+1)×2
Ground Clearance	10.2"
Assembled Dimensions	96 x 42 x 84"
Min. Use Weight	1622 lb
Shipping Crate Dims	87 x 47 x 43" & 59 x 43 x 30" 1477 lb & 595 lb



**All Metal Hood Construction**



**Turf Tires**



**Power Steering**





## **EVEREST SNOW PLOW FULLY HYDRAULIC Custom Mount**

**Item Number: EVST9022**  
**UPC: 826518005579**

### **DESCRIPTION**

DK2 is proud to bring you the ultimate snow plow solution in our line up - the DK2 Everest.

This prosumer, fully hydraulic snow plow kit provides you the opportunity to clear your parking lot, driveway, or laneway whenever required. With our fully hydraulic system you can raise, lower, and angle the snow plow blade from inside your vehicle using our wired hand held remote.

For extreme durability against the elements and rust, DK2 combines an industrial powder-coated paint finish on the blade with hot dipped galvanized hardware components to keep your plow looking new for years.

The plow itself simply clips to a DK2 custom fitted vehicle mounting system and can pretty much mount to anything that's fit to push snow.

### **SPECIFICATION**

- Blade (W x H): 90" x 22"
- Assembled Plow Weight: 380 lbs
- Shipping Dims (wdh): 90" x 22" x 44"
- Shipping Weight: 425 lbs
- Construction: Steel tube & sheet
- Colour/Finish: Black industrial powder coated blade skin and all other components
- Lift System: Hydraulic
- Angling System: Hydraulic, multiple positions
- Control System: Wired remote control to lift, lower, angle left or right
- Vehicle Mounting System: Custom bolt-on mounting brackets \*Sold Separately
- Scraper Blade: Powder coated steel, replaceable
- Included: Snow Deflector, Skid Shoes



### **FEATURES**

- Ships partially assembled (mount & wiring required).
- Simple bolt on custom fitted mounting brackets, no drilling or welding required (sold separately).
- Hydraulic system lifts and lowers blade (a more reliable repetitive-use mechanism than a winch).
- Light weight, no need to alter stock suspension.
- Black UV powder coated components with an industrial painted blade skin.
- Self leveling foot provides max blade tip clearance when the blade is fully raised.
- Skid shoes to assist guiding the blade edge over uneven terrain or from possibly marking those more delicate driveways.
- Snow Deflector to assist directing snow forward and also minimizing windshield spray.
- Blade markers to point out blade tips.
- Hydraulic positioning.
- Wired hand held control.
- Reliable industrial hydraulic lift systems.
- Blade hardware holds the hydraulic pump so it can get rolled away from the vehicle rather than being left on the truck with the mount.
- Thicker trip springs to ensure tension remains strong and coils tight for optimal performance when encountering obstacles.
- Existing holes in plow frame make it easy to add bolt-on accessories.
- Bolt on accessories and upgrades available.
- One-year manufacturers warranty.



## **AVALANCHE SNOW PLOWS Universal Mount**

### **Item Numbers:**

**AVAL8219**

**AVAL8422**

**AVAL8826**



## **DESCRIPTION**

### **Wireless Winch**

Our brand new DK2 Avalanche Snow Plow kits combine the simplicity of our original T-Frame plow with the strength of our custom mount frame.

The DK2 Avalanche Snow Plow allows you to quickly and effectively remove snow from your driveway or small parking lot. The Avalanche simply slides into a 2" front mount receiver for easy removal and storage.

Each snow plow ships in a single carton complete with hardened steel cutting edge scraper, rubber snow deflector, polymer-wrapped wire rope plow markers, skid shoes, castor kit for easy storage, and a 3,000lb wireless electric winch. Each Avalanche plow will also include a set of blade stiffeners for added strength by creating a 3 point connection.

## **SPECIFICATION**

### **Item Number: AVAL8219**

- Blade Dimensions: 82 x 19 Inches H
- Assembled Weight: 265 lbs
- Gross Weight: 321 lbs
- Box Dimensions: 46 x 36 x 18 Inches
- UPC: 826518004992

### **Item Number: AVAL8422**

- Blade Dimensions: 84 x 22 inches H
- Assembled Weight: 283 lbs
- Gross Weight: 334 lbs
- Box Dimensions: 44 x 32 x 18 inches
- UPC: 826518005005

### **Item Number: AVAL8826**

- Blade Dimensions: 88 x 26 inches H
- Assembled Weight: 296 lbs
- Gross Weight: 341 lbs
- Box Dimensions: 46 x 35 x 17 inches
- UPC: 826518005708



**Upgraded  
Winch**



**Upgraded  
Wireless  
Control**



**Plow Stiffeners  
Included**

## **FEATURES**

- Fits most light trucks and SUV's
- Easy to mount – simply slides into a 2" class III front mount receiver in seconds. Slide out and roll away for storage
- An electric winch lifts the blade, controlled from inside your warm vehicle for easy up and down snow control
- Blade angles set and lock manually with a single lever lifting a pin to 3 blade locking positions: straight on, angled to the right, and angled to the left
- Powder coated all-steel with UV protected paint
- Flip down locking castors allow easy plow attachment, removal, and roll away storage – just lower the wheels and roll the unit to wherever you want it
- Each snow plow kit also includes a set of blade stiffeners for added strength
- ISO 9001 certified manufacturer
- 1 year limited warranty
- Ships in a single carton on a standard size pallet





# AVALANCHE ELITE SNOW PLOWS

## Universal Mount

### Item Numbers:

**AVAL8219ELT**

**AVAL8422ELT**

**AVAL8826ELT**



## DESCRIPTION

### Wireless Actuator

The Elite version of the DK2 Avalanche Snow Plow still combine the simplicity of our original T-Frame plow with the strength of our custom mount frame but also use a wireless actuator instead of a winch.

The DK2 Avalanche Snow Plow allows you to quickly and effectively remove snow from your driveway or small parking lot. The Avalanche simply slides into a 2" front mount receiver for easy removal and storage.

Each elite snow plow ships in a single carton complete with hardened steel cutting edge scraper, rubber snow deflector, polymer-wrapped wire rope plow markers, skid shoes, castor kit for easy storage, and a wireless actuator. Each Avalanche plow will also include a set of blade stiffeners for added strength by creating a 3 point connection.

## SPECIFICATION

### • Item Number: AVAL8219ELT

- Blade Dimensions: 82 x 19 Inches H
- Assembled Weight: 265 lbs
- Gross Weight: 321 lbs
- Box Dimensions: 46 x 36 x 18 Inches
- UPC: 826518005661

### • Item Number: AVAL8422ELT

- Blade Dimensions: 84 x 22 inches H
- Assembled Weight: 283 lbs
- Gross Weight: 334 lbs
- Box Dimensions: 44 x 32 x 18 inches
- UPC: 826518005685

### • Item Number: AVAL8426ELT

- Blade Dimensions: 88 x 26 inches H
- Assembled Weight: 296 lbs
- Gross Weight: 341 lbs
- Box Dimensions: 46 x 35 x 17 inches
- UPC: 826518005715



Wireless Actuator



Upgraded Wireless Control



Plow Stiffeners Included

## FEATURES

- Fits most light trucks and SUV's
- Easy to mount – simply slides into a 2" class III front mount receiver in seconds. Slide out and roll away for storage
- A wireless actuator lifts the blade, controlled from inside your warm vehicle for easy up and down snow control
- Blade angles set and lock manually with a single lever lifting a pin to 3 blade locking positions: straight on, angled to the right, and angled to the left
- Powder coated all-steel with UV protected paint
- Flip down locking castors allow easy plow attachment, removal, and roll away storage – just lower the wheels and roll the unit to wherever you want it
- Each snow plow kit also includes a set of blade stiffeners for added strength
- ISO 9001 certified manufacturer
- 1 year limited warranty
- Ships in a single carton on a standard size pallet



## SNOW PLOW KITS Custom Mount



Wireless Winch

### DESCRIPTION

All DK2 Snow Plows allow you to quickly & effectively remove snow from your driveway or small parking lot. DK2's range of personal plows each mount on to a vehicle specific custom mounting brackets.

Ships in a single carton complete with hardened steel cutting edge scraper, rubber snow deflector, polymer-wrapped wire rope plow markers, skid shoes, castor kit for easy storage, and a 3,000lb wireless electric winch.

### SPECIFICATION

• **RAMPAGE II**

• **Item Number: RAMP8219**

- Blade Dimensions: 82 x 19 inches
- Assembled Weight: 265 lbs
- Gross Weight: 315 lbs
- Box Dimensions: 43 x 32 x 18 inches
- Custom mount sold separately
- UPC: 693495992167

• **STORM II**

• **Item Number: STOR8422**

- Blade Dimensions: 84 x 22 inches
- Assembled Weight: 283 lbs
- Gross Weight: 325 lbs
- Box Dimensions: 44 x 32 x 18 inches
- Custom mount sold separately
- UPC: 693495992174

• **SUMMIT II**

• **Item Number: SUMM8826**

- Blade Dimensions: 88 x 26 inches
- Assembled Weight: 296 lbs
- Gross Weight: 341 lbs
- Box Dimensions: 46 x 35 x 17 inches
- Custom mount sold separately
- UPC: 693495992181



Upgraded Winch



Upgraded Wireless Control



Custom Mount

### FEATURES

- Fits most light trucks and SUV's
- Easy to mount - simply slides onto your custom vehicle specific mounting brackets in seconds. Slide out and roll away for storage
- An wireless winch lifts the blade, controlled from inside your warm vehicle for easy up and down snow control
- Blade angles set and lock manually with a single lever lifting a pin to 3 blade locking positions: straight on, angled to the right, and angled to the left
- Powder coated all-steel construction with UV protected paint
- Locking castors allow easy plow attachment, removal, and roll away storage - just lower the wheels and roll the unit to wherever you want it
- ISO 9001 certified manufacturer
- 1 year limited warranty
- Ships in a single carton on a standard size pallet







## ELITE SNOW PLOW KITS Custom Mount

**Item Numbers:**  
**RAMP8219ELT**  
**STOR8422ELT**  
**SUMM8826ELT**



### DESCRIPTION

**Wireless Actuator**

Dk2's line of personal snow plows just got better! The DK2 ELITE SERIES Snow Plow line up takes its simple yet effective design and improves on it with a wireless actuator for ultimate reliability.

DK2's ELITE SERIES each mount on to a vehicle specific custom mounting brackets. Each snow plow ships in a single carton complete with hardened steel cutting edge scraper, rubber snow deflector, polymer-wrapped wire rope plow markers, skid shoes, castor kit for easy storage, and a wireless electric actuator kit.

### SPECIFICATION

- **RAMPAGE II ELITE**
- **Item Number: RAMP8219ELT**
- Blade Dimensions: 82 x 19 inches
- Assembled Weight: 265 lbs
- Gross Weight: 315 lbs
- Box Dimensions: 43 x 32 x 18 inches
- Custom mount sold separately
- UPC: 826518005326
  
- **STORM II ELITE**
- **Item Number: STOR8422ELT**
- Blade Dimensions: 84 x 22 inches
- Assembled Weight: 283 lbs
- Gross Weight: 325 lbs
- Box Dimensions: 44 x 32 x 18 inches
- Custom mount sold separately
- UPC: 826518005333
  
- **SUMMIT II ELITE**
- **Item Number: SUMM8826ELT**
- Blade Dimensions: 88 x 26 inches
- Assembled Weight: 296 lbs
- Gross Weight: 341 lbs
- Box Dimensions: 46 x 35 x 17 inches
- Custom mount sold separately
- UPC: 826518005340



Wireless Actuator



Upgraded Wireless Control



Custom Mount

### FEATURES

- Fits most light trucks and SUV's
- Easy to mount – simply slides onto your custom vehicle specific mounting brackets in seconds. Slide out and roll away for storage
- An electric actuator lifts the blade, controlled from inside your warm vehicle for easy up and down snow control
- Blade angles set and lock manually with a single lever lifting a pin to 3 blade locking positions: straight on, angled to the right, and angled to the left
- Powder coated all-steel construction with UV protected paint
- Locking castors allow easy plow attachment, removal, and roll away storage – just lower the wheels and roll the unit to wherever you want it
- ISO 9001 certified manufacturer
- 1 year limited warranty
- Ships in a single carton on a standard size pallet



## **HITCH MOUNTED BIKE CARRIER**

**Mounts to any 2"  
hitch receiver**

**Item Number: BCR390  
UPC: 826518004879**

### **DESCRIPTION**

Family holidays are always better when you take the bikes along too. Detail K2 offers two different hitch mounted bike racks to do just that. Carry up to 4 bicycles easily.



Three different positions allow you to minimize distance bike carrier extends while also being able to swing the unit away and access the rear of your vehicle.



### **FEATURES**

- Carries up to 4 bikes with easy to mount system
- Cradles padded with rubber to protect bike finish
- Cradle bar folds down when not in use
- Unit swings down for access to the rear of the vehicle
- Steel construction
- Black powder coat finish resists scratches and corrosion
- Slides into a standard 2" hitch receiver
- Anti-wobble hitch pin secures unit to hitch
- Shipped unassembled
- Full colour carton
- Pkg. dim.: 36 x 11 x 6 inches (914 x 279 x 152 mm)
- Gross weight: 26 lb. (11.7 kg)





## **HITCH MOUNTED BIKE CARRIER**

**Mounts to any 2"  
hitch receiver**

**Item Number: BCR490**

**UPC: 827518 001172**

### **DESCRIPTION**

Family holidays are always better when you take the bikes along too. Detail K2 offers two different hitch mounted bike racks to do just that. Carry up to 4 bicycles easily.



Three different positions allow you to minimize distance bike carrier extends while also being able to swing the unit away and access the rear of your vehicle.



### **FEATURES**

- Carries up to four bicycles on individually adjustable cradles
- Padded no-mark cradles with dual bike retention straps
- Cradle bar folds down when not in use
- Carries up to 4 bicycles on adjustable saddles
- Saddle bar folds down when not in use
- Unit swings down for access to the rear of vehicle
- Steel construction
- Black powder coat finish resists scratches and corrosion
- Slides into a standard 2" hitch receiver, Class III or IV (optional 1-1/4" adaptor kit available upon request)
- Shipped unassembled
- Weight: 44 lb. (19.96 kg)



## **HITCH MOUNTED CARGO CARRIER**

**Mounts to any 2"  
hitch receiver**

**Item Number: HCC602  
UPC: 82751800116 5**

### **DESCRIPTION**

Increase the cargo capacity of your vehicle or haul bulky, messy items like luggage, coolers or firewood. Easy assembly. Conveniently mounts to any 2" hitch receiver on cars, SUVs, trucks, or vans.



Flips up when not in use, and stows up against the rear of the vehicle.



### **FEATURES**

- Black powder-coat finish resists corrosion.
- Carrying capacity dependent on receiver strength: 500 lb. (226.8 kg) when used with a Class III / IV hitch.
- Heavy-duty tubular and expanded steel mesh construction.
- Mounts to any 2" hitch receiver.
- Conveniently flips up when not in use.
- Ships unassembled.
- Dimensions: 60 x 20 x 6 inches (152.4 x 50.8 x 15.2 cm).
- Assembled weight: 59.5 lb. (27 kg).





## **ALUMINIUM HITCH MOUNTED CARGO CARRIER**

**Mounts to any 2"  
hitch receiver**

**Item Number: HCC502A  
UPC: 82651800505 1**

### **DESCRIPTION**

The DK2 Hitch Mounted Aluminum Cargo Carrier allows you to immediately increase the cargo capacity of your vehicle so you can haul bulky, messy items like luggage, coolers or firewood. This functional item has a 500lb carrying capacity and also flips up close to your vehicle when not in use. The aluminum construction is lightweight while still being durable and rust proof.



### **FEATURES**

- Increase The Cargo Capacity Of Your Vehicle.
- Easy Assembly.
- Mounts To Any 2 in. Hitch Receiver.
- Flips Up When Not In Use; Stows Against Rear Of Vehicle.
- Aluminum Finish Resists Corrosion.
- Includes threaded anti-wobble hitch pin for added stability.
- Carrying Capacity Dependent On Receiver Strength.
- Ships Unassembled.
- Reflectors for added safety.

### **TECHNICAL SPECS**

#### **Assembled Product:**

- Height: 6.5 Inches
- Width: 49.5 Inches
- Depth: 22.25 Inches
- Weight: 29 lbs.

#### **Packaged Product:**

- Height: 4 Inches
- Width: 50 Inches
- Depth: 24 Inches
- Weight: 32 Lbs



# HITCH-MOUNTED MOTORCYCLE CARRIER

**Mounts to any 2”  
hitch receiver**

**Item Number: TMC201**  
**UPC: 693495970561**

## DESCRIPTION

### How to determine weight capacity

To determine the weight capacity for the Detail K2 Hitch Mounted Motorcycle Carrier, you must first determine the tongue weight limit of your hitch receiver AND the tongue weight limit of your vehicle. Take the lesser of these two figures and see the chart opposite:

Hitch / Vehicle Tongue Weight Limit (use lowest figure)		Max. Carrying Capacity of K2 Carrier	
300 lb.	136 kg	180 lb.	82 kg
350 lb.	159 kg	225 lb.	102 kg
500 lb.	227 kg.	350 lb.	159 kg
750 lb.	340 kg	450 lb.	204 kg

Example 1 If you have an SUV with a hitch receiver max. tongue weight of 500 lbs, AND your SUV manufacturer states that the maximum tongue weight for your vehicle is 500 lbs, then the maximum weight you can load on the Detail K2 Hitch Mounted Motorcycle Carrier is 350 lbs.

Example 2 If you have an SUV with a hitch receiver max. tongue weight of 500 lbs, BUT your SUV manufacturer states that the maximum tongue weight for your vehicle is only 350 lbs, then the maximum weight you can load on the Carrier is 225 lbs.



## FEATURES

- Extremely versatile, Extremely secure and stable: patent-pending design results in snug, “anti-wobble” fit.
- Tilts down to allow easy loading: one-person operation
- Easily installed and removed: no extra tools required
- Ideally suited for SUV, RV, or pickup truck with cap
- Features adjustable front wheel channel (to accommodate different sized bikes) and retractable tie-down bar
- Comes with safety chains and hitch pin
- Fits standard 2-” class III or IV hitch receiver: weight capacity dependent on receiver strength
- Black UV powder-coat finish





## **DK2 FLIP RACK**

**Easy, no drilling  
installation**

**Item Number: TFR150**

**UPC: 693495970721**

### **DESCRIPTION**

The TFR150 give you flexibility and combines the safety and security of a headache rack with the functionality of an elevated ladder rack. Installation takes minutes, requires no drilling and fits most full size trucks.

With a simple flip up and back of the crossbar the rack immediately gives you the ability to transport everyday things that require extra length. Ladders, pipe, lumber and even canoes all easily tie down fixed and secure on the upper deck. Once you're done the crossbar is easily flipped forward and down and secured back to its starting position against the headache rack.

### **AVAILABLE ACCESSORIES**

- Light Bar
- Boat Rack
- Adaptor Kit for Hard Top Tonneau Covers



### **FEATURES**

- Converts from a window guard into a full-length utility rack with a simple "flip" of a crossbar
- Strong and rigid: heavy-duty steel construction
- Cargo can be secured to window guard to prevent shifting loads
- Rack can support up to 225 kg / 500 lbs (distributed) in open position: ladders, lumber, etc.
- Easily installed and removed
- No drilling truck (clamps provided)
- Fits most makes and model trucks
- Pkg. dim.: 54.0 x 24.0 x 5 inches (1372 x 610 x 127 mm)
- Gross weight: 121.25 lb. (55 kg)
- Minimum bed width is 51 inches



# **HEAVY DUTY PORTABLE BATTERY BOOSTER PACK**

**Item Number: GL10**  
**UPC: 82651800491 6**

## **DESCRIPTION**

New to the DK2 family is the GL10 Portable Battery Booster. This unit is industry leading in every way and can provide a portable emergency power source when you need it most.

The GL10 comes with intelligent clamps that fit both 12V and 24V car jump starters. There is intelligent detection circuit which can tell the output voltage of 12V and 24V car jump starter, and start different protection system accordingly. The unit also has a warning sound and LED light reminder.

Overall protection functions include: back charge protection, overcharge protection, over discharge protection, shortage protection and reverse polarity protection, as well as function of testing the situation of the cars battery.



## **ACCESSORIES**

- Starting Power Bank
- Home Charger
- Micro Cable
- Jump Cable Battery Clamps
- 12 V Output Converter
- 24 V Output Converter
- User Manual
- Carrying Bag

## **SPECIFICATION**

- Battery Capacity: 88.8 Wh
- Start Current: 400 A
- Peak Current: 800 A
- Input: 15 V / 2 A
- Output: 5 V / 2 A, 12 V / 24 V for Jump Start
- Charging Time: 4.5 Hours
- Life Time: > 800 Cycles
- Size: 7" L x 2.5" W x 2.5" H
- Weight: 1040g







## DESCRIPTION

The DK2 Power 2 Go is the incredibly powerful yet versatile battery jump starter that literally sits in the palm of your hand.

Slightly larger than your Smartphone, it is powerful enough to jumpstart most full sized cars and trucks. All this power and it can still be easily stored in your glove box. With multiple ports and adapters included, there's no longer a need to panic when your Smartphone, tablet or laptop is running low on power. Simply plug into your DK2 Power 2 Go and watch in amazement as your device quickly charges.

The P2G can be used on: Cars, Bobcats, ATV's, UTV's, Snowmobiles, Golf carts, and Boats.



## POWER 2 GO PORTABLE BATTERY CHARGER

**Item Number: P2G850**  
**UPC: 82651800514 2**

## FEATURES

- Built in rechargeable high output Lithium-iron battery
- 14,000 mAh capacity
- Upgraded Copper Booster cables and clamps
- Output: 12V / 5V, 2 A
- Peak Current 400A
- 850 Cold Cranking amps starting current
- Can boost a single vehicle 20 times on a single charge
- Overload and over-charge protection
- Charging adapters for most major electronic devices

## SPECIFICATION

- Item Number: P2G850
- Unit Dimensions: 6.3 x 3.0 x 1.4"
- Assembled Weight: 2 lbs
- Gross Weight: 3 lbs
- Box Dimensions: 11 x 2 x 8"

# NINJA



## NINJA SERIES ATV WINCHES

**Item Numbers:  
C2500N, C2500N-SR C3500N,  
C3500N-SR**



### DESCRIPTION

Ideal for large ATV's and small trailers. A huge high power motor, heavy duty clutch, heavy duty steel gearing and heavy duty waterproof contactors ensure the ultimate in performance and reliability. Strengthened Steel drum makes it ideal to use with Synthetic Rope.

Watertight 4 Pin connection allows the use of 'Plug and Play' Wireless.

### SPECIFICATION

#### C2500N

**RATED LINE PULL:** 2500lbs(1134kg)  
**MOTOR: 12v :** 1.35hp / 0.95kw  
**GEARING:** 170:1  
**BRAKING ACTION:** Dynamic  
**DRUM SIZE Dia x L:** 1.5 x 3.1"  
**CABLE Dia x L:** 0.2" x 46 ft  
**MOUNT PATTERN:** 3.1"  
**DIMENSIONS:** 13.2 x 4.4 x 6.5"

#### C3500N

**RATED LINE PULL:** 3500lbs (1588kg)  
**MOTOR: 12v :** 1.95hp / 1.37kw  
**GEARING:** 170:1  
**BRAKING ACTION:** Dynamic  
**DRUM SIZE Dia x L:** 1.5 x 3.1"  
**CABLE Dia x L:** 0.2" x 42 ft  
**MOUNT PATTERN:** 3.1"  
**DIMENSIONS:** 13.7 x 4.6 x 6.5"



### FEATURES

- Sealed High Power Motor
- Heavy Duty Watertight Contactors
- Full Steel Planetary Gearing
- Strengthened Steel Drum (suitable for Synthetic rope)
- Watertight Controller Socket
- Gloss Chip Resistant Paint

### INCLUDED

- Steel Cable
- Heavy Duty Roller Fairlead
- Heavy Duty Battery Leads
- 3 Tonne Pulley Block
- Mounting plate & Hardware
- 1/4 hook



## DESCRIPTION

High quality three stage planetary gearing ensure this is one of the quietest and smoothest winches on the market.

The silky smooth performance and the full load holding brake make it the perfect solution for high spec applications.

## SPECIFICATION

<b>RATED LINE PULL:</b>	4500lbs (2041kg)
<b>MOTOR: 12v :</b>	1.95hp / 1.37kw
<b>GEARING:</b>	172:1
<b>BRAKING ACTION:</b>	Auto in the drum
<b>DRUM SIZE Dia x L:</b>	1.7 x 3.8"
<b>CABLE Dia x L:</b>	0.25" x 47.5ft
<b>MOUNT PATTERN:</b>	5 x 3.7"
<b>DIMENSIONS:</b>	14.4 x 4.9 x 6.4"
<b>WEIGHT:</b>	28.6 lbs

Layer of wire rope	Line pull lbs (kg)
1	4500 (2401)
2	3642 (1652)
3	3060 (1388)
4	2638 (1196)

Line pull lbs (kg)	Line speed		Amp draw	
	ft/min	m/min	12v	24v
0	11.6	3.6	20	15
1500 (680)	9.2	2.8	70	40
2500 (1134)	7.8	2.4	100	65
3500 (1587)	6.6	2.0	140	80
4500 (2041)	4.9	1.5	200	130



**Steel version available**



# NINJA



## NINJA SERIES TRAILER WINCHES

**Item Numbers:**  
**C4500N**  
**C4500N-SR**

## FEATURES

- Power in and Power out
- High Torque 1.95hp Motor
- HD Waterproof Contactors
- Full Steel Planetary Gearing
- Mount Plate as Standard
- Full Load Holding Break
- Can fit tow ball mount

## INCLUDED

- 0.25" x 47.5ft Steel Cable
- 3m Remote Handset
- Heavy Duty Roller Fairlead
- Heavy Duty Battery Leads
- Mounting plate
- Mounting hardware
- 3/8 hook
- \*ATV remote available



## SPARTAN 6000 ELECTRIC WINCH

**Item Numbers:**

**6000**

**6000-SR**



### DESCRIPTION

Warrior Winches are delighted to announce the arrival of the new member of Spartan Series, Tough, Strong and ready for Battle. The Spartan 6000 Lb short drum model is ideal where space and payload are limited. The winch has a short drum and is less than 66Lbs, however the extended drum supports allow it to carrier up to 131ft of 0.28" cable. The Synthetic rope version comes fitted with 0.27" x 98ft.

We really believe these to be the best value for money Winches around, a lower price does not mean that we have had to compromise the core values integral to a good winch, such as reliability and durability.

With great performance, outstanding features included as standard, & backed by the Warrior Winches un-rivalled limited Lifetime Warranty, this should make a Spartan the first choice for all serious enthusiasts.

### SPECIFICATION

**RATED LINE PULL:** 6000 lbs (2727kg)  
**MOTOR: 12V:** 4.5hp / 3.4kW  
**GEARING:** 230:1  
**DRUM SIZE Dia x L:** 2.48 x 4.2"  
**CABLE Dia x L:** 0.28" x 131'  
**DIMENSIONS:** 17.4 x 7.7 x 10.8"  
**WEIGHT:** 66 lbs



Layer of wire rope	Line Pull lbs (kg)	Cable Cap ft (m)
1	6000 (2727)	9.8 (3.0)
2	4979 (2258)	22.0 (6.7)
3	4255 (1930)	36.1 (11.0)
4	3714 (1685)	52.2 (15.9)
5	3296 (1495)	70.5 (21.5)
6	2962 (1344)	90.9 (27.7)
7	2690 (1220)	113.2 (34.5)
8	2463 (1117)	131.2 (40.0)

Line pull lbs (kg)	Line speed		Amps 12v
	ft/min	m/min	
0	19.4	5.9	80
2000 (907)	13.1	1.0	140
4000 (1814)	9.2	2.8	210
6000 (2727)	7.2	2.2	285

### FEATURES

- Weather Sealed High Performance Motor
- Heavy Duty 3 Stage Gearbox
- Heavy Duty Drum Supports
- Weather Sealed Solenoids
- Full Steel Planetary Gearing
- Full Load Holding Brake
- Every winch is 100% Load Tested
- Chip Resistant Gloss Paint Finish

### INCLUDED

- 10ft Remote Handset
- 5/16 Hook
- Aluminium or Roller Fairlead (Synthetic rope or steel cable)
- Heavy Duty Battery Leads
- Stainless Steel Mounting Hardware
- 0.27" x 98ft Synthetic Rope or 0.28" x 131ft Steel Cable



# SPARTAN

## SPARTAN SERIES ELECTRIC WINCH



**Item Numbers:**  
**8000, 8000-SR**  
**9500, 9500-SR**  
**12000, 12000-SR**

### DESCRIPTION

We are delighted to announce the arrival of the Spartan Series, Tough, Strong and ready for a Battle, these Winches really will challenge all before them. We have reluctantly termed them as 'entry level', however this describes the price point, not the performance.

We really believe these to be the best value for money Winches around, a lower price does not mean that we have had to compromise the core values integral to a good winch, such as reliability and durability.

### SPECIFICATION

#### 8000

**RATED LINE PULL:** 8000lbs(3629kg)  
**MOTOR: 12v :** 4.6hp / 3.2kw  
**GEARING:** 233:1  
**BRAKING ACTION:** Auto in the drum  
**DRUM SIZE Dia x L:** 2.5 x 8.8"  
**CABLE Dia x L:** 0.3" x 85 ft  
**MOUNT PATTERN:** 10 x 4.5"  
**DIMENSIONS:** 21.3 x 6.3 x 8.6"



#### 9500

**RATED LINE PULL:** 9500lbs(4500kg)  
**MOTOR: 12v :** 4.6hp / 3.2kw  
**GEARING:** 230:1  
**BRAKING ACTION:** Auto in the drum  
**DRUM SIZE Dia x L:** 2.5 x 8.8"  
**CABLE Dia x L:** 0.36" x 82 ft  
**MOUNT PATTERN:** 10 x 4.5"  
**DIMENSIONS:** 21.3 x 6.3 x 8.6"

#### 12000

**RATED LINE PULL:** 12000lbs (5400kg)  
**MOTOR: 12v :** 6.0hp / 4.6kw  
**GEARING:** 230:1  
**BRAKING ACTION:** Auto in the drum  
**DRUM SIZE Dia x L:** 2.5 x 8.8"  
**CABLE Dia x L:** 0.4" x 82 ft  
**MOUNT PATTERN:** 10 x 4.5"22.8 x 6.3 x 8.6"

### FEATURES

- Weather Sealed High Performance motor
- Heavy-Duty 3 Stage Gearbox
- Heavy-Duty Drum Supports
- Weather Sealed Solenoids
- Full Steel Planetary Gearing
- Full Load Holding Brake
- Every winch 100 % load tested
- Chip Resistant Gloss Paint Finish

### INCLUDED

- Galvanized steel cable
- 10ft Remote Handset
- Heavy Duty Steel Roller Fairlead
- Heavy Duty Battery Leads
- Stainless Steel Mounting hardware
- Clevis hook

# SAMURAI

## SAMURAI SERIES ELECTRIC WINCH

**Item Numbers:**  
**S8000, S8000-SR**  
**S9500, S9500-SR,**  
**S12000, S12000-SR**

### FEATURES

- All Brass (no corrosion) Series Wound Motor
- Double Sealed Motor
- Sealed Waterproof Contactor
- Steel Contactor Cover
- Double Sealed Drum (Gearbox/Motor)
- Sealed 3 Stage Planetary Gears
- Stainless Steel 4 Way fairleads
- Integrated Wireless Remote

### INCLUDED

- Galvanized steel cable
- 10ft Remote Handset
- Heavy Duty Stainless Steel Fairlead
- Heavy Duty Battery Leads
- Isolation switch
- Stainless Steel Mounting hardware
- Built In Wireless remote
- 5/16 hook



### DESCRIPTION

Superb high specification winch. Ideal for recovery and 4x4 applications. Outstanding features include high quality series wound double sealed motor with brass fittings, heavy duty waterproof contactors, double sealed drum on maintenance free bearings, quiet, efficient full steel planetary gearing.

Comes with stainless steel roller fairlead and fittings as standard. Complete with Heavy Duty integrated wireless remote. Available with Armortek Synthetic Rope and Aluminum Fairlead.

### SPECIFICATION

#### S8000

**RATED LINE PULL:** 8000lbs(3629kg)  
**MOTOR: 12v :** 4.6hp / 3.2kw  
**GEARING:** 210:1  
**BRAKING ACTION:** Auto in the drum  
**DRUM SIZE Dia x L:** 2.5 x 8.8"  
**CABLE Dia x L:** 0.3" x 95 ft  
**MOUNT PATTERN:** 10 x 4.5"  
**DIMENSIONS:** 21.3 x 6.3 x 8.6"

#### S9500

**RATED LINE PULL:** 9500lbs(4500kg)  
**MOTOR: 12v :** 4.6hp / 3.2kw  
**GEARING:** 230:1  
**BRAKING ACTION:** Auto in the drum  
**DRUM SIZE Dia x L:** 2.5 x 8.8"  
**CABLE Dia x L:** 0.4" x 85 ft  
**MOUNT PATTERN:** 10 x 4.5"  
**DIMENSIONS:** 21.3 x 6.3 x 8.6"



**Synthetic version available**

#### S12000

**RATED LINE PULL:** 12000lbs(5400kg)  
**MOTOR: 12v :** 6.5hp / 4.6kw  
**GEARING:** 230:1  
**BRAKING ACTION:** Auto in the drum  
**DRUM SIZE Dia x L:** 2.5 x 8.8"  
**CABLE Dia x L:** 0.4" x 85 ft  
**MOUNT PATTERN:** 10 x 4.5"  
**DIMENSIONS:** 22.8 x 6.3 x 8.6"



# SAMURAI

## SAMURAI 9,500 LB HIGH SPEED PERFORMANCE WINCH

**Item Numbers:**  
**S9500HS**  
**S9500HS-SR**

### FEATURES

- All Brass (no corrosion) Series Wound Motor
- Double Sealed Motor
- Sealed Waterproof Contactor
- Steel Contactor Cover
- Double Sealed Drum (Gearbox/Motor)
- Sealed 3 Stage Planetary Gears
- Integrated Wireless Remote

### INCLUDED

- Wire rope 0.4" x 98ft
- 10ft Remote Handset
- Roller Fairlead (does not attach to winch)
- Heavy Duty Battery Leads
- Isolation switch
- Stainless Steel Mounting hardware
- Built In Wireless remote
- 5/16 hook



### DESCRIPTION

The ultimate winch for Extreme Terrain. Fully Sealed with an unbeatable line Speed of 65 ft/min. Outstanding features includes Huge 6.5 hp high quality double sealed motor with brass fittings, heavy duty waterproof contactors, double sealed drum on maintenance free bearings, quiet, fully sealed efficient full steel planetary gearing.

Complete with heavy duty integrated wireless remote. Available with Steel Rope or Armortek Synthetic Rope and Aluminum Fairlead.

### SPECIFICATION

**RATED LINE PULL:** 9500lbs(4500kg)  
**MOTOR: 12v :** 6.5hp / 4.5kw  
**GEARING:** 110:1  
**BRAKING ACTION:** Auto in the drum  
**DRUM SIZE Dia x L:** 2.5 x 8.8"  
**CABLE Dia x L:** 0.4" x 98 ft  
**MOUNT PATTERN:** 10 x 4.5"  
**DIMENSIONS:** 22.7 x 6.3 x 8.5"



Layer of wire rope	Line pull lbs (kg)
1	9500 (4309)
2	7706 (3495)
3	6482 (2940)
4	5400 (2400)

Line pull lbs (kg)	Line speed		Amp draw	
	ft/min	m/min	12v	24v
0	65	19.8	80	45
4000 (1818)	12.5	3.8	300	175
6000 (2722)	11.81	3.6	400	230
9500 (4309)	8.86	1.9	530	335



# SAMURAI

## SAMURAI 9,500 LB SHORT DRUM WINCH

**Item Numbers:**

**S9500SD**

**S9500SD-SR**

### DESCRIPTION

The narrow drum version of the best selling 9500. A total width of 17.2 inches ensures this is the perfect product for limited space. The 5.0hp motor delivers 9500lb of pulling power in space normally designed for Winches with half the power.

The Short Drum winch is the preferred choice of the British Military on specialist vehicles currently serving in action. Available with synthetic rope and aluminium fairlead, to give a total weight of 44 lbs.

### SPECIFICATION

**RATED LINE PULL:** 9500lbs(4500kg)  
**MOTOR: 12v :** 5.0hp / 3.5kw  
**GEARING:** 230:1  
**BRAKING ACTION:** Auto in the drum  
**DRUM SIZE Dia x L:** 2.5 x 4.7"  
**CABLE Dia x L:** 0.4" x 46 ft  
**MOUNT PATTERN:** 5.9 x 4.5"  
**DIMENSIONS:** 17.2 x 6.3 x 10.7"



Layer of wire rope	Line pull lbs (kg)
1	9500 (4309)
2	7706 (3495)
3	6482 (2940)
4	5593 (2537)

Line pull lbs (kg)	Line speed		Amp draw	
	ft/min	m/min	12v	24v
0	23	7	80	70
3000 (1361)	12.5	3.8	170	140
6000 (2722)	9.8	3	260	210
9500 (4309)	6.4	1.9	380	270

### FEATURES

- Power in and Power out
- High Quality 5.0hp Series Wound Motor
- Heavy Duty Waterproof Contactors
- Full Steel Planetary Gearing
- Double sealed motor and drum
- Full Load Holding Brake
- Integrated Wireless remote

### INCLUDED

- 0.4" x 46ft Wire Rope
- 10ft Remote Handset
- Heavy Duty Stainless Steel Fairlead
- Heavy Duty Battery Leads
- Isolation switch
- Stainless Steel Mounting hardware
- Built In Wireless remote
- 5/16 hook





# SAMURAI

## SAMURAI 17500 & 20000 LB WINCHES

### Item Numbers:

**S17500, S17500-SR**

**S20000, S20000-SR**

## DESCRIPTION

Warrior Winches are excited to announce the arrival of the colossal Samurai 17500 & 20000lb Winches. Designed for the toughest of applications & tested in the most extreme environments imaginable, these Winches boasts a massive 7.0 & 7.5 hp Series wound motors respectively.

Double sealed drum on maintenance free bearings and quiet, fully sealed efficient full steel planetary gearing ensures these immense Warriors are ready for any battle.

## SPECIFICATION

### S17500 Winch

<b>RATED LINE PULL:</b>	17 500lbs (7938kg)
<b>MOTOR: 12v :</b>	7.0hp / 4.9kw
<b>GEARING:</b>	430:1
<b>BRAKING ACTION:</b>	Auto in the drum
<b>DRUM SIZE Dia x L:</b>	3.5 x 8.6"
<b>CABLE Dia x L:</b>	0.5" x 85 ft
<b>MOUNT PATTERN:</b>	10 x 4.5"
<b>DIMENSIONS:</b>	24 x 8.5 x 10"
<b>WEIGHT:</b>	147.7 lbs

### S20000 Winch

<b>RATED LINE PULL:</b>	20 000lbs (9072kg)
<b>MOTOR: 12v :</b>	7.5hp / 5.4kw
<b>GEARING:</b>	430:1
<b>BRAKING ACTION:</b>	Automatic in the drum
<b>DRUM SIZE Dia x L:</b>	3.5 x 8.6"
<b>CABLE Dia x L:</b>	0.47" x 87 ft
<b>MOUNT PATTERN:</b>	10 x 4.5"
<b>DIMENSIONS:</b>	24 x 8.6 x 10.7"
<b>WEIGHT:</b>	158.7 lbs



## FEATURES

- All Brass (no corrosion) Series Wound Motor
- Double Sealed Motor
- Sealed Waterproof Contactor
- Reinforced Plastic Contactor Cover
- Double Sealed Drum (G-box/Motor)
- Sealed 3 Stage Planetary Gears
- Stainless Steel 4 Way fairleads
- High Quality Steel Drum Supports

## INCLUDED

- 0.5" x 85ft Wire Rope
- 10ft Remote Handset
- Heavy Duty Stainless Steel Fairlead (Wire version)
- Alloy Fairlead (Rope version)
- Heavy Duty Battery Leads
- Isolation switch
- Stainless Steel Mounting hardware
- Wireless Remote



# PREDATOR

## PREDATOR 10,000 LB DUAL MOTOR PERFORMANCE WINCH

**Item Number:**  
**P10000D-SR**

### DESCRIPTION

The Predator is designed for hard-core competition. Two powerful 7.2HP sealed motors provide performance that is truly out of this World. Together with a 108:1 ratio 3 stage planetary gearbox, this winch handles the most extreme off-road punishment.

With a surprisingly low draw of only 140 amps (at no load), the Predator also contains an innovative “multi stop” 10% ratchet brake design, which provides zero drag when returning the “cable in”, and is situated away from the drum to prevent any damaging heat transferring to your Armortek or Synthetic rope.

The steel drum flanges are precision machined to 0.39” on either side to resist the unique loading characteristics of synthetic rope, while the Alloy Carbon gears are heat treated and tempered to 62HRc rating for extra strength. This Warrior from another dimension will mercilessly prey on its weaker rivals, hunting the opposition down. At 10kg lighter than any of its nearest competitors, with off-load line speeds from 65ft per minute & available with or without synthetic rope, there’s a Predator out there, ready & waiting, for everyone!

### SPECIFICATION

**RATED LINE PULL:** 10 000lbs (4536kg)  
**MOTOR: 12v :** 7.2hp / 5.4kw  
**GEARING:** 108:1  
**DRUM SIZE Dia x L:** 2.8 x 8.42”  
**CABLE Dia x L:** 0.35” x 124ft  
**MOUNT PATTERN:** 10 x 4.5”  
**DIMENSIONS:** 18.8 x 10.3 x 13.9”  
**WEIGHT:** 99lbs

Layer of wire rope	Line pull lbs (kg)	Total Rope on drum ft(m)	Line pull	Line speed	Amp draw
			lbs (kg)	ft(m)/min 12v	12v
1	10000 (4536)	18.4 (5.6)	0	66 (20)	140
2	8153 (3698)	41.0 (12.5)	4000 (1816)	19.7 (6.0)	400
3	6881 (3131)	68.9 (21)	6000 (2722)	16.7 (5.1)	560
4	5953 (2700)	101 (30.8)	8000 (3629)	13.1 (4.0)	690
5	5245 (2379)	131.2 (40)	10000 (4536)	10.5 (3.2)	790

### FEATURES

- Dual 7.2HP (5.4KW) Sealed Motors
- Sealed Motor conforms to IP67
- Sealed Waterproof Contactor
- “Multi Stop” 10% Ratchet Brake Design
- Sealed 3 Stage Planetary Gears
- Alloy Carbon Gears hardened to 62HRc Rating
- No load speed of 65ft/min

### INCLUDED

- 0.35” x 124ft Synthetic Armortek Rope
- Wireless remote with LCD Display
- Heavy Duty Remote Control
- Silver Warrior Aluminum Fairlead
- Heavy Duty Battery Leads
- Stainless Steel Mounting hardware
- 12 Ton Competition Hook



## NH SERIES HYDRAULIC WINCHES

### Item Numbers:

**10000NH**

**15000NH**



## DESCRIPTION

Compact, tough. A hydraulic winch for industrial and commercial applications. The unique patented steel gearing system combined with a highly efficient and powerful hydraulic motor ensures maximum performance over the full load range.

Complete with internal brake to ensure maximum control and load holding. Stainless steel roller fairleads and fittings are standard.

## SPECIFICATION

### 10 000 NH HYDRAULIC Winch

<b>RATED LINE PULL:</b>	10 000lbs (4536kg)
<b>MAX LINE PULL:</b>	12 500lbs (5670kg)
<b>MOTOR:</b>	Hydraulic Dis 50 ml/r
<b>GEARING:</b>	33:1
<b>DRUM SIZE Dia x L:</b>	2.8 x 8.8"
<b>CABLE Dia x L:</b>	0.4" x 87ft
<b>MOUNT PATTERN:</b>	10 x 4.5"
<b>DIMENSIONS:</b>	20 x 7.3 x 8.8"

### 15 000 NH HYDRAULIC Winch

<b>RATED LINE PULL:</b>	15 000lbs (6804kg)
<b>MAX LINE PULL:</b>	17 000lbs (7711kg)
<b>MOTOR:</b>	Hydraulic Dis 80 ml/r
<b>GEARING:</b>	37:1
<b>DRUM SIZE Dia x L:</b>	3.5 x 8.8"
<b>CABLE Dia x L:</b>	0.5 x 87ft
<b>MOUNT PATTERN:</b>	10 x 4.5"
<b>DIMENSIONS:</b>	20.9 x 8.1 x 9.7"

## FEATURES

- Patented Heavy Duty Gearing
- Integral, Automatic Failsafe Brake
- Spring Engaged Manual Freespool
- Stainless Steel fairlead and Fittings
- Rugged and compact for Long Life

## INCLUDED

- Steel cable (see below)
- Heavy Duty Roller Fairlead (10000/15000NH)
- 5/16 or 3/8 Hook



## NW SERIES HYDRAULIC WINCHES

**Item Numbers:**

**10000NW**

**15000NW**

### DESCRIPTION

Compact, tough. A hydraulic winch for industrial and commercial applications. The special heat treated planetary gearing system combined with a highly efficient and powerful hydraulic motor ensures maximum performance over the full load range.

Complete with internal brake to ensure maximum control and load holding.

### FEATURES

- Patented Heavy Duty Gearing
- Integral, Automatic Failsafe Brake
- Spring Engaged Manual Freespool
- Rugged and Compact for Long Life
- Meets the requirements of SAE J706

### SPECIFICATION

#### 10 000 NW Winch

<b>RATED LINE PULL:</b>	10 000lbs (4536kg)
<b>MAX LINE PULL:</b>	12 500lbs (5670kg)
<b>MOTOR:</b>	Hydraulic Dis 100.8 ml/r
<b>GEARING:</b>	16:1
<b>DRUM SIZE Dia x L:</b>	3.9 x 9.9"
<b>CABLE Dia x L:</b>	1/2" x 86 ft
<b>MOUNTING:</b>	14.6 x 4.5" (11.34 x 4.5")
<b>DIMENSIONS:</b>	25 x 10.33 x 9.39"

#### 15 000 NW Winch

<b>RATED LINE PULL:</b>	15000lbs(6810kg)
<b>MAX LINE PULL:</b>	17 500lbs (7954kg)
<b>MOTOR:</b>	Hydraulic Dis 160 ml/r
<b>GEARING:</b>	17.2:1
<b>DRUM SIZE Dia x L:</b>	5 x 10.6"
<b>CABLE Dia x L:</b>	0.6" x 92 ft
<b>MOUNTING:</b>	11.9 x 4.5" (14.5 x 4.6")
<b>DIMENSIONS:</b>	28.2 x 11.1 x 12"

### INCLUDED

- 86 ft x 1/2" steel cable
- 5/16 Hook
- Tensioner included





## JP SERIES HYDRAULIC WINCHES

**Item Numbers:**  
**10TJP, 13.5TJP, 15TJP**  
**20TJP, 30TJP, 40TJP**

### DESCRIPTION

Tough and compact, the JP series are heavy duty hydraulic winches designed and tested for toughest applications.

Minimum rope to drum ratio of 10:1, multi disc frictional brake, balance valve and rope tensioner as standard.

Available from 10 tonne to 40 tonne. Manufactured to meet GJB82-86 National Military Standard.



### SPECIFICATION

	<b>10TJP</b>	<b>13.5TJP</b>	<b>15TJP</b>
<b>RATED LINE PULL</b> (btm layer):	10 000 kg 22046 lbs	13 500 kg 29762 lbs	15 000 kg 33069 lbs
<b>WORKING SPEED</b> (btm layer):	21.6ft/min*	24.6ft/min	20ft/min
<b>ARRESTER RESP PRESS:</b>	5 Mpa	<2.5 Mpa	<2.5 Mpa
<b>WORKING PRESSURE:</b>	20 Mpa	17 Mpa	17 Mpa
<b>OIL FLOW:</b>	15-75 L/min	110 L/min	110 L/min
<b>DRUM SIZE:</b>	5.4x12.4"	15.7x8.3x13.4"	15.7x8.3x13.4"
<b>REC ROPE SIZE:</b>	157ft x 0.6"	131ft x 0.7"	230ft x 0.9"
<b>WEIGHT:</b>	363 lbs	578 lbs	628 lbs

	<b>20TJP</b>	<b>30TJP</b>	<b>40TJP</b>
<b>RATED LINE PULL</b> (btm layer):	20 000 kg 44092 lbs	30 000 kg 66138 lbs	40 000 kg 88184 lbs
<b>WORKING SPEED</b> (btm layer):	20ft/min	18ft/min	10ft/min
<b>ARRESTER RESP PRESS:</b>	<2.5 Mpa	<2.5 Mpa	<2.5 Mpa
<b>WORKING PRESSURE:</b>	17 Mpa	17 Mpa	17 Mpa
<b>OIL FLOW:</b>	120 L/min	120 L/min	120 L/min
<b>DRUM SIZE:</b>	20.9x8.3x13.4"	20.9x11x14.2"	23.7x11x18.9"
<b>REC ROPE SIZE:</b>	197ft x 1"	197ft x 1.3"	213ft x 1.4"
<b>WEIGHT:</b>	650 lbs	1257 lbs	1763 lbs

\*when oil flow 60L/min

### FEATURES

- Full Float Heavy Duty Planetary Gearing
- Multi Disc Friction Brake
- Minimum 10:1 Rope/Drum Ratio
- High Torque Industrial Motor
- Air and Manual Clutch Operation

### INCLUDED

- Heavy Duty Rope Tensioner as Standard
- Balance Valve as Standard

# WINCH ACCESSORIES

WIDE RANGE AVAILABLE

## AMORTEK WINCH ROPE

### ARMORTEK WINCH ROPES

Armortek synthetic rope is 70% stronger than wire!

- Armortek weighs 6 times less than wire.
- Unlike wire, Armortek will not whiplash if broken.
- Armortek is rated at 70% stronger than wire.
- Armortek floats, wire doesn't.
- Armortek is coated to prevent abrasion.
- You don't have to worry about wire splinters.

Diameter	6mm (3/16")	9.5mm (3/8")
Breaking Load	3200 kg (7040 Lb)	7500 kg (16500 Lb)

Part no: HW0884-CAD: 6mm x 16m (1/4" X 50') Synthetic Rope

Part no: HW0932/45-CAD: 10mm x 14m (3/8" x 45') Synthetic Rope

Part no: HW0932/85-CAD: 10mm x 26m (3/8" x 85') Synthetic Rope



## CENTURION WIRELESS REMOTE

### CENTURION

The ultimate remote for the professional user.

- Two-way Closeslink wireless communication.
- Distinct source code so no interference from other remotes in the vicinity.
- Centurion devices are perfectly watertight.
- Output protection from short circuits & surges.
- Manufactured in highly resistant moulded plastic with a rubber shell for protection.
- The absence of mechanical elements enables functioning in unfavourable environments, with a temperature range from -20°C to +55°C.



Part no: CENT12/242FCT - Centurion Remote

## ROLLER FAIRLEAD



Part No: RFF400-CAD  
Chrome 4 Way Roller Fairlead For Winches Up to 4500 lb.

## ROLLER FAIRLEAD



Part No: RFS150-CAD  
Stainless Fairlead With Hole Centres 255mm.

## ALUMINIUM FAIRLEADS



ALI450-CAD - 2500/3500 Winch.  
ALXT450-CAD - 4500 XT Winch.

## ALUMINIUM FAIRLEADS



ALI950-CAD - 9500SD Winch.  
ALI015-CAD - 8000/9500/12000 Winch.

## HOOK & RELEASE PIN



CHK014-CAD - 1/4 Steel Hook  
CHK038-CAD - 3/8 Steel Hook  
CHK516-CAD - 5/16 Steel Hook

## 2T PULLY BLOCK



Part No: PBK300-CAD  
2 Tonne Pully Block Hook Type.

## 4T PULLY BLOCK



Part No: PBK900-CAD  
4 Tonne Swingway Pully Block.

## 8T PULLY BLOCK



Part No: PBK150-CAD  
8 Tonne Swingway Pully Block.

## WINCH KIT



Part No: AWK001-CAD  
Warrior Bag, 1m Strop, 1/4 Shackle, 4T Pully Block.

## WINCH KIT PRO



Part No: LWK001-CAD  
Warrior bag, 2m Strop, Gloves, 4.75 Shackle, 8T Pully Block.

## WINCH COVER SMALL



Part No: SWC001-CAD  
ATV Small Winch Cover.

## WINCH COVER



Part No: LWC003-CAD  
Winch Cover For Heavy Duty Winches up to 13000lbs.

**SHACKLES**

SHK325-CAD - 3.25 Tonne Shackle.  
SHK475-CAD - 4.75 Tonne Shackle.

**TREE STROP**

Part No: STP002-CAD  
2m x 60mm - 14 Tonne tree strop.

**WINCH STOPPER**

Part No: RWS001-CAD  
Rubber removable winch stopper.

**PORTABLE BUMPER**

Part No: PWM001-CAD  
Portable bumper.

**INSTALLATION PLATE**

Part No: IST900-CAD  
Winch installation plate for  
Winches up to 9 000lb.

**INSTALLATION PLATE**

Part No: IST500-CAD  
Winch installation plate for 9500  
SD Winches.

**INSTALLATION PLATE**

Part No: IST600-CAD  
Winch installation plate for  
Winches up to 15 000lb.

**INSTALLATION PLATE**

Part No: IST200-CAD  
Winch installation plate for  
Winches up to 20 000lb.

**WIRED REMOTE**

Part No: HRO001-CAD  
Toggle (WARN Type) Hand Held  
Wired Remote.

**WIRED REMOTE**

Part No: HRO002-CAD  
Hand held remote for XT and A  
Series (air socket).

**ATV HANDLEBAR REMOTE**

Part No: ATR001-CAD  
ATV / Quad Handlebar Remote.

**WIRELESS REMOTE**

Part No: CPW001-CAD  
Wireless Remote Control With Key  
Fob Handset / Air Socket.

**WIRELESS REMOTE**

Part No: EWX001-CAD  
Heavy Duty Wireless Remote  
Control / NO Socket.

**WIRELESS REMOTE**

Part No: EWX002-CAD  
Heavy Duty Wireless Remote  
Control with Socket.

**WIRELESS REMOTE**

Part No: EWX003-CAD  
Wireless Remote Control for XT  
and A series (Air Socket).

**ATV CONNECTOR**

Part No: AIRS01-CAD  
ATV to Standard Socket  
Connector.

**Y CABLE**

Part No: AIRS02-CAD  
Y Cable For Dual Connection.

**SOLENOID SET**

Part No: ATC012-CAD  
Solenoid Set For Up to 4500lbs  
Winch.

**ISOLATION SWITCH**

Part No: BAT001-CAD  
Battery Isolation Switch.

**EXTENSION SOCKET**

Part No: EXT001-CAD  
Solenoid Box Extension Socket.

**HD CONTACTOR**

Part No: CON012-CAD  
12v Heavy Duty Contactor.

**WINCH UPGRADE KIT**

Part No: AUK001-CAD  
Universal 12v Winch Upgrade Kit &  
Mini Thumbswitch.

**SNAP CONNECTOR**

Part No: QCC400-CAD  
400 amp Snap Connector.

**6.5 HP 12V MOTOR**

Part No: EPW012-CAD  
6.5 HP 12v Motor.

# **DK2**

## **2019 CATALOG**

**DK2 USA WEST**  
4301 S Valley View Blvd,  
Suite 10-11, Las Vegas,  
Nevada, 89103, United States

**DK2 CANADA**  
1080 Clay Avenue,  
Unit 2, Burlington, Ontario,  
L7L 0A1, Canada

**DK2 USA EAST**  
6245 Industrial Parkway  
Whitehouse, Ohio,  
43571, United States

**TEL: 1-888-277-6960 [WWW.DETAILK2.COM](http://WWW.DETAILK2.COM)**