



## **2018 SNOW PLOW CATALOGUE**

**DK2 CANADA**  
1080 Clay Avenue,  
Unit 2, Burlington, Ontario,  
L7L 0A1, Canada

**DK2 USA**  
6245 Industrial Parkway  
Whitehouse, Ohio,  
43571, United States

**TEL: 1-888-277-6960 [WWW.DETAILK2.COM](http://WWW.DETAILK2.COM)**

**DK2**  
**SNOW PLOWS**  
**HYDRAULIC LIFT**




## ***The New Everest Snow Plow***

**DK2 is proud to bring you the ultimate snow plow solution in our line up - the DK2 Everest.**

This prosumer, fully hydraulic snow plow kit provides you the opportunity to clear your parking lot, driveway, or laneway whenever required. With our fully hydraulic system you can raise, lower, and angle the snow plow blade from inside your vehicle using our wired hand held remote.

For extreme durability against the elements and rust, DK2 combines an industrial powder-coated paint finish on the blade with hot dipped galvanized hardware components to keep your plow looking new for years.

The plow itself simply clips to a DK2 custom fitted vehicle mounting system and can pretty much mount to anything that's fit to push snow.





## **EVEREST SNOW PLOW**

### **HYDRAULIC LIFT**

#### **Custom Mount**

**Item Number:  
EVST9022**

## **FEATURES**

- Ships fully assembled, eliminating missing parts (mount & wiring required).
- Simple bolt on custom fitted mounting brackets, no drilling or welding required (sold separately).
- Hydraulic system lifts and lowers blade (a more reliable repetitive-use mechanism than a winch).
- Light weight, no need to alter stock suspension.
- Black UV powder coated components with an industrial painted blade skin.
- Self leveling foot provides max blade tip clearance when the blade is fully raised.
- Skid shoes to assist guiding the blade edge over uneven terrain or from possibly marking those more delicate driveways.
- Snow Deflector to assist directing snow forward and also minimizing windshield spray, which increases visibility.
- Blade markers to point out blade tips.
- Hydraulic positioning.
- Operates with the use of a wired hand held control.
- Reliable industrial hydraulic lift systems.
- Blade hardware holds the hydraulic pump so it can get rolled away from the vehicle rather than being left on the truck with the mount.
- Thicker trip springs to ensure tension remains strong and coils tight for optimal performance when encountering obstacles.
- Existing holes in plow frame make it easy to add bolt-on accessories.
- Bolt on accessories and upgrades available.
- All backed by a one-year manufacturers warranty.



## **SPECIFICATION**

- Blade (W x H): 90" x 22"
- Assembled Plow Weight: 380 lbs
- Shipping Dimensions (w x d x h): 90" x 22" x 44"
- Shipping Weight: 425 lbs
- Construction: Steel tube & sheet
- Colour/Finish: Black industrial powder coated blade skin and all other components
- Lift System: Hydraulic
- Angling System: Hydraulic, multiple positions
- Control System: Wired remote control to lift, lower, angle left or right
- Vehicle Mounting System: Custom bolt-on mounting brackets \*Sold Separately
- Scraper Blade: Powder coated steel, replaceable
- Included: Snow Deflector, Skid Shoes
- UPC: 826518005579

# DK2 SNOW PLOWS

## WIRELESS WINCH LIFT



**Upgraded Winch**



**Upgraded Wireless Control**



**All versions ship in a single carton.**



**\*Custom Mount sold separately.**

**All DK2 Snow Plows allow you to quickly & effectively remove snow from your driveway or small parking lot. DK2's range of personal plows each mount on to a vehicle specific custom mounting brackets. Ships in a single carton complete with hardened steel cutting edge scraper, rubber snow deflector, polymer-wrapped wire rope plow markers, skid shoes, castor kit for easy storage, and a 3,000lb wireless electric winch.**

- Fits most light trucks and SUV's
- Easy to mount - simply slides onto your custom vehicle specific mounting brackets in seconds. Slide out and roll away for storage
- An electric winch lifts the blade, controlled from inside your warm vehicle for easy up and down snow control
- Blade angles set and lock manually with a single lever lifting a pin to 3 blade locking positions: straight on, angled to the right, and angled to the left
- Powder coated all-steel construction with UV protected paint
- Locking castors allow easy plow attachment, removal, and roll away storage - just lower the wheels and roll the unit to wherever you want it
- ISO 9001 certified manufacturer
- 1 year limited warranty
- Ships in a single carton on a standard size pallet



# AVALANCHE SNOW PLOW

**WIRELESS WINCH LIFT**

**Universal Mount**

**Item Numbers:**

**AVAL8219**

**AVAL8422**

## DESCRIPTION

Our brand new DK2 Avalanche Snow Plow kits combine the simplicity of our original T-Frame plow with the strength of our custom mount frame.

The DK2 Avalanche Snow Plow allows you to quickly and effectively remove snow from your driveway or small parking lot. The Avalanche simply slides into a 2" front mount receiver for easy removal and storage.

Each snow plow ships in a single carton complete with hardened steel cutting edge scraper, rubber snow deflector, polymer-wrapped wire rope plow markers, skid shoes, castor kit for easy storage, and a 3,000lb wireless electric winch. Each Avalanche plow will also include a set of blade stiffeners for added strength by creating a 3 point connection.



## SPECIFICATION

- **Item Number: AVAL8219**
- Blade Dimensions: 82 x 19 Inches H
- Assembled Weight: 265 lbs
- Gross Weight: 321 lbs
- Box Dimensions: 46 x 36 x 18 Inches
- UPC: 826518004992
- **Item Number: AVAL8422**
- Blade Dimensions: 84 x 22 inches H
- Assembled Weight: 283 lbs
- Gross Weight: 334 lbs
- Box Dimensions: 44 x 32 x 18 inches
- UPC: 826518005005

## ACCESSORIES

Light kit and replacement parts available for purchase.



## FEATURES

- Fits most light trucks and SUV's
- Easy to mount – simply slides into a 2" class III front mount receiver in seconds. Slide out and roll away for storage
- An electric winch lifts the blade, controlled from inside your warm vehicle for easy up and down snow control
- Blade angles set and lock manually with a single lever lifting a pin to 3 blade locking positions: straight on, angled to the right, and angled to the left
- Powder coated all-steel with UV protected paint
- Flip down locking castors allow easy plow attachment, removal, and roll away storage – just lower the wheels and roll the unit to wherever you want it
- Each snow plow kit also includes a set of blade stiffeners for added strength
- ISO 9001 certified manufacturer
- 1 year limited warranty

**DK2**  
**WWW.DETAILK2.COM**

## **DKI** **SUMMIT II**



## **DKI** **STORM II**



## **DKI** **RAMPAGE II**



**DKI**  
**SNOW PLOWS**

**WIRELESS WINCH LIFT**

**CUSTOM MOUNT  
SNOW PLOW KITS**

### **SUMMIT II 88x26" SNOW PLOW**

**Item Number:**  
**SUMM8826**

- Blade Dimensions: 88 x 26 inches
- Assembled Weight: 296 lbs
- Gross Weight: 341 lbs
- Box Dimensions: 46 x 35 x 17 inches
- Custom mount sold separately
- UPC: 693495992181

### **STORM II 84x22" SNOW PLOW**

**Item Number:**  
**STOR8422**

- Blade Dimensions: 84 x 22 inches
- Assembled Weight: 283 lbs
- Gross Weight: 325 lbs
- Box Dimensions: 44 x 32 x 18 inches
- Custom mount sold separately
- UPC: 693495992174

### **RAMPAGE II 82x19" SNOW PLOW**

**Item Number:**  
**RAMP8219**

- Blade Dimensions: 82 x 19 inches
- Assembled Weight: 265 lbs
- Gross Weight: 315 lbs
- Box Dimensions: 43 x 32 x 18 inches
- Custom mount sold separately
- UPC: 693495992167



**WIRELESS ACTUATOR LIFT**

**CUSTOM MOUNT  
SNOW PLOW KITS**

**SUMMIT II ELITE  
88x26" SNOW PLOW**

## **DESCRIPTION**

Dk2's line of personal snow plows just got better! The DK2 ELITE SERIES Snow Plow line up takes its simple yet effective design and improves on it with a wireless actuator for ultimate reliability.

Dk2's ELITE SERIES each mount on to a vehicle specific custom mounting brackets. Each snow plow ships in a single carton complete with hardened steel cutting edge scraper, rubber snow deflector, polymer-wrapped wire rope plow markers, skid shoes, castor kit for easy storage, and a wireless electric actuator kit.

## **FEATURES**

- Fits most light trucks and SUV's
- Easy to mount - simply slides onto your custom vehicle specific mounting brackets in seconds. Slide out and roll away for storage
- An electric actuator lifts the blade, controlled from inside your warm vehicle for easy up and down snow control
- Blade angles set and lock manually with a single lever lifting a pin to 3 blade locking positions: straight on, angled to the right, and angled to the left
- Powder coated all-steel construction with UV protected paint
- Locking castors allow easy plow attachment, removal, and roll away storage - just lower the wheels and roll the unit to wherever you want it
- ISO 9001 certified manufacturer
- 1 year limited warranty
- Ships in a single carton on a standard size pallet



**STORM II ELITE  
84x22" SNOW PLOW**



**RAMPAGE II ELITE  
82x19" SNOW PLOW**





# ACCESSORIES

## More Snow Plow Accessories

| Item No | Description                 | UPC             |
|---------|-----------------------------|-----------------|
| AF6     | A Frame                     | 6 93495 99258 7 |
| DFS     | D Frame                     | 6 93495 99259 4 |
| CH55    | Chain                       | 6 93495 99278 5 |
| WCB     | Winch Control Box           | 8 26518 00312 4 |
| RC17    | Receiver                    | 6 93495 98004 1 |
| MF      | Main Frame                  | 8 26518 00353 7 |
| PSB-2   | 1st Gen Support Bracket (2) | 8 26518 00456 5 |
| 88RB    | 88" Right Blade             | 6 93495 99005 7 |

| Item No  | Description      | UPC             |
|----------|------------------|-----------------|
| 88LB     | 88" Left Blade   | 6 93495 98007 2 |
| 84RB     | 84" Right Blade  | 8 26518 00347 6 |
| 84LB     | 84" Left Blade   | 8 26518 00348 3 |
| 82RB     | 82" Right Blade  | 8 26518 00349 1 |
| 82LB     | 82" Left Blade   | 8 26518 00350 6 |
| FR7-2    | Frame Pin(2/box) | 6 93495 99279 2 |
| CP21     | Clevis pin       | 6 93495 99277 8 |
| HEATSYNC | Heat Sync Cable  | 6 93495 99022 4 |

### Universal Steel Skid Shoes



- Qty: 2
- Item No: SS2600
- UPC: 6 93495 99262 4

### Universal Plow Markers



- Qty: 2
- Item No: PM2700
- UPC: 6 93495 99263 1

### Replacement Winch



- Item No: EW8020
- UPC: 6 93495 97027 1

### Replacement Winch Strap



- Item No: WS8020
- UPC: 6 93495 99282 2

### Scraper Blades



- SB8200 - 82" - 6 93495 99269 3
- SB8410 - 84" - 6 93495 99270 9
- SB8820 - 88" - 6 93495 99271 6

### Snow Deflector rubber only



- RUB82 - 82" - 6 93495 99272 3
- RUB84 - 84" - 6 93495 99273 0
- RUB88 - 88" - 6 93495 99274 7

### Wireless Winch Remote



- Simple key fob design with no-fuss wireless connection to the winch
- UPC: 6 93495 97026 4

### Replacement Castor Wheel



- CW2300- Rigid- 6 93495 99260 0
- SW2300- Swivel- 6 93495 99261 7

### Replacement Springs



- SPR1082EYE- 82"- 6 93495 97042 4
- SPR108488EYE- 84/88" - 6 93495 97043 1

Includes eyebolt



# LIGHTING



## Snow Plow Lighting

All kits come with bull moose style mounting bar.

## LED Spot Work Light Kit

**PART NUMBER  
81256LB2**



- Long life LED reduces maintenance costs and downtime.
- Solid state design for reliable operation in all conditions
- 24 LED Spot Pattern
- Operating voltage: 12 V DC
- Weight: 1.5 lb. (0.68 kg) each
- PDM housings with bracket
- Lumens: 400
- UPC: 8 26518 00305 6

## Standard Plow Halogen Light Kit

**PART NUMBER  
83026LB2**



- Polymer housing & glass lens
- Includes 2 lamps with H3 bulbs, bracket, switch, relay & harness
- Reversible mount
- Operating voltage / current / power: 12 V DC, 4.6 A, 55 W
- Dimensions (LWH): 2.3" x 5.4" x 3.1" (58 x 137 x 79 mm)
- UPC: 8 26518 00307 0

## Halogen Snow Plow Light with Turn Signals

**PART NUMBER  
814882**



- Pre-wired with high beam, low beam and turn signal
- Operating voltage: 12 Vdc
- Application: forward lighting
- Glass lens
- Includes bracket and wiring harness
- UPC: 058205814885



**DK2 CANADA**  
1080 Clay Avenue,  
Unit 2, Burlington, Ontario,  
L7L 0A1, Canada

**DK2 USA**  
6245 Industrial Parkway  
Whitehouse, Ohio,  
43571, United States

**TEL: 1-888-277-6960 [WWW.DETAILK2.COM](http://WWW.DETAILK2.COM)**