Mazuri® Alpaca Care

(Available at www.mazuri.com or through a Mazuri® retailer)

Formula Code - 563Y



Description

Mazuri[®] Alpaca Care is a fortified feed for all ages and lifestyles of alpaca. Alpaca Care is designed to be fed with free-choice grass hay and/or pasture.

Features and Benefits

- Available in pellet or crumble form
- Calcium and phosphorus concentrations appropriate for breeding alpacas
- Contains flaxseed A source of omega-3 fatty acids
- Fortified with yeast culture supports feed digestibility and palatability
- Formulated without distiller's grains Reduces risk of mycotoxin contamination
- Meets published nutrient requirements for New World Camelids when fed as directed
- Formulated by Ph.D. Nutritionists, in collaboration with leading alpaca specialist Dr. Norm Evans, DVM
- Manufactured in an ionophore-free facility

Product Form	Catalog #
40 lb. net weight paper sack	
 Pellet*: ¼" diameter x ¾" length 	3005472-205
• Pellet*: 5/32" x 11/64"	3005472-905
• Crumbles	3005472-305

crum 5/32"

Guaranteed Analysis

Crude protein not less than 12.0%		4401
Crude fat not less than 3.0%	Salt not less than	1.00%
Crude fiber not more than 21.0%	Salt not more than	1.50%
Ash not more than 11.0%	Sodium not more than	0.80%
Calcium not less than 1.50%	Omega-3 fatty acids not less than	0.50%
Calcium not more than 2.00%	Selenium not less than	1.30 ppm
Phosphorus not less than 1.00%	Selenium not more than	1.56 ppm

Ingredients

Wheat Middling Ground Soybean Hulls, Dehydrated Alfalfa Meal, Yeast Culture, Ground Flaxseed, Cane Molasses, Calcium Carbonate, Dicalcium Phosphate Salt, Lignin Sulfonate, Soybean Oil, Thiamine Mononitrate, Calcium Propionate (a preservative), DL-Alpha-Tocopherol Acetate (Vitamin E), Cholecalciferol (Vitamin D3), Zinc Methionine Complex, Zinc Oxide, Dehulled Soybean Meal, Manganese Sulfate, Choline Chloride Vitamin A Acetate, Nicotinic Acid, Artificial Flavor, Calcium Iodate, Biotin, Manganous Oxide, Ferrous Carbonate, Sodium Selenite, Copper Sulfate, Zinc Amino Acid Complex, Manganese Amino Acid Complex Copper Amino Acid Complex, Cobalt Glucoheptonate, Zinc Sulfate, Cobalt Carbonate.

Feeding Directions

To be fed with free-choice grass hay or pasture. Feed alpacas 0.5 to 1% of their body weight daily. These feeding amounts are guidelines and should be adjusted based on environmental temperatures, body condition, level of activity or fleece production, and life stage; consult a nutritionist or veterinarian for guidance for individual animal needs.

- For **maintenance**, or females in **early gestation**, feed at 0.5% of body weight (see next page).
- For late-gestation females, breeding males, senior animals, or Suri alpacas, consider feeding 25% more Mazuri® Alpaca Care or consider transitioning to Mazuri® Alpaca Complete Life.
- For lactating females, consider feeding 50 to 100% more Mazuri® Alpaca Care or transition to Mazuri® Alpaca Complete Life.
- If improved fiber quality or production is desired, transition alpacas to Mazuri® Alpaca Performance. If more energy intake is needed, transition to Mazuri® Alpaca Complete Life.

^{*}Pellet size varies by location. Please consult your Mazuri® representative.

Caution: Follow label directions: Feeding added selenium at levels in excess of 0.3ppm in the total diet is prohibited.

DO NOT FEED TO SHEEP - DUE TO HIGH CONCENTRATIONS OF SUPPLEMENTAL COPPER.

Feeding Guide

Cria weight	Adult weight	Daily Amount*	Cups
25 lbs (11 kg)		0.125-0.25 lbs (55-110 g)	1/3 - 2/3
50 lbs (23 kg)		0.25-0.5 lbs (115-230 g)	2/3 - 1 1/3
75 lbs (35 kg)	75 lbs (35 kg)	0.375-0.75 lbs (175-350 g)	1 - 2
100 lbs (45 kg)	100 lbs (45 kg)	0.5-1 lbs (225-450 g)	1 1/4 - 2 1/2
	150 lbs (70 kg)	0.75-1.5 lbs (350-700 g)	2 - 4
	200 lbs (90 kg)	1-2 lb (450-900 g)	2 1/2 - 5

^{*}Suggested amounts; adjust to individual animal needs

Mazuri® Alpaca Care

Approximate Nutrient Composition¹

PROTEIN		MACRO MINERALS	
Crude Protein, %	12.00	Calcium, %	1.50
Arginine, %	0.70	Chloride, %	0.86
Cystine, %	0.25	Magnesium, %	0.30
Glycine, %	0.40	Phosphorus, %	1.00
Histidine, %	0.38	Phosphorus (available), %	0.71
Isoleucine, %	0.52	Potassium, %	1.13
Leucine, %	0.81	Sodium, %	0.80
Lysine, %	0.66	Sulfur, %	0.28
Methionine, %	0.19	MICRO MINERALS	
Phenylalanine, %	0.49	Cobalt, ppm	1.95
Taurine, %	0.00	Copper, ppm	20.00
Threonine, %	0.44	lodine, ppm	2.12
Tryptophan, %	0.16	Iron, ppm	440
Tyrosine, %	0.33	Manganese, ppm	350
Valine, %	0.57	Selenium (total), ppm	1.90
		Zinc, ppm	1,000
FAT		VITAMINS	
Fat (Ether Extract), %	3.00	Ascorbic acid, ppm	0.00
Linoleic acid, %	1.14	Biotin, ppm	11.62
Linolenic acid, %	0.73	Choline, ppm	897
Omega-3 fatty acids, %	0.50	Folic acid, ppm	3.00
		Niacin, ppm	266
		Pantothenic acid, ppm	12.00
CARBOHYDRATES		Pyridoxine, ppm	7.45
Crude Fiber, %	21.00	Riboflavin, ppm	3.01
Neutral detergent fiber, %	38.28	Thiamin, ppm	387
Acid detergent fiber, %	21.42	Vitamin Β ₁₂ , μg/kg	0.00
Dietary starch, %	9.89	Vitamin A, IU/kg	19,855
		Vitamin D ₃ , IU/kg	11,970
Ash, %	11.00	Vitamin E, IU/kg	1,442
Dry matter	89.10	Vitamin K, ppm	0.61
		Beta-carotene, ppm	3.10

Storage Conditions

For best results, reseal the bag between uses or store contents of open paper sack in container with sealing lid. Store in a cool (75°F or colder), dry (approximately 50% RH) location free from rodents and insects. Do not offer moldy or insect-infested feed to animals as it may result in illness, performance loss or death. Freezing will not harm the diet and may extend freshness. Use within 1 year of bag manufacturing.

Mazuri[®] is a registered trademark of PMI Nutrition International, LLC.

04/24/2021 563Y-RHI-E3

¹ Based on the latest ingredient analysis information. Since nutrient composition of natural ingredients varies, analyses will vary accordingly.