


**ITEM NO.: A101012300**



**WE HAVE YOU IN MIND, LET US SERVE YOU!**

Questions? Issues?

**CONTACT US**

24 hours / 7 days a week

 Warranty Parts

[www.sunjoyonline.com](http://www.sunjoyonline.com)



[customer.care@sunjoygroup.com](mailto:customer.care@sunjoygroup.com)

Toll Free























1-(866)-578-6569

Country of Origin: China





Production Number: xxxxxxxxxx

## Parts List

Description	Label	Part#	Qty	Image
Post	A1	P000200454	4	
Long screen	B1	P000400886	4	
Short screen	C1	P000400887	4	
Mid beam connector	D3	P000501164	4	
Hook	E1	P005800001	1	
Slanting beam upper bar	F1	P000601329	4	
Slanting beam lower bar	F2	P000601331	4	
Middle beam	G1	P000601330	4	
Big top connector	H1	P000501163	1	
Adjustable tube	I	P005700652	12	
Small top slanting bar	J1	P000601328	4	
Small top connector	K1	P000501162	1	
Stake plate	L	P000100324	4	
Stake cover	M1	P006100168	4	
Netting bar	N1	P005700653	8	
Arc support	O1	P005000413	8	
Small canopy	P1	P001100534	1	
Mid canopy	Q1	P001100535	1	
Large Canopy	R1	P001100536	1	
Curtain	S	P001300104	1	

Mosquito netting	T	P001200207	1	
------------------	---	------------	---	---

**Hardware Pack 1**

Label	Description	Part#	Qty	Image
AA	M6X20 Bolt	H010020012	32PCS	
BB	M6 Flat washer	H050010057	72PCS	
CC	M6X30 bolt	H010020023	40 PCS	
Z1	M6 wrench	H090010002	2 PC	





Fig.1: Put stake cover (M1) through Post(A1) and lift up stake cover, then attach stake slate (L) to bottom of post (A1) by using bolt(AA)、washer (BB).




Fig.2-1 : Attach short screen ( C1 ) to long screen ( B1 ) .




Fig.2-2: Attach middle beam lower connector(D3) to long screen(B1) and short screen(C1), by using bolt (AA)、washer (BB).




Fig.3-1: Insert the assembled screen(B1/C1) to post (A1) .




Fig.3-2: then fix assemble screen (B1、 C1) to post (A1) by using bolt (CC)、 washer(BB).




Fig.4: attach netting bar(N1)to long side screen and (B1) and short side screen (C1), by using bolt (AA)、 washer(BB).








Fig.5: Attach arc support (O1) to post (A1) and across screen (B1、 C1); by using bolt(CC)、 Washer(BB)

### Hardware Pack 2

Label	Description	Part#	Qty	Image
BB	M6 flat washer	H050010057	16 PCS	
EE	M6X35 bolt	H010020013	8 PCS	
DD	M6 nut	H040010003	8 PCS	






Fig.6 : Insert slanting beam lower bar(F2)into slanting beam upper bar (F1)




Fig.7: Insert slanting beam(F) into big top connector (H1);




Fig.8: By using bolt (EE)、washer (BB)、nut(DD), attach slanting beam lower bar(F2) to post (A1);




Fig.9: Insert middle beam (G1) to big top connector (H1). Then screw the hook (E1) to big top connector (H1)。




Fig.10: By using bolt (EE)、washer 片(BB)、nut (DD),attach middle beam(G1) to middle beam connector(D3);




Fig.11: Insert small top slanting bar (J1) into small top connector (K1)。




Fig.12: Put large canopy (R1) , middle canopy(Q1)on top in turn, do not spread out. Then insert assembled small top slanting bar(J1) into big top slanting upper bar (F1) .







Fig.13-1、 Fig.13-2: attached the adjustable tube (I) to bottom of big top slanting beam upper bar (F1) and bottom of big top slanting lower bar (F2), and bottom of small top slanting bar (J1), adjust the length shortest.

### Hardware Pack 3

Label	Description	Part#	Qty	Image
FF	Φ6*230 floor stake	H070010008	8 PCS	
GG	Ring	R079990135	112PCS	

### Step 3





Fig.13: Fix small canopy four corner(P1) to adjustable tube (I), then adjust length till canopy tight.




Fig.14: Fix middle canopy four corner (Q1) to big top slanting beam upper bar (F1), then adjust middle top end tube till middle canopy tight.




Fig.15: Fix big canopy four corner(Q1) to big top slanting lower bar (F2), then adjust big top end tube till canopy tight.




Fig.16: By using ring(GG) hang mosquito netting(T) on netting bar (N1) ; by using ring (GG) hang curtain (S) on screen lower tube (B1、C1)。




Fig.17 : By using stake(FF) fix assembled gazebo on ground.

## Care and Maintenance

- Our steel components for garden accessories and furniture are treated with rust inhibiting paint that protects it from rusting. However, due to the nature of steel, surface oxidation (rusting) will occur once these protective coatings are scratched. This is not a defect and thus not covered by the warranty.
- To minimize this condition, we recommend care when assembling & handling the product to prevent scratching the paint. Should any scratching or damage occur, we recommend immediate touch-up with rust inhibiting paint.
- Surface rust can also be easily removed with a very light application of common cooking oil. If surface oxidation (rusting) occurs and if no measure is taken to prevent this, the oxidation may start dripping on to deck or patio and caused damaging stains, which may be difficult to remove. This can be prevented if the above-mentioned measures are taken to keep the product from oxidizing.
- Use damp cloth to wipe off the stains as quickly as possible.
- If necessary, wash with a mild solution of soap and water; rinse thoroughly and dry completely.
- Periodically check and ensure that all bolts are well-tighten during use

## Limited Manufacturer's Warranty

Sunjoy Group warrants to the original purchaser that this item is free from defects in workmanship and materials for a period of **1 year** from the date of purchase, provided the item was factory-sealed at the time of purchase and is maintained with care and used only for personal, residential purposes. Should any manufacturing defect arise within this warranty period, Sunjoy Group will replace (at our option) any defective merchandise or parts upon proof of purchase; however, transportation and delivery costs, as well as payments to a third party for assembly or disassembly of the item, remain the responsibility of the purchaser. A purchaser of an "open box," previously-returned, or "clearance" item, as well as original purchasers outside of the warranty period, may obtain replacement parts from Sunjoy Group for products in current production, at nominal cost.

## Exclusions:

Items used for commercial, contract, or other non-residential purposes, or items damaged due to acts of nature, vandalism, misuse, or improper assembly are not covered. Corrosion or rusting of hardware is not covered. Proof of purchase (dated register receipt) is required for warranty claims. Warranty is to the original purchaser and is non-transferable. Any replacement of warranted items will be in the original style and color, or a similar style and color if the original is unavailable or has been discontinued. As some states do not allow exclusions or limitations on an implied warranty, the above exclusions and limitations may not apply. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.