



green POWER

WE POWER YOUR WORLD

Generators



Pressure Washers



Air Compressors





green POWER

Pro Series Generator



4,000 Watt Model # GPG4000W

Starting Watts:	4,000
Running Watts:	3,300
Fuel Type:	Gasoline
Engine:	LCT 208cc / 7HP OHV
Run Time:	8.0 Hours at 1/2 Load
Start Method:	Manual Recoil
Fuel Tank:	4.0 Gallons
Wheels:	8" Solid
Operating Noise:	72 dB
Approvals:	EPA, CARB Available
Outlets:	(2) 120V AC (1) 120V Twist Lock AC (1) 12V / 8.3A DC



A Network of
Authorized Service
Centers Where You Need Them



green POWER

Pro Series Generator



5,000 Watt Model # GPG5000W

Starting Watts:	5,000
Running Watts:	4,000
Fuel Type:	Gasoline
Engine:	LCT 306cc / 10HP OHV
Run Time:	9.5 Hours at 1/2 Load
Start Method:	Manual Recoil
Fuel Tank:	6.6 Gallons
Wheels:	10" Solid
Operating Noise:	76 dB
Approvals:	EPA, CARB Available
Outlets:	(4) 120V AC (1) 120V Twist Lock AC (1) 12V / 8.3A DC



A Network of
Authorized Service
Centers Where You Need Them



green POWER

Pro Series Generator



6,500 Watt Model # GPG6500EW

Starting Watts:	6,500
Running Watts:	5,500
Fuel Type:	Gasoline
Engine:	LCT 420cc / 15HP OHV
Start Method:	Electric / Recoil
Battery:	Lithium Ion Included
Run Time:	9.0 Hours at 1/2 Load
Fuel Tank:	6.6 Gallons
Wheels:	10" Solid
Operating Noise:	75 dB
Approvals:	EPA, CARB Available
Outlets:	(4) 120V AC (1) 120V Twist Lock AC (1) 120V / 240V Twist Lock AC (1) 12V / 8.3A DC

A Network of
Authorized Service
Centers Where You Need Them





green POWER

Pro Series Generator



8,000 Watt Model # GPG8000W

Starting Watts:	8,000
Running Watts:	6,500
Fuel Type:	Gasoline
Engine:	LCT 420cc / 15HP OHV
Start Method:	Manual Recoil
Run Time:	8.0 Hours at 1/2 Load
Fuel Tank:	6.6 Gallons
Wheels:	10" Solid
Operating Noise:	75 dB
Approvals:	EPA, CARB Available
Outlets:	(4) 120V AC (1) 120V Twist Lock AC (1) 120V / 240V Twist Lock AC (1) 12V / 8.3A DC



A Network of
Authorized Service
Centers Where You Need Them



green POWER

Pro Series Generator



A Network of
Authorized Service
Centers Where You Need Them



8,000 Watt Model # GPG8000EW

Starting Watts:	8,000
Running Watts:	6,500
Fuel Type:	Gasoline
Engine:	LCT 420cc / 15HP OHV
Start Method:	Electric / Recoil
Battery:	Lithium Ion Included
Run Time:	8.0 Hours at 1/2 Load
Fuel Tank:	6.6 Gallons
Wheels:	10" Solid
Operating Noise:	75 dB
Approvals:	EPA, CARB Available
Outlets:	(4) 120V AC (1) 120V Twist Lock AC (1) 120V / 240V Twist Lock AC (1) 12V / 8.3A DC



green POWER

Pro Series Generator



10,000 Watt Model # GPG10000EW

Starting Watts:	10,000
Running Watts:	7,500
Fuel Type:	Gasoline
Engine:	LCT 420cc / 15HP OHV
Start Method:	Electric / Recoil
Battery:	Lithium Ion Included
Run Time:	7.0 Hours at 1/2 Load
Fuel Tank:	6.6 Gallons
Wheels:	10" Solid
Operating Noise	76 dB
Approvals:	EPA, CARB Available
Outlets:	(4) 120V AC (1) 120V Twist Lock AC (1) 120V / 240V Twist Lock AC (1) 12V / 8.3A DC

A Network of
Authorized Service
Centers Where You Need Them





green POWER

Consumer Select Generator



1,000 Watt Model # GPD1000



Starting Watts:	1,000
Running Watts:	850
Fuel Type:	Gasoline
Engine:	71cc / 1.5HP OHV
Start Method:	Manual Recoil
Run Time:	8.5 Hours at 1/2 Load
Fuel Tank:	1.2 Gallons
Operating Noise	65 dB
Approvals:	EPA, CARB Available
Outlets:	(4) 120V AC (1) 12V / 8.3A DC



A Network of
Authorized Service
Centers Where You Need Them

Green-Power America, LLC | 840 W. 9th Street Suite H, Upland, CA 91786
(909) 931-9999 | www.green-poweramerica.com



green POWER

Consumer Select Generator



1,500 Watt Model # GPD1500

Starting Watts:	1,500
Running Watts:	1,200
Fuel Type:	Gasoline
Engine:	98cc / 3.0 HP OHV
Start Method:	Manual Recoil
Run Time:	7.0 Hours at 1/2 Load
Fuel Tank:	1.3 Gallons
Operating Noise	68 dB
Approvals:	EPA, CARB Available
Outlets:	(1) 120V AC (1) 12V / 8.3A DC



A Network of
Authorized Service
Centers Where You Need Them

Green-Power America, LLC | 840 W. 9th Street Suite H, Upland, CA 91786
(909) 931-9999 | www.green-poweramerica.com



green POWER

Consumer Select Generator



4,000 Watt Model # GPD4000

Starting Watts:	4,000
Running Watts:	3,000
Fuel Type:	Gasoline
Engine:	208cc / 7.0 HP OHV
Start Method:	Manual Recoil
Run Time:	8.5 Hours at 1/2 Load
Fuel Tank:	4.0 Gallons
Operating Noise	76 dB
Approvals:	EPA, CARB Available
Outlets:	(2) 120V AC (1) 120V Twist Lock AC (1) 12V / 8.3A DC



A Network of
Authorized Service
Centers Where You Need Them

Green-Power America, LLC | 840 W. 9th Street Suite H, Upland, CA 91786
(909) 931-9999 | www.green-poweramerica.com



green POWER

Consumer Select Generator



5,000 Watt Model # GPD5000W

Starting Watts:	5,000
Running Watts:	4,000
Fuel Type:	Gasoline
Engine:	306cc / 10 HP OHV
Start Method:	Manual Recoil
Run Time:	9.5 Hours at 1/2 Load
Fuel Tank:	6.6 Gallons
Wheels:	10" Solid
Operating Noise	76 dB
Approvals:	EPA, CARB Available
Outlets:	(4) 120V AC (1) 120V Twist Lock AC (1) 12V / 8.3A DC

A Network of
Authorized Service
Centers Where You Need Them





green POWER

Inverter Generator



2,000 Watt Model # GPG2000i

Starting Watts:	2,000
Running Watts:	1,600
Fuel Type:	Gasoline
Engine:	79.7cc / 3.4 HP OHV
Start Method:	Manual Recoil
Run Time:	6.0 Hours at 70% Load
Fuel Tank:	1.1 Gallons
Operating Noise:	58 dB
Parallel Capability:	Internal
Approvals:	EPA, CARB
Outlets:	(2) 120V AC (1) 12V / 8.3A DC



A Network of
Authorized Service
Centers Where You Need Them

Green-Power America, LLC | 840 W. 9th Street Suite H, Upland, CA 91786
(909) 931-9999 | www.green-poweramerica.com



green POWER

Inverter Generator



3,500 Watt Model # GPG3500iE

Starting Watts:	3,500
Running Watts:	3,000
Fuel Type:	Gasoline
Engine:	192cc / 5.5 HP OHV
Start Method:	Electric / Recoil
Battery:	Included
Run Time:	13.0 Hours at 70% Load
Fuel Tank:	4.0 Gallons
Wheels:	4" Solid
Operating Noise:	60 dB
Parallel Capability:	Internal
Approvals:	EPA, CARB
Outlets:	(2) 120V AC (1) 12V / 8.3A DC



A Network of
Authorized Service
Centers Where You Need Them

Green-Power America, LLC | 840 W. 9th Street Suite H, Upland, CA 91786
(909) 931-9999 | www.green-poweramerica.com



**green
POWER**

Green-Power America, LLC
840 W. 9th Street Suite H
Upland CA 91786

Generator Pricing

Date: 04/02/2017

	Pro Series					
Model #	GPG4000W	GPG5000W	GPG6500EW	GPG8000W	GPG8000EW	GPG10000EW
Power (Watts)	4000	5000	6500	8000	8000	10000
UPC Code	710822902030	710822902047	710822902054	710822902061	710822902078	710822902085
Images						
Engine Type	4 Cycle/OHV	4 Cycle/OHV	4 Cycle/OHV	4 Cycle/OHV	4 Cycle/OHV	4 Cycle/OHV
Engine Displacement	LCT 208cc / 7.0 HP	LCT 306cc / 10HP	LCT 420cc / 15HP	LCT 420cc / 15HP	LCT 420cc / 15HP	LCT 420cc / 15HP
Starting Watts	4000	5000	6500	8000	8000	10000
Running Watts	3300	4000	5500	6500	6500	7500
Digital Indicator	3 in1	3 in1	3 in1	3 in1	3 in1	3 in1
Hour Meter	Yes	Yes	Yes	Yes	Yes	Yes
Low Oil Shutoff	Yes	Yes	Yes	Yes	Yes	Yes
DC Outlet	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A
AC Outlets	(2)x120V, (1) 120V Twist-Lock	(4) 120V, (1) 120V Twist-Lock	(4) 120V, (1) 120V Twist-Lock, (1) 120/240V Twist-Lock	(4) 120V (1) 120V Twist-Lock (1) 120/240V Twist-Lock	(4) 120V, (1) 120V Twist-Lock, (1) 120/240V Twist-Lock	(4) 120V, (1) 120V Twist-Lock, (1) 120/240V Twist-Lock
Weather Proof Covers	Yes	Yes	Yes	Yes	Yes	Yes
Run Time (Hours)	8 @ 50% Load	8.5 @ 50% Load	8 @ 50% Load	9 @ 50% Load	9 @ 50% Load	9 @ 50% Load
Fuel Tank	4 gallon	6.6 gallon	6.6 gallon	6.6 gallon	6.6 gallon	6.6 gallon
Noise (@100% load)	72 dB (A)	76 dB (A)	76 dB (A)	75 dB (A)	75 dB (A)	76 dB (A)
Mobility Kit (Wheels)	8" Solid	10" Solid	10" Solid	10" Solid	10" Solid	10" Solid
Start Method	Recoil	Recoil	Recoil/Electric	Recoil	Recoil/ Electric	Recoil/Electric
Battery	N/A	N/A	Yes	N/A	Yes	Yes
Case Dims (inch)	24.3"x19.6"x19.1"	28.1x22.8x22.4	28.1x22.8x22.4	28.1x22.8x22.4	28.1x22.8x22.4	28.1x22.8x22.4
Case Wt. (lbs/Kg)	102.7 / 46.7	145.2 / 66	178.2 / 81	170.5 / 77.5	181.5 / 82.5	188.1 / 85.5
Emission Level	EPA, CARB Avail	EPA, CARB Avail	EPA, CARB Avail	EPA, CARB Avail	EPA, CARB Avail	EPA, CARB Avail
Limited Warranty	2 Year	2 Year	2 Year	2 Year	2 Year	2 Years
Quantity Per 40' Container	418	256	240	252	236	228
Quantity Per Pallet	8	4	4	4	4	4
FOB Shanghai, Full Container (Bulk, No Pallet)	\$234.00	\$319.00	\$449.00	\$419.00	\$496.00	\$539.00
FOB Shanghai, Mixed Container (Bulk, No Pallet)	\$237.00	\$323.00	\$453.00	\$423.00	\$501.00	\$544.00
FOB LA Warehouse (Palletized)	\$249.00	\$340.00	\$469.00	\$459.00	\$526.00	\$562.00
Pre-Paid (\$5K Min. Order)	\$282.00	\$384.50	\$522.54	\$512.47	\$581.41	\$619.22
Pre-Paid (\$10K Min. Order)	\$276.85	\$388.23	\$517.12	\$508.08	\$575.08	\$612.88
MSRP	\$369.00	\$469.00	\$669.00	\$649.00	\$749.00	\$849.00
Lead Time	45 Days					



**green
POWER**

Green-Power America,LLC

Generator Pricing

Updated: 04/22/2017

840 W. 9th Street Suite H,
Upland CA 91786

	Consumer Select Series				Inverter Series	
Model #	GPD1000	GPD1500	GPD4000	GPD5000W	GPG2000i	GPG3500iE
Power (Watts)	1000	1500	4000	5000	2000	3500
UPC Code	710822902016	710822902023	710822902092	710822902108	710822902115	710822902122
Images						
Engine Type	2 Cycle	4 Cycle/OHV	4 Cycle/OHV	4 Cycle/OHV	4 Cycle/OHV	4 Cycle/OHC
Engine Displacement	71cc/1.5 HP	98cc/3.0 HP	208cc/7.0HP	306cc/10HP	79.7cc/3.4HP	192cc/5.5HP
Starting Watts	1000	1500	4000	5000	2000	3500
Running Watts	800	1200	3000	4000	1600	3000
Digital Indicator	N/A	N/A	N/A	N/A	N/A	4 in 1
Hour Meter	N/A	N/A	N/A	N/A	Yes	Yes
Low Oil Shutoff	No	Yes	Yes	Yes	Yes	Yes
DC Outlet	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A
AC Outlets	(1) 120V	(1) 120V	(2) 120V, (1) 120V Twist-Lock	(4) 120V, (1) 120V Twist-Lock	(2) 120V	(2) 120V 20 Amp (1) RV 120V/30 Amp
Run Time (Hours)	8.5 @ 50% Load	7 @ 50% Load	8.5 @ 50% Load	9 @ 50% Load	6 @70% Load	13 @70% Load
Fuel Tank	1.2 gallon	1.3 gallon	4 gallon	6.6 gallon	1.1 gallon	4 gallon
Noise (@100% load)	65 dB (A)	68 dB (A)	72 dB (A)	76 dB (A)	58 dB (A)...	60 dB (A)
Mobility Kit (Wheels)	No	No	Optional	10" Solid	N/A	4" solid
Start Method	Recoil	Recoil	Recoil	Recoil	Recoil	Recoil/Electric
Battery	N/A	N/A	N/A	N/A	N/A	Yes
Case Dims (inch)	16.5" x 14" x 14.6"	18.7" x 14.5" x 15.6"	23.8" x 17.9" x 18.7"	27.7" x 21.5" x 22.6"	20.5" x 13.0" x 18.1"	28.5" x 18.7" x 24.2"
Case Wt. (lbs/Kg)	44 / 20	60 / 27	99 / 45	140.8 / 64	51.76 / 23.5	112.33 / 51
Emission Level	EPA, CARB Avail	EPA, CARB Avail	EPA, CARB Avail	EPA, CARB Avail	EPA, CARB	EPA, CARB
Limited Warranty	1 Year	1 Year	2 Years	2 Years	2 Years	2 Years
Quantity Per 40' Container	1000	740	434	256	710	320
Quantity Per Pallet	27	18	8	4	21	6
FOB Shanghai, Full Container (Bulk, No Pallet)	<u>Promotional Item Only:</u> FOB China	\$149.00	\$214.00	\$309.00	\$344.90	\$474.90
FOB Shanghai, Mixed Container (Bulk, No Pallet)	Direct, Full Container Quantity: \$81.00 Ea.	\$152.00	\$217.00	\$313.00	\$347.90	\$479.90
FOB LA Warehouse (Palletized)	<u>Promotional Item Only:</u> FOB China	\$163.00	\$229.00	\$335.00	\$362.52	\$510.51
Pre-Paid (\$5K Min. Order)	Direct, Min Quantity of 10,000 Pcs: \$TBD	\$182.43	\$260.91	\$377.36	\$380.76	\$547.10
Pre-Paid (\$10K Min. Order)	Terms for Promo Items: L/C OR T/T at Sight	\$179.28	\$253.45	\$371.67	\$375.22	\$538.28
MSRP	N/A	\$229.00	\$329.00	\$449.00	\$499.00	\$699.00
Lead Time	45 Days					



green POWER

Pressure Washer



1600 PSI Model # GPW1600

Power Source:	Electric
Engine:	12 Amp
Discharge:	1.6 GPM
Maximum Pressure:	1600 PSI
Power Cord:	35 Foot w/GFCI Plug
Wheels:	8" Solid
Hose:	19 Foot
Pump Type:	Aluminum Cam
Handle:	Quick Detachable
Approval:	ETL
Accessories:	(2) Nozzles, High-Low Built-In Detergent Bottle Metal Wand with Turbo Lance and 90° Nozzle



A Network of
Authorized Service
Centers Where You Need Them

Green-Power America, LLC | 840 W. 9th Street Suite H, Upland, CA 91786
(909) 931-9999 | www.green-poweramerica.com



green POWER

Pressure Washer



2000 PSI Model # GPW2000

Power Source:	Electric
Engine:	13 Amp
Discharge:	1.6 GPM
Maximum Pressure:	2000 PSI
Power Cord:	35 Foot w/GFCI Plug
Wheels:	8" Solid
Hose:	19 Foot
Pump Type:	Aluminum Cam
Handle:	Quick Detachable
Approval:	ETL
Accessories:	(2) Nozzles, High-Low Built-In Detergent Bottle Metal Wand with Turbo Lance and 90° Nozzle



A Network of
Authorized Service
Centers Where You Need Them



green POWER

Pressure Washer



2600 PSI Model # GPW2600

Power Source:	Gasoline
Engine:	LCT 208cc
Discharge:	2.0 GPM
Maximum Pressure:	2600 PSI
Wheels:	9" Pneumatic
Hose:	25 Foot
Pump Type:	Aluminum Cam
Handle:	Quick Detachable
Approval:	EPA, CARB Available
Accessories:	(5) Quick-Connect Nozzles 3L. Built-In Detergent Bottle Stainless Steel Metal Wand

A Network of
Authorized Service
Centers Where You Need Them



Green-Power America, LLC | 840 W. 9th Street Suite H, Upland, CA 91786
(909) 931-9999 | www.green-poweramerica.com



green POWER

Pressure Washer



2900 PSI Model # GPW2900

Power Source:	Gasoline
Engine:	LCT 208cc
Discharge:	2.3 GPM
Maximum Pressure:	2900 PSI
Wheels:	9" Pneumatic
Hose:	25 Foot
Pump Type:	Aluminum Cam
Handle:	Quick Detachable
Approval:	EPA, CARB Available
Accessories:	(5) Quick-Connect Nozzles 3L. Built-In Detergent Bottle Stainless Steel Metal Wand



A Network of
Authorized Service
Centers Where You Need Them

Green-Power America, LLC | 840 W. 9th Street Suite H, Upland, CA 91786
(909) 931-9999 | www.green-poweramerica.com



green POWER

Pressure Washer



3200 PSI Model # GPW3200

Power Source:	Gasoline
Engine:	LCT 208cc
Discharge:	2.3 GPM
Maximum Pressure:	3200 PSI
Wheels:	10" Pneumatic
Hose:	25 Foot
Pump Type:	Aluminum Cam
Handle:	Quick Detachable
Approval:	EPA, CARB Available
Accessories:	(5) Quick-Connect Nozzles (2) Adj, Detergent Bottles Stainless Steel Metal Wand

A Network of
Authorized Service
Centers Where You Need Them



Green-Power America, LLC | 840 W. 9th Street Suite H, Upland, CA 91786
(909) 931-9999 | www.green-poweramerica.com



Green-Power America LLC
840 W. 9th St. #H, Upland CA 91786

Pressure Washer Pricing

Date: 04/02/2017

Model #	GPW1600	GPW2000	GPW2600	GPW2900	GPW3200
Driven By	Electric	Electric	Gasoline	Gasoline	Gasoline
Images					
UPC Code	710822902313	710822902320	710822902337	710822902344	710822902351
Max. Pressure (PSI)	1600	2000	2600	2900	3200
Engine/Motor	12 Amp	13 Amp	LCT 208cc	LCT 208cc	LCT 208cc
Certificate	ETL	ETL	EPA/CARB Avail.	EPA/CARB Avail.	EPA/CARB Avail.
Gallons Per Minute	1.6 GPM	1.6 GPM	2.0 GPM	2.3 GPM	2.4 GPM
Cord	35' with GFCI Plug	35' with GFCI Plug	N/A	N/A	N/A
Hose	19'	19'	25'	25'	25'
Auto Shutoff	Yes	Yes	N/A	N/A	N/A
dB(A) level	66	66	106	106	107
Pump Type	Cam Pump (Alum)	Cam Pump (Alum)	Cam Pump (Alum)	Cam Pump (Alum)	Cam Pump (Alum)
Number of Nozzle	2 (High/Low)	2 (High/Low)	5	5	5
Detergent Bottle	Built-in	Built-in	(1) 3L	(1) 3L	(2) 2.25L
Hose Reel	No	Yes	No	No	No
Portable Wheel	8" solid	8" solid	9" pneumatic	9" pneumatic	10" pneumatic
Other	Quick Detachable Handle	Metal Wand with Turbo Lance and 90° Nozzle, Alum Handle with Soft Grip	Stainless steel wand	Stainless steel wand	Two Adjustable detergent bottles
Case Weight (Lbs)	22.0	24.2	81.57	81.57	94.8
Case Size	10.7"x10.0"x22.9"	11.6"x10.8"x32.9"	24.8"x17.7"x25.2"	24.8"x17.7"x25.2"	25.6"x19.9"x25.6"
Quantity Per 40' Container	1750	936	372	372	328
Quantity Per Pallet	40	20	8	8	6
FOB Shanghai, Full Container (Bulk, No Pallet)	\$74.90	\$99.90	\$209.90	\$219.90	\$236.90
FOB Shanghai, Mixed Container (Bulk, No Pallet)	\$75.90	\$101.90	\$212.90	\$222.90	\$239.90
FOB LA Warehouse (Palletized)	\$79.90	\$109.90	\$225.90	\$236.90	\$254.90
Pre-Paid (\$5K Min. Order)	\$88.60	\$121.11	\$253.62	\$264.82	\$287.19
Pre-Paid (\$10K Min. Order)	\$85.29	\$116.48	\$247.95	\$258.95	\$280.56
MSRP	\$119.99	\$149.99	\$299.99	\$319.99	\$339.99
Lead Time	45 Days				



green POWER

Oiless Air Compressor



2 Gallon Twin-Tank Model # GPSC0302TH

Type:	Oiless
Power:	1/3 HP
Voltage:	120V
Safety Protection:	Thermal Protected Overcurrent Protected
Frequency:	60 Hz
Air Tanks:	Two @ 1 Gallon Each
Air Delivery:	1.0 CFM @ 40 PSI 0.6 CFM @ 90 PSI
Couplers:	(1) Quick-Connect
Pressure Gauges:	(2) Industrial Air Gauges
Accessories:	(6) Piece
Approvals:	UL



A Network of
Authorized Service
Centers Where You Need Them



green POWER

Oiless Air Compressor



3 Gallon Hotdog Model # GPSC0303H

Type:	Oiless
Power:	1/3 HP
Voltage:	120V
Safety Protection:	Thermal Protected Overcurrent Protected
Frequency:	60 Hz
Air Tanks:	One @ 3 Gallons
Air Delivery:	1.0 CFM @ 40 PSI 0.6 CFM @ 90 PSI
Couplers:	(1) Quick-Connect
Pressure Gauges:	(2) Industrial Air Gauges
Accessories:	(6) Piece
Approvals:	UL



A Network of
Authorized Service
Centers Where You Need Them



green POWER

Oiless Air Compressor



6 Gallon Hotdog Model # GPSC2006H

Type:	Oiless
Power:	2.0 HP
Voltage:	120V
Safety Protection:	Thermal Protected Overcurrent Protected
Frequency:	60 Hz
Air Tanks:	One @ 6 Gallons
Air Delivery:	4.3 CFM @ 40 PSI 3.4 CFM @ 90 PSI
Couplers:	(1) Quick-Connect
Pressure Gauges:	(2) Industrial Air Gauges
Wheels:	(2) 6"
Accessories:	(6) Piece
Approvals:	UL



A Network of
Authorized Service
Centers Where You Need Them



green POWER

Oiless Air Compressor



6 Gallon Pancake Model # GPSC1506P

Type:	Oiless
Power:	1.5 HP
Voltage:	120V
Safety Protection:	Thermal Protected Overcurrent Protected
Frequency:	60 Hz
Air Tanks:	One @ 6 Gallons
Air Delivery:	3.4 CFM @ 40 PSI 2.4 CFM @ 90 PSI
Couplers:	(1) Quick-Connect
Pressure Gauges:	(2) Industrial Air Gauges
Accessories:	(6) Piece
Approvals:	UL



A Network of
Authorized Service
Centers Where You Need Them



green POWER

Oil Lubricated Air Compressor



4 Gallon Twin-Tank Model # GPAC2504TH

Type:	Oil Lubricated
Power:	2.5 HP
Voltage:	120V
Safety Protection:	Thermal Protected Overcurrent Protected
Frequency:	60 Hz
Air Tanks:	Two @ 2 Gallon Each
Air Delivery:	5.0 CFM @ 40 PSI 4.2 CFM @ 90 PSI
Couplers:	(2) Quick-Connect
Pressure Gauges:	(2) Industrial Air Gauges
Approvals:	ETL

A Network of
Authorized Service
Centers Where You Need Them



Green-Power America, LLC | 840 W. 9th Street Suite H, Upland, CA 91786
(909) 931-9999 | www.green-poweramerica.com



green POWER

Oil Lubricated Air Compressor



6 Gallon Hotdog Model # GPAC2506H

Type:	Oil Lubricated
Power:	2.5 HP
Voltage:	120V
Safety Protection:	Thermal Protected Overcurrent Protected
Frequency:	60 Hz
Air Tanks:	One @ 6 Gallon
Air Delivery:	5.0 CFM @ 40 PSI 4.2 CFM @ 90 PSI
Couplers:	(1) Quick-Connect
Pressure Gauges:	(2) Industrial Air Gauges
Wheels:	(2) 6"
Approvals:	ETL

A Network of
Authorized Service
Centers Where You Need Them





green POWER

Oil Lubricated Air Compressor



15 Gallon Hotdog Model # GPAC2515H

Type:	Oil Lubricated
Power:	2.5 HP
Voltage:	120V
Safety Protection:	Thermal Protected Overcurrent Protected
Frequency:	60 Hz
Air Tanks:	One @ 15 Gallons
Air Delivery:	5.0 CFM @ 40 PSI 4.2 CFM @ 90 PSI
Couplers:	(1) Quick-Connect
Pressure Gauges:	(2) Industrial Air Gauges
Wheels:	(2) 6"
Approvals:	ETL



A Network of
Authorized Service
Centers Where You Need Them



green POWER

Oil Lubricated Compressor



20 Gallon Vertical Model # GPAC2520V

Type:	Oil Lubricated
Power:	2.5 HP
Voltage:	120V
Safety Protection:	Thermal Protected Overcurrent Protected
Frequency:	60 Hz
Air Tanks:	One @ 20 Gallons
Air Delivery:	5.0 CFM @ 40 PSI 4.2 CFM @ 90 PSI
Couplers:	(2) Quick-Connect
Pressure Gauges:	(2) Industrial Air Gauges
Wheels:	(2) 8"
Approvals:	ETL



A Network of
Authorized Service
Centers Where You Need Them



green POWER

Oil Lubricated Air Compressor



28 Gallon Vertical Model # GPAC2528V

Type:	Oil Lubricated
Power:	2.5 HP
Voltage:	120V
Safety Protection:	Thermal Protected Overcurrent Protected
Frequency:	60 Hz
Air Tanks:	One @ 28 Gallons
Air Delivery:	5.0 CFM @ 40 PSI 4.2 CFM @ 90 PSI
Couplers:	(2) Quick-Connect
Pressure Gauges:	(2) Industrial Air Gauges
Wheels:	(2) 8"
Approvals:	ETL

A Network of
Authorized Service
Centers Where You Need Them





Green-Power America LLC
840 W. 9th Street Suite H, Upland CA 91786

Air Compressor Pricing
Date: 04/22/2017

Item	GPSC0302TH	GPSC0303H	GPSC2006H	GPSC1506P
Image				
UPC Code	710822902436	710822902443	710822902467	710822902450
Pump Type	Oilless	Oilless	Oilless	Oilless
Tank Type	Horizontal Twin-Tank	Hotdog	Hotdog	Pancake Tank
Motor	Type	Induction	Induction	Series
	Power /HP	1/3	1/3	2
	Speed/rpm	4500	4500	3400
	Voltage	120	120	120
	Frequency/Hz	60	60	60
Tank Capacity (Gallons)	(2) x 1.0 Gallon	3 Gallon	6 Gallon	6 Gallon
Air Delivery	CFM@40PSI	1.0	1.0	4.3
	CFM@90PSI	0.6	0.6	3.4
Max. Pressure (PSI)	100	100	115	150
Cut-off Pressure (PSI)	85	85	85	120
Thermo Protector	Yes	Yes	Yes	Yes
Overcurrent Protector	Yes	Yes	Yes	Yes
Fire Resistant Grade	1	1	1	1
Quick Coupler	1	1	1	1
Regulator	Yes	Yes	Yes	Yes
Gauge	2	2	2	2
Portable Wheel	No	No	(2) 6"	No
Accessories	25' Air Hose, Tape Sealer, Copper Air Chuck, Copper Adapter, Copper Blow-Gun Tip, Zinc Alloy Air Needle	25' Air Hose, Tape Sealer, Copper Air Chuck, Copper Adapter, Copper Blow-Gun Tip, Zinc Alloy Air Needle	25' Air Hose, Tape Sealer, Copper Air Chuck, Copper Adapter, Copper Blow-Gun Tip, Zinc Alloy Air Needle	25' Air Hose, Tape Sealer, Copper Air Chuck, Copper Adapter, Copper Blow-Gun Tip, Zinc Alloy Air Needle
Certification	UL	UL	ETL	UL
Case Dims (Inch)	15.8"x12.6"x17.7"	17.5"x9.7"x18.9"	23.0"x11.0"x25.0"	16.8"x16.8"x20.1"
Case Weight (Lbs)	26.4	17.6	35.0	39.7
Quantity Per 40' Container	1015	1400	498	675
Quantity Per Pallet	27	30	12	12
FOB Shanghai, Full Container (Bulk, No Pallet)	\$58.50	\$58.70	\$87.90	\$99.90
FOB LA Warehouse (Palletized)	\$63.50	\$63.70	\$96.99	\$107.90
Pre-Paid (\$5K Min. Order)	\$75.95	\$72.95	\$106.95	\$117.95
Pre-Paid (\$10K Min. Order)	\$72.95	\$69.95	\$103.95	\$114.95
MSRP	\$99.99	\$99.99	\$139.99	\$139.99
Lead Time	45 Days			



Green-Power America LLC
840 W. 9th Street Suite H, Upland CA 91786

Air Compressor Pricing

Date: 04/22/17

Item	GPAC2504TH	GPAC2506H	GPAC2515H	GPAC2520V	GPAC2528V
Image					
UPC Code	710822902412	710822902429	710822902474	710822902481	710822902498
Pump Type	Oil Lubricated	Oil Lubricated	Oil Lubricated	Oil Lubricated	Oil Lubricated
Tank Type	Horizontal Twin-Tank	Hotdog	Hotdog	Vertical	Vertical
Motor	Type	Induction	Induction	Induction	Induction
	Power /HP	2.5	2.5	2.5	2.5
	Speed/rpm	3400	3400	3400	3400
	Voltage /V	120	120	120	120
	Frequency/Hz	60	60	60	60
Tank Capacity (Gallons)	(2) x 2.0 Gallon	6 Gallon	15 Gallon	20 Gallon	28 Gallon
Air Delivery	CFM@40PSI	5.0	5.0	5.0	5.0
	CFM@90PSI	4.2	4.2	4.2	4.2
Max. Pressure (PSI)	125	125	125	125	125
Cut-off Pressure (PSI)	95	95	95	95	95
Thermo Protector	Yes	Yes	Yes	Yes	Yes
Overcurrent Protector	Yes	Yes	Yes	Yes	Yes
Fire Resistant Grade	1	1	1	1	1
Quick Coupler	2	1	1	2	2
Regulator	Yes	Yes	Yes	Yes	Yes
Gauge	2	2	2	2	2
Portable Wheel	No	(2) 6"	(2) 6"	(2) 8"	(2) 8"
Accessories	No	No	No	No	No
Certification	ETL	ETL	ETL	ETL	ETL
Case Dims (Inch)	18.9"x17.3"x18.9"	23"x11"x25"	29.5"x12.5"x26.4"	18.0"x18.0"x45.0"	22.6"x22.6"x49.0"
Case Weight (Lbs)	63.9	64.0	68.0	96.0	116.0
Package Per 40' Container	655	498	463	260	164
Quantity Per Pallet	12	12	8	4	4
FOB Shanghai, Full Container (Bulk, No Pallet)	\$81.00	\$88.00	\$119.90	\$126.90	\$152.90
FOB LA Warehouse (Palletized)	\$86.00	\$98.00	\$129.90	\$149.90	\$185.90
Pre-Paid (\$5K Min. Order)	\$103.95	\$115.95	\$145.95	\$178.95	\$220.95
Pre-Paid (\$10K Min. Order)	\$100.95	\$112.95	\$141.95	\$174.95	\$216.95
MSRP	\$129.99	\$139.99	\$219.99	\$239.99	\$299.99
Lead Time	45 Days				