


# **OWNER'S MANUAL**



TRINITY PRO 18.5" GARAGE BASE CABINET W/DRAWERS Model # TSNPBK-0607

Important / Important / Importante

FOR QUICK & EASY 3D ASSEMBLY INSTRUCTIONS POUR DES DIRECTIVES D'ASSEMBLAGE 3D RAPIDES ET FACILES PARA INSTRUCCIONES DE ENSAMBLAJE RÁPIDAS Y SENCILLAS EN 3D




DOWNLOAD THE FREE APP | TÉLÉCHARGER L'APPLICATION GRATUITE | DESCARGUE LA APLICACIÓN GRATUITA

## PARTS LIST

Your TRINITY PRO 18.5 "Garage Base Cabinet w/Drawers should include the following parts. Please inspect box contents to ensure you have received all components.

If you are missing any parts, need assistance with assembly or have questions, please contact TRINITY Customer Service: 800.985.5506 or <u>customerservice@trinityii.com</u>. Parts can also be requested online via "Contact Us" section at <u>www.trinityii.com</u>.

No tools required for assembly.



#### LOCATION OF PARTS:

- 1) KEYS (D) are hooked to key leash mounted inside Top Drawer.
- 2) FEET LEVELERS (B) are boxed inside Second Drawer.
- 3) LINERS (C) are packed inside Second Drawer.

## **ASSEMBLY INSTRUCTIONS**


# STEP 1


**Location of parts:** KEYS (D) are hooked to key leash mounted inside Top Drawer. FEET LEVELERS (B) and DRAWER LINERS (C) are packed inside Second Drawer.

Lay CABINET BODY (A) gently on its back. Two people are needed, do NOT attempt this alone.

Screw each FEET LEVELER (B) fully into each pre-installed nut on four corners of cabinet bottom.

Stand cabinet right side up. Move it to desired location. Adjust each FEET LEVELER (B) as needed to ensure your cabinet is level and stable.






## **USAGE INSTRUCTIONS**

#### **DRAWER REMOVAL**


Pull drawer out so that it is almost fully extended. On RIGHT side, push black release lever DOWN. On LEFT side, pull black release lever UP. While holding levers as instructed, pull drawer forward until released from slides attached to Workbench ("Workbench Slides").

**Note:** Slides attached to drawer ("Drawer Slides") are an integral part of drawer and must be removed along with drawer itself.



#### **DRAWER REPLACEMENT**


To replace drawer, pull slides out completely. Insert brackets on each side of Drawer Slides into corresponding slots on Workbench Slides, making sure they are properly positioned. Once brackets are inserted into slots, completely close drawer to set all slides in their proper positions.



# **SERVICE PARTS LIST – TSNPBK-0607**

#### TRINITY Customer Service provides the following replacement parts:

	Part Number	Description		Part Number	Description
1)	PBK-18-029-1831	Cabinet Body	8)	XBK-22-001-1515	Drawer Liner
2)	PBK-07-016-1704	Small Drawer	9)	PBK-07-016-1711	Large Drawer
3)	XBS-05-030-1575	Drawer Handle	10)	XBS-02-029-0002	Handle Bracket
4)	PBK-07-016-1707	Medium Drawer	11)	XBK-02-028-0002	Plastic Spacer
5)	ZSV-12-017-1375	Slide (cabinet side)	12)	CSV-11-005-0XXX	Lock
6)	ZSV-12-016-1375	Slide ( drawer side)	13)	XBK-10-003-0XXX	Кеу
7)	XBS-98-012-1662	Feet Leveler	14)	XBK-02-054-0001	Key Leash



### WARNINGS

- **1. Read and understand all instructions.** Failure to follow all instructions may result in injury and/or damage.
- 2. The warnings, cautions, and instructions discussed in this manual cannot cover all possible conditions or situations that may occur. The user must always be aware of their environment and ensure that they use the product in a safe and responsible manner.
- **3. Do NOT modify the product in any way.** Unauthorized modification may impair the function and/or safety of the product, and may affect the life of the product.
- 4. Check for damaged parts. Before using this product, carefully check that all parts are in good condition, and that the product will operate properly and perform its intended function. Check for damaged parts and any other conditions that may affect the operation of this product. Replace damaged or worn parts, and never use this product with a damaged part.
- 5. Do NOT overload the product. Below capacity is based on evenly distributed weight.

Weight capacity per drawer (evenly distributed)	100 lb
Total weight capacity of cabinet (evenly distributed)	400 lb

- 6. Lock the drawers before moving the cabinet.
- 7. Do NOT open more than one drawer at a time. Tipping can occur.
- 8. Do NOT step or lean on open drawers. Tipping can occur.
- 9. Load the cabinet starting with the bottom drawers to prevent cabinet from tipping.
- 10. Make sure all drawers are closed tightly before locking or unlocking.

#### **CARE AND MAINTENANCE**

- Avoid harsh, abrasive cleaners, and other corrosive chemicals.
- Do not use scouring pad for cleaning.
- This item is not certified for outdoor use.

7

#### **PRODUCT REGISTRATION**

Thank you for purchasing a TRINITY PRO 18.5" Garage Base Cabinet w/Drawers. In order to register your product and receive streamlined customer service, please fill out the following Product Registration Form and (1) fax the form to 310.347.4134 (2) complete the Product Registration Form online at <u>www.trinityii.com</u> or (3) scan and email the form to <u>customerservice@trinityii.com</u>. Include a copy of your original receipt with your submission.

First Name:	Last Name:			
Address:				
City:	State: Zip Code:			
Email Address:	Phone:			
Product Model #:	PBK-0607 Purchase Date: / /			
Location of Purchase:				
Please rate the importance of each feature (1=least important; 10=most important) Quality Price Size/Capacity Appearance Other				
How did you hear about our product?    Magazine Ad Catalog Salesperson Word of Mouth   Internet Store Display Other				
Marital Status: Household Income: Education: Primary Residence: Comments/Suggestions:	Single Married   Below \$50,000 \$50,000-\$150,000 \$150,000+   High School College Graduate School   Own Rent			

## **1 YEAR LIMITED WARRANTY**

#### TRINITY PRO 18.5" Garage Base Cabinet w/Drawers Model # TSNPBK-0607

Trinity International Industries ("Trinity") warrants to the original consumer purchaser ("Purchaser") of the TRINITY PRO 18.5" Garage Base Cabinet w/Drawers ("Product") that each Product shall be free from defects in workmanship and materials for a period of 1 year from the date of original purchase. Trinity's obligation under this warranty shall be limited to repair or replacement of, or adequate compensation for the Product which shall not be greater than the amount of the purchase price of the Product, at the option of Trinity, during the warranty period. All replaced parts and Products become the property of Trinity and must be returned to Trinity.

This warranty excludes normal wear and tear of the Product and its parts or components, and damage arising from any of the following: negligent use or misuse of the Product, use contrary to this User's Manual, or alteration by any one other than Trinity. The warranty period of 1 year shall not be extended or renewed by the repair or replacement of, or compensation for, the Product. Any warranty implied by applicable law is limited in duration to one year from the date of purchase and is subject to the same conditions and limitations as is provided for our express warranty.

Except as set forth herein, and to the extent of applicable there are no warranties on this Product either express or implied, and Trinity disclaims all warranties including, but not limited to, any implied warranties of merchantability, infringement or fitness for a particular purpose. No warranty or guarantee given by any person, firm, or corporation with respect to this product shall be binding on Trinity.

If your Product is defective or otherwise requires service or parts, please call TRINITY Customer Service tollfree at (800) 985-5506, between 5:00 a.m. and 5:00 p.m., PST. Please tell us which model you purchased, the date of the purchase, and the problem with your Product. A copy of your original purchase receipt must accompany your service request.

#### LIMITATION OF REMEDIES AND LIABILITY

Trinity (and its employees, officers, members, managers, affiliates and assigns) shall not be liable for any incidental, consequential, special, indirect, remote, special or punitive damages for breach of any warranty, express or implied, including, but not limited to, lost profits, lost savings, loss of anticipated benefits and attorneys' fees, which arise out of the purchase, use or inability to use the Product, whether arising out of contract, negligence, strict tort, product liability, or any other legal theory on which a claim is based. As noted above, to the extent damages are allowed by our express warranty or by applicable law, those damages may not exceed the purchase price paid for the Product. Without limiting the foregoing Purchaser assumes all risk and liability for loss, damage or injury to Purchaser and Purchaser's property and to others and their property arising out of the use, misuse, or inability to use this Product. This limited warranty shall not extend to anyone other than the original purchaser of this product, is nontransferable and states your exclusive remedy.

Some states do not allow the exclusion or limitation of incidental, consequential, special, or punitive damages, so the above limitation or exclusion may not apply to you. The above warranty gives you specific legal rights, and you may have other rights which vary from state to state.

#### **CONTACT US**

#### QUESTIONS? NEED PARTS? WE ARE HERE TO HELP!

Please feel free to contact us. There are no questions too small, or any problems too big. We're committed to providing our customers with the highest level of service.

# TRINITY Customer Service TEL: 800.985.5506 FAX: 310.347.4134

EMAIL: <a href="mailto:com">customerservice@trinityii.com</a>

Monday through Friday 5:00 AM – 5:00 PM (PST)

www.trinityii.com