

Assembly Instructions Instructions de Montage Montageanleitung Instrucciones de Montaje Istruzioni di montaggio Montagevoorschrift Instruções de montagem

Notes and Warnings – Please Read Carefully Prior to Assembly
Notes et avertissements – Veuillez lire attentivement avant l'assemblage
Anmerkungen und Warnhinweise – Bitte sorgfältig vor der Montage lesen
Opmerkingen en waarschuwingen – Voor het monteren aandachtig doorlezen
Notas y advertencias: lea con atención antes de montar
Osservazioni e avvertimenti – Leggere attentamente prima dell'assemblaggio
Notas e Avisos – Leia cuidadosamente antes da montagem

- EN** • Please assemble the table on a flat surface.
• The table should only be cleaned using soap, water and a soft cloth.
- FR** • Veuillez assembler la table sur une surface plane.
• Pour nettoyer la table, utilisez un chiffon doux, de l'eau et du savon uniquement.
- DE** • Bitte montieren Sie den Tisch auf einer ebenen Fläche.
• Zur Reinigung des Tisches sind nur Seifenlauge, Wasser und ein weiches Tuch zu verwenden.
- NL** • Monteerde tafel op een egaal oppervlak.
• De tafel mag alleen met water, zeep en een zachte doek worden gereinigd.
- ES** • Monte la mesa sobre una superficie plana.
• La mesa sólo debe limpiarse utilizando jabón, agua y un paño suave.
- IT** • Assemblare ogni componente su una superficie piana.
• Per la pulizia dei componenti del tavolo, utilizzare solo sapone, acqua e un panno pulito.
- PT** • Monte cada peça da mesa numa superfície plana.
• As peças da mesa devem ser limpas apenas com sabão, água e um pano macio.

A1



A2





1 2



3



ISP103

For the most precise assembly of the chair please follow the instructions below:

- Attach the legs to the seat with the 4 long screws (Part#A5) by fastening with the Allen wrench (Part#A4) provided within the hardware envelope. Make sure they are fully securing the legs to the bottom seat.
- Place the chair right side up and have a seat. Look down toward where the smaller screw (Part#A6) is supposed to meet the thread, you will notice that there is a small gap between the seat and the bracket. Use this small gap to align the smaller screw (Part#A6) to the thread, using the Allen wrench (Part#A4).
- While sitting, gently push outward from the inside of the seat to close the gap.
- When you feel the screw meet the thread turn the screw until you feel it catch on to the thread, and tighten completely with the Allen wrench (Part#A4). Repeat this step for the other side as well.
- Place screw caps (Part#A3) over the A6 screws previously inserted for a smooth finish.