

# **Creosote Remover Pellets**

1	PRODUCT AND COMPANY IDENTIFICATION
Product Identifier: SDS Number: Product Code: Revision Date: Version: Product Description:	Creosote Remover Pellets 2021 98P 10/6/2021 1 Creosote remover pellets for chimney and flue in 8 oz carton
Product Use:	Creosote remover for chimney and flue.
Supplier Details:	Rutland 7 Crabtree Road Jacksonville, IL 62650
Contact: Phone: Fax: Email: Web: Emergency:	Faith Nergenah, Brian Miller 217-245-7810 217-245-1194 faith@rutland.com, bmiller@rutland.com www.rutland.com CHEMTREC (800) 424-9300



## Safety Data Sheet

# **Creosote Remover Pellets**

### HAZARDS IDENTIFICATION

### **Classification of the Substance or Mixture**

#### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Skin corrosion/irritation, 2 Health, Serious Eye Damage/Eye Irritation, 2 A

Health, Carcinogenicity, 2

### **GHS Label Elements, Including Precautionary Statements**

GHS Signal Word: WARNING

### **GHS Hazard Pictograms:**

2



#### **GHS Hazard Statements:**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H351 - Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

#### **GHS Precautionary Statements:**

P260 - Do not breathe dust or mist.

P264 - Wash skin thoroughly after handling.

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/ physician.

- P321 Specific treatment (see supplemental first aid instructions on this label).
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.

P501 - Dispose of contents/ container to an approved waste disposal plant.

### Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes; Skin; Inhalation

Skin Contact:	May cause irritation.
Skill Colliact.	iviay cause initiation.

Eye Contact: May cause irritation.

Ingestion:

3

Ingestion is not an applicable route of entry for intended use. May be harmful if swallowed.

# COMPOSITION/INFORMATION OF INGREDIENTS

CAS#	Ingredients: Chemical Name:
10101-89-0 6156-78-1 0	Trisodium Phosphate Dodecahydrate Manganese (11) Acetate Tetrahydrate Wood and wood dust

Percentages withheld, Trade Secret.

### FIRST AID MEASURES

4



Safety Data Sheet

# **Creosote Remover Pellets**

Inhalation:	Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.
Skin Contact:	Wash with plenty of water. Get medical attention if irritation develops or persists.
Eye Contact:	Immediately flush eyes with plenty of water. After initial flushing, remove contact lenses and continue flushing for at least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to mechanical action.
Ingestion:	If Swallowed, DO NOT INDUCE VOMITING. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Never give anything by mouth to an unconscious or convulsive person.

Flammability:

Not Flammable

Wear self contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

6

### ACCIDENTAL RELEASE MEASURES

Vacuum or sweep the material into a bag or other sealed container and dispose of in accordance with local requirements.

7	HANDLING AND STORAGE
Handling Precautions: Storage Requirements:	Avoid contact with eyes and skin. Use in a well-ventilated area. Keep away from food and drinking water. Store in a cool, well ventilated area. Store in cool/dry area.
8	EXPOSURE CONTROLS/PERSONAL PROTECTION
Engineering Controls:	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible.
Personal Protective Equipment:	Usage of safety glasses/ goggles is recommended. Wear protective clothing, including long sleeves and gloves, to prevent skin contact. Usage of safety glasses/ goggles is recommended. Exhaust ventilation; NIOSH approved respirator;
Trisodium Phosphate Dode	ecahydrate cas#:(10101-89-0)

Components with workplace control parameters

STEL	5 mg/m3	USA. Workplace Environmental
		Exposure Levels (WEEL)

9	PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	brown			
Physical State:	pellets	Odor:	ND	
Odor Threshold:	Not Applicable	Molecular Formula:	Not Available	
Particle Size:	Not Applicable	Solubility:	Insoluble in water	
Spec Grav./Density:	Not Available	Softening Point:	Not Applicable	
Viscosity:	Not Applicable	Percent Volatile:	Not Available	
Saturated Vapor Concentration:	Not Applicable	Heat Value:	Not Available	
Boiling Point:	Not Available	Freezing/Melting Pt.:	Not Available	
Flammability:	Not Available	Flash Point:	Not Applicable	
Partition Coefficient:	Not Available	Octanol:	Not Available	
Vapor Pressure:	Not Available	Vapor Density:	Not Available	
pH:	Not Available	VOC:	Not Available	



# Safety Data Sheet

### **Creosote Remover Pellets**

Not Available Evap. Rate: Molecular weight: Not Available **Decomp Temp:** Not Available

**Bulk Density:** Auto-Ignition Temp: UFL/LFL:

Not Available Not Available Not Applicable

### 10

**Reactivity:** 

11

This product is stable and non-reactive under normal conditions of use, storage and transport. **Chemical Stability:** Product is stable under normal conditions. **Conditions to Avoid:** Contact with incompatible materials Materials to Avoid: Strong Acids; Strong Bases; Strong Oxidizing Agents; Hazardous Decomposition: None Known Hazardous Polymerization: Will not occur.

## **TOXICOLOGICAL INFORMATION**

STABILITY AND REACTIVITY

Trisodium Phosphate Dodecahydrate cas#:(10101-89-0) []

Information on toxicological effects

Acute toxicity: LD50 Oral - rat - 7,400 mg/kg Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: TC9575000

Cough, Shortness of breath, Headache, Nausea, Vomiting

### ECOLOGICAL INFORMATION

Trisodium Phosphate Dodecahydrate cas#:(10101-89-0) []

Information on ecological effects

12



### **Creosote Remover Pellets**

Toxicity:

Toxicity to fish LC0 - Leuciscus idus (Golden orfe) - 2,400 mg/l - 48 h.

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

13

### **DISPOSAL CONSIDERATIONS**

Dispose of in accordance with local, state and federal regulations. Trisodium Phosphate Dodecahydrate cas#:(10101-89-0) []

Waste treatment methods

Product: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging: Dispose of as unused product.

### 14 TRANSPORT INFORMATION

Not Regulated

15

### **REGULATORY INFORMATION**

[%] RQ (CAS#) Substance - Reg Codes

[--%] Trisodium Phosphate Dodecahydrate (10101-89-0)

[--%] Manganese (II) Acetate Tetrahydrate (6156-78-1)

[--%] Wood and wood dust (0) CAPROP65, PROP65

Regulatory Code Legend

CAPROP65 = California Prop 65

WARNING: This product can expose you to chemicals including wood dust which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

### OTHER INFORMATION

PREPARED BY: Brian Miller

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances.

Revision Date: 10/6/2021

16