

# CLOSTRIDIUM PERFRINGENS TYPES C & D - TETANUS TOXOID

## GoatVac C.D.-T<sup>®</sup>

### Indications:

This product has been shown to be effective for the vaccination of healthy cattle, sheep and goats against enterotoxemia caused by *Clostridium perfringens* Types B, C and D, and for the vaccination of healthy swine against *Clostridium perfringens* Type C.

This product has also been shown to be effective for the vaccination of healthy cattle, sheep, goats and swine against tetanus.

This product was licensed prior to the requirement to establish a minimum age for use. The duration of immunity is unknown. For more information regarding efficacy and safety data, see [productdata.aphis.usda.gov](http://productdata.aphis.usda.gov).

*Cl. perfringens* Type B is not a significant problem in North America.

In case of human exposure, contact a physician.  
Contains thimerosal as a preservative.



### Directions:

Do not vaccinate within 21 days before slaughter. Safety in pregnant animals is unknown. Shake well before use. Use entire contents when first opened. Store at 2° - 8°C. Do not freeze. Do not mix with other products.

### Precautions:

Anaphylactoid reaction may occur following administration of products of this nature. If noted, administer adrenalin or equivalent.

### Dosage and Administration:

Inject 2 ml subcutaneously or intramuscularly. Repeat full dose in 3 to 4 weeks. Historically, annual vaccination is recommended. Contact veterinarian for advice.

### Approved For Use On:

Goats

### Benefits:

- Safe for all ages
- USDA approved
- High efficacy against disease

### Packaging:

20 mL vials (10 doses), 10 vials per case,  
UPC# 7-45801-41302-3



GoatVac C.D.-T

Tel 800-821-5570 | Fax 816-224-3080 | [info@durvet.com](mailto:info@durvet.com)

111920