

# Calcium Gluconate

## 23% SOLUTION

### Dura-Ster TS

#### TERMINALLY STERILIZED

**NEW  
LOOK!**



#### Indications:

To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

#### For Use In:

Cattle

#### Active Ingredients:

Calcium Gluconate  
(provides 2.14 grams Calcium) ..... 23 grams

#### Inactive Ingredients:

Water for Injection ..... q.s.  
Boric Acid  
(as a stabilizing agent) ..... 3.5 grams  
Electrolytes per 1000 mL:  
Calcium ..... 1069 mEq  
Hypertonic pH 2.5-4.5

#### Dosage & Administration:

Cattle: 250 to 500 mL  
Administer intravenously or intraperitoneally.  
Solution should be warmed to body temperature and administered slowly. This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. It should be handled under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.

#### Packaging:

500 mL vial, 12 vials per case  
UPC# 7-45801-10246-0



**Calcium Gluconate**  
**23% Solution**

Tel 800-821-5570 | Fax 816-224-3080 | info@durvet.com

042921