
# INSTRUCTION MANUAL

AIR 55







- Firmly secure all bolts, screws and knobs before use.
- Reconfirm that all bolts, screws, and knobs are secure every 90 days.
- Fasten screws loosely during initial assembly. Do not fully tighten screws until the item is completely assembled.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Be aware that moving parts can injure, crush and cut.
- If any parts are missing, broken, damaged, or worn, stop using this product until repairs are made and/or factory replacement parts are installed.
- Do not use this item in a way inconsistent with the manufacturer's instructions as this could void the product warranty.

#### TOOLS REQUIRED









PHILLIPS SCREWDRIVER

DRILL (RECOMMENDED)

2PERSON ASSEMBLY


APPROXIMATELY 45MIN. ASSEMBLY


#### HARDWARE











## **PARTS**




















# **PARTS**












Attach Front panel Part A to Parts C,D,E by 6xP1 screws.




Attach back panel Part B by 6xP1 screws.




Slide in the tray Part F & G from left and right side.




Screw the roof Parts H,L to the house with the hinges by 8xP2 screws.




Complete the roof by screwing the latch 2xP3 by 8xP2 screws.



Rota the metal lamp holder firstly.



Screw it to the cage using the P4 by 2xP2 screws on the upper part; then screw the lower part P5 by 3xP2 screws.



o<sub>9</sub> Finish



#### WARNING

Manufacturer and seller expressly disclaim any and all liability for personal injury,property damage or loss,whether direct,indirect,or incidental,resulting from the incorrect attachment,improper use,inadequate miantenance,or neglect of this product.