

Arcon®

Arcon manufactures a full line of replacement bulbs, light fixtures, surge protectors, and a full range of electrical adapters, designed to assist you in powering your devices and illuminating your space safely and efficiently.



**POWER
& LIGHTING**

30A & 50A SURGE PROTECTORS

- Protects valuable downstream electronics and RV appliances
- Absorbs and diverts high voltage spikes and surges
- Has the highest surge absorption capacity (Joules rating) among portable RV surge protectors
- Detects and alerts of low voltage and improper wiring conditions
- Comes with multi lightning strike protection which diverts the strike energy to ground

30A 120V SURGE PROTECTOR

- Operating current: 30A
- Operating voltage: 120V
- Operating wattage: 3600W
- Frequency: 60Hz
- Plug/Receptacle type: TT-30P / TT-30R
- Low voltage detection: Appx. $\leq 106V$
- 3600 Joules of power suppression
- 3 Modes of protection: Hot, ground, & neutral
- 1 Year limited liability warranty

19658 30A 120V Surge Protector

50A 240V SURGE PROTECTOR

- Operating current: 50A
- Operating voltage: 240V (120V per line)
- Operating wattage: 12,000W
- Frequency: 60Hz
- Plug/Receptacle type: 14-50P / 14-50R
- Low voltage detection: Appx. $\leq 106V$ (per line)
- 7200 Joules of power suppression
- 4 Modes of protection: Hot L1, hot L2, ground, & neutral
- 1 Year limited liability warranty

19666 50A 240V Surge Protector



Tested to UL Specifications

PREMIUM SERIES PIGTAIL ADAPTERS

- Sturdy pull-handle is designed for easy retrieval
- Pull-handle lays flat against plug
- Outlet covers can be fully closed over plug during use
- High-visibility yellow
- Constructed of durable PVC with solid brass contacts

Premium Series FLAT WIRE PIGTAIL ADAPTERS

Flexible flat bonded 10/3 ga. wire. Packaged; Yellow/Black


14366	30A F-15A M, 12", not certified
14368	30A F-50A M, 18", not certified
14372	50A F-30A M, 18", not certified

Premium Series TEMPORARY PIGTAIL ADAPTERS


Packaged; Yellow/Black

14245	30A F-15A M, 9", not certified
14362C	15A F-30A M, 18", CSA
14365C	30A F-15A M, 18", CSA
14367C	30A F-50A M, 18", CSA
14371C	50A F-30A M, 18", CSA


Products with a cULus, CSA or cETLus designation are certified for sale in Canada.




14366




14372




14368




14245




14362C



14365C



14367C



14371C

**ECONOMY SERIES
PIGTAIL ADAPTERS**

- Made of durable PVC with solid brass contacts
- Black cord
- Bulk packaged
- Easy grip on both ends
- Manufactured of flexible flat bonded 10/3 gauge wire

**Economy Series
FLAT WIRE PIGTAIL ADAPTERS**

Bulk; Black

- | | |
|-------|---------------------------------|
| 14243 | 30A F-50A M, 18", not certified |
| 14244 | 50A F-30A M, 18", not certified |
| 14246 | 30A F-15A M, 12", not certified |

**Economy Series
TEMPORARY PIGTAIL ADAPTERS**

Bulk; Black


- | | |
|--------|--------------------------------|
| 14239C | 15A F-30A M, 18", CSA |
| 14240C | 30A F-15A M, 18", CSA |
| 14241C | 30A F-50A M, 18", CSA |
| 14242C | 50A F-30A M, 18", CSA |
| 14370 | 30A F-15A M, 9", not certified |

Products with a cULus, CSA or cETLus designation are certified for sale in Canada.





30A RV TWIST LOCK ADAPTER
14398 L5-30 x 30A Adapter, cULus




30A RV TWIST LOCK ADAPTER
11827 L5-30 x 5-20 Adapter, not certified



30A EASY GRIP ROUND ADAPTER
Made of durable UV protected PVC with solid brass contacts. Bulk.
14018C 30A F-50A M, CSA



50A EASY GRIP ROUND ADAPTER
Made of durable UV protected PVC with solid brass contacts. Bulk.
14014C 50A F-30A M, CSA



30A DUAL TWIST LOCK ADAPTER
• Green LED indicates power
11828 L5-30 M - (2) 5-20 F, not certified



125V 15A TEMPORARY ADAPTER
RV round plug. Easy grip handle.
14058C 15A F-30A M, CSA Bulk



125V 30A TEMPORARY ADAPTER
RV round plug. Easy grip handle.
13218 30A F-15A M, CSA Cd/1
13333 30A F-15A M, CSA Bulk



125V 15A TEMPORARY ADAPTER
Triangular adapter.
14053C 15A F-30A M, CSA
14054C 15A F-30A M, CSA Bulk



125V 30A TEMPORARY ADAPTER
Triangular adapter.
13993 30A F-15A M, CSA Cd/1
13995 30A F-15A M, CSA Bulk



30A 90° TEMPORARY ADAPTER
90 degree angle RV plug.
14081C 30A F-15A M, CSA
14082C 30A F-15A M, CSA Bulk



REPLACEMENT RECEPTACLE & PLUG WITH FOLDING HANDLES 30A

- Used for creating custom extension cords and adapters
- Yellow grasp handles allow for easier plug removal and night visibility
- Constructed of high impact plastic and solid brass contacts

18203 30A Male Cord End, cULus
18206 30A Female Cord End, cULus




50A


- Used for creating custom extension cords and adapters
- Yellow grasp handles allow for easier plug removal and night visibility
- Constructed of high impact plastic and solid brass contacts
- cETLus approved

19186 50A Male Cord End, cETLus
19194 50A Female Cord End, cETLus

Products with a cULus, CSA or cETLus designation are certified for sale in Canada.



11535



11534

**PREMIUM SERIES
EXTENSION CORDS**

- Sturdy pull-handle is designed for easy retrieval
- Pull-handle lays flat against plug
- Outlet covers can be fully closed over plug during use
- High-visibility yellow
- Constructed of durable PVC with solid brass contacts

11533	Premium 30A, 25ft. w/handle, cULus
11534	Premium 30A, 50ft. w/handle, cULus
11535	Premium 50A, 30ft. w/handle, cULus




14247


STRIPPED POWER CORDS

Feature molded male plug on one end and stripped other end

14247	30A M-Stripped, 25ft., cULus
14250	50A M-Stripped, 25 ft., cULus



14248




14251

EXTENSION CORDS

Feature molded male plug on one end and molded female plug on the other

14248	30A, 25ft., cULus
14249	30A, 50ft., cULus
14251	50A, 30ft., CSA



14369



**PREMIUM SERIES
STRIPPED 18" PIGTAILS**

- Made of durable PVC with pull-handle
- Solid brass contacts

14363	30A F-Stripped, 18", cULus
14369	30A M-Stripped, 18", cULus



14237



STRIPPED 18" PIGTAILS

- Made of durable PVC
- Solid brass contacts

14237	30A F-Stripped, 18", cULus
14238	30A M-Stripped, 18", cULus

BATTERY BOXES

Heavy-duty "strap-style" battery boxes are vented and made of lightweight, high-strength polypropylene to withstand impact and battery acid. Our battery boxes meet USCG specs. Each box comes complete with lid, strap and mounting brackets. Available in 3 popular sizes.

- 13034 Group 24 Battery Box
11.5"L x 8"W x 8.5"H
- 13035 Group 27 Battery Box
14"L x 8"W x 8.5"H
- 13228 Group GC-2 Battery Box
11.5"L x 8"W x 9.5"H



BATTERY HOLD-DOWN STRAPS

Straps include a woven polypropylene strap with firm grip buckle plus a hardware kit of two polypropylene tie-down brackets and stainless steel screws.


- 12024 42" Strap Kit
- 11796 54" Strap Kit



GENERATOR ADAPTER

Enables you to connect a 30A 120V RV extension cord to your generator's twist-lock L5-30 power receptacle.


- 14977 L5-30 M - TT-30 F, 12", cULus



GENERATOR POWER BLOCK

- Adapts one 5-15 plug to three lighted 5-15 receptacles
- Lighted ends confirm power


- 17360 5-15 M - (3) 5-15 F, cULus



MULTI-MAX ADAPTER KIT

- Two 17" 30A cords attached to one 6" 50A cord
- Uses two 120V/30A circuits to provide 240V/50A of service
- Use the included 30A-15A adapter and one leg of your Multi-Max to hook your 50A RV service cord to the 120V outlet at your home


- 17341 Multi-Max Adapter, not certified



GENERATOR Y-ADAPTER

Adapts twist-lock L5-30 120V/30A plug to two lighted 5-20 receptacles

- 17361 L5-30 M - (2) 5-20 F, not certified



GENERATOR Y-ADAPTER

Adapts one 125/250 volt L14-30 twist-lock to two lighted 5-20 receptacles.

- 17362 L14-30 M - (2) 5-20 F, not certified


UNIVERSAL PORCH/UTILITY LIGHTS

- Illuminate the surrounding area to improve security and visibility
- Surface mount lights with an optional rocker switch for power
- Black or white base with clear or amber snap-in lens
- Rectangular lights use replacement bulb #1003 and are 5.75" L x 3.5" W
- Oval shaped lights use replacement bulb #1141 and are 6.4" L x 4.2" W
- Replacement Lens Dimensions: 5.25" L x 2.5" W

PART#	LED/INCANDESCENT	BASE COLOR	LENS COLOR	SWITCH	LIGHT EMISSION
RECTANGULAR LIGHTS					
20672	LED	White	Clear	No	Bright White
20673	LED	White	Clear	Yes	Bright White
20674	LED	White	Amber	No	Bright White
20675	LED	White	Amber	Yes	Bright White
20676	LED	Black	Clear	No	Bright White
20677	LED	Black	Clear	Yes	Bright White
18109	Incandescent	White	Amber	No	—
18111	Incandescent	White	Amber	Yes	—
18102	Incandescent	White	Clear	No	—
18104	Incandescent	White	Clear	Yes	—
51309	Incandescent	Black	Clear	No	—
51308	Incandescent	Black	Clear	Yes	—
OVAL LIGHTS					
20678	LED	White	Clear	No	Bright White
20679	LED	White	Clear	Yes	Bright White
20680	LED	Black	Clear	No	Bright White
20681	LED	Black	Clear	Yes	Bright White
51251	Incandescent	White	Clear	No	—
51252	Incandescent	White	Clear	Yes	—

Replacement Lenses:

- 18107 Rectangular Lens, Amber
- 18106 Rectangular Lens, Clear
- 51299 Oval Lens, Clear



20674



20677



20675



20679



20678



20681

Limited 1 year warranty on light fixtures

SCARE/PORCH LIGHTS

- Lens design provides enhanced security lighting
- Durable white stainless steel housing with clear acrylic lens
- LED scare light features cost-efficient 18 LED configuration and produces 2.7 W/215 lumens

16193 Incandescent Scare Light w/Clear Lens
10705 Incandescent Scare Light w/Clear Lens, Bulk
20761 LED Scare Light w/Clear Lens



16193

DIMMABLE LED EURO-STYLE LIGHTS

- Offer a sleek single or double design
- Sliding switch adds convenience of light output control
- Features on/dim/off settings
- Uses replacement bulb #1141
- Single light dimensions: 8" x 4.75", requires mounting screws (not included)
- Double Light dimensions: 11" x 4.75" requires mounting screws (not included)

Single Light:

51265 Bright White, White Lens
51266 Bright White, Optic Lens

Double Light:

51267 Bright White, White Lens
51268 Bright White, Optic Lens



51265



51267

Limited 1 year warranty on light fixtures

EURO-STYLE LIGHTS

- Offer a sleek single or double design
- Colonial or white base with squeeze-to-remove white or optic lens
- Single lights offer a 2-position switch (off/on)
- Double lights offer 3-position switch (off/1 light/2 light)
- Uses replacement bulb #1141
- Single light dimensions: 8" x 4.75" (requires 4 mounting screws not included)
- Double Light dimensions: 11" x 4.75" (requires 6 mounting screws not included)



PART#	LED/INCANDESCENT	BASE COLOR	LENS COLOR	LIGHT EMISSION
SINGLE LIGHTS				
20669	LED	White	Optic	Bright White
20725	LED	White	White	Bright White
20711	LED	White	Optic	Soft White
20713	LED	White	White	Soft White
18122	Incandescent	White	Optic	—
18121	Incandescent	White	White	—
DOUBLE LIGHTS				
20670	LED	White	Optic	Bright White
20726	LED	White	White	Bright White
20712	LED	White	Optic	Soft White
20714	LED	White	White	Soft White
18124	Incandescent	White	Optic	—
18123	Incandescent	White	White	—
18015	Incandescent	Colonial White	Optic	—
17926	Incandescent	Colonial White	White	—

Replacement Lenses:

- 18017 Optic
- 18016 White
- 11587 Clear

ECONOMY LIGHTS

- Low profile interior lights are economical, energy-efficient, and provide bright light
- Easy to clean, snap-out lens offered in clear or optic
- Single lights offer a 2-position switch (off/on) and use replacement bulb #1016
- Double lights offer 3-position switch (off/1 light/2 light) and use replacement bulb #1141
- Single light dimensions: 6.25" x 5.5" x 1-5/8" (requires 4 mounting screws not included)
- Double light dimensions: 11.5 x 5.5 x 1-5/8" (requires 6 mounting screws not included)

PART#	LED/INCANDESCENT	BASE COLOR	LENS COLOR	LIGHT EMISSION
SINGLE LIGHTS				
11824	Incandescent	White	Optic	—
14655	Incandescent	White	White	—
20667	LED	White	Clear	Bright White
20715	LED	White	Clear	Soft White
DOUBLE LIGHTS				
11825	Incandescent	White	Optic	—
14656	Incandescent	White	White	—
20668	LED	White	Clear	Bright White
20716	LED	White	Clear	Soft White

Replacement Lenses:

- 11826 Optic
- 18530 White
- 14813 White, Bulk

LED lights offer longer lasting, energy-efficient lighting and produce better light quality with low heat output

Illuminate your space with efficient and effective lighting solutions. Available in incandescent and bright and soft white LED options, Arcon® bulbs replace standard industry bulb sizes. LED bulbs are more energy efficient, produce less heat output, and last longer than incandescent options. Find the full selection of replacement bulbs on our website.

BULB	PART#	LED/INCANDESCENT	LIGHT EMISSION	QUANTITY	AMPS	WATTS
#53						
	16751	Incandescent	—	2	0.12	1.4
	16750	Incandescent	—	10	0.12	1.4
#57						
	16753	Incandescent	—	2	0.24	2.9
	16752	Incandescent	—	10	0.24	2.9
#67						
	16755	Incandescent	—	2	0.59	7.1
	16754	Incandescent	—	10	0.59	7.1
#71						
	11971	Incandescent	—	2	0.8	10.0
#93						
	16760	Incandescent	—	2	1.04	12.5
	50429	LED	Soft White	1	1.04	13.3
	50430	LED	Soft White	6	1.04	13.3
#94						
	16761	Incandescent	—	2	1.04	12.0
#193						
	15753	Incandescent	—	2	0.33	4.6
#194						
	16800	Incandescent	—	2	0.27	3.2
	16762	Incandescent	—	10	0.27	3.2
	50557	LED	Bright White	1	0.065	0.8
	50558	LED	Bright White	6	0.065	0.8
#211						
	16763	Incandescent	—	2	0.68	8.2
	50664	LED	Soft White	1	0.68	8.2
#211-2						
	16764	Incandescent	—	2	0.68	8.2
	50687	LED	Soft White	1	0.028	0.4
#212-2						
	16793	Incandescent	—	2	0.57	6.8
	50702	LED	Soft White	1	0.028	0.4
#906						
	16765	Incandescent	—	2	0.69	8.3
	15754	Incandescent	—	10	0.69	8.3
#912						
	16801	Incandescent	—	2	1	12.0
	15755	Incandescent	—	10	1	12.0
	50610	LED	Soft White	1	0.065	0.8
#921						
	16802	Incandescent	—	2	1.4	16.8
	16794	Incandescent	—	10	1.4	16.8
	50567	LED	Bright White	1	0.095	1.2
	51274	LED	Bright White	6	0.095	1.2
	50564	LED	Soft White	1	0.095	1.2
	51273	LED	Soft White	6	0.095	1.2





11971



16763



16778



50664



50429



50829



50474



50567



50524



50568



50610




52231

BULB	PART#	LED/INCANDESCENT	LIGHT EMISSION	QUANTITY	AMPS	WATTS
#922						
	16795	Incandescent	—	2	0.98	11.8
	50568	LED	Soft White	1	0.065	0.8
#JC20						
	50784	Halogen	—	2	0.6	7.7
#JC10W						
	16747	Halogen	—	2	0.84	10.0
#1003						
	16768	Incandescent	—	2	0.94	11.3
	16766	Incandescent	—	10	0.94	11.3
	50435	LED	Bright White	1	0.16	2.0
	50436	LED	Bright White	6	0.16	2.0
	50455	LED	Soft White	1	0.16	2.0
	50458	LED	Soft White	6	0.16	2.0
#1004						
	16769	Incandescent	—	2	0.94	11.3
	50474	LED	Soft White	1	0.16	2.0
	50475	LED	Soft White	6	0.16	2.0
#1016						
	16770	Incandescent	—	2	1.34	16.1
	50725	LED	Bright White	1	0.25	3.2
	50773	LED	Soft White	1	0.25	3.2
#1073						
	16772	Incandescent	—	2	1.8	21.6
	50398	LED	Bright White	1	0.25	3.2
	50407	LED	Bright White	6	0.25	3.2
#1076						
	16774	Incandescent	—	2	1.8	21.6
	16773	Incandescent	—	10	1.8	21.6
	50492	LED	Soft White	1	0.25	3.2
	50493	LED	Soft White	6	0.25	3.2
#1139-IF (Inside frosted)						
	16775	Incandescent	—	2	1.04	12.5
#1141						
	16777	Incandescent	—	2	1.44	17.3
	16776	Incandescent	—	10	1.44	17.3
	50368	24 LED	Bright White	1	0.25	3.2
	50380	24 LED	Bright White	6	0.25	3.2
	50367	24 LED	Soft White	1	0.25	3.2
	50377	24 LED	Soft White	6	0.25	3.2
	50373	18 LED	Bright White	1	0.19	2.4
	50386	18 LED	Bright White	6	0.19	2.4
	50369	18 LED	Soft White	1	0.19	2.4
	50385	18 LED	Soft White	6	0.19	2.4
	52231	LED-Rotatable	Bright White	1	1.4	17.9
	52230	LED-Rotatable	Soft White	1	1.4	17.9
#1141-IF (Inside frosted)						
	16778	Incandescent	—	2	1.44	17.3
#1142						
	16779	Incandescent	—	2	1.44	17.3

BULB	PART#	LED/INCANDESCENT	LIGHT EMISSION	QUANTITY	AMPS	WATTS
#1156						
	16783	Incandescent	—	2	2.1	25.2
	16782	Incandescent	—	10	2.1	25.2
	50387	24 LED	Bright White	1	0.25	3.2
	50392	24 LED	Bright White	6	0.25	3.2
#1157						
	16785	Incandescent	—	2	2.1	25.2
	16784	Incandescent	—	10	2.1	25.2
	50509	LED	Bright White	1	0.25	3.2
	50510	LED	Bright White	6	0.25	3.2
#1383						
	16788	Incandescent	—	2	1.54	18.5
	15758	Incandescent	—	10	1.54	18.5
	50524	LED	Soft White	1	0.417	5.3
#1895						
	16792	Incandescent	—	2	0.27	3.2
	16791	Incandescent	—	10	0.27	3.2
#2099						
	50829	LED	Soft White	1	0.25	3.2
#3157						
	16798	Incandescent	—	2	2.1	25.2

Dome Light

50363 Dome Light 24 LED Kit BW 12V 0.158 Amps, 1.9 Watts



Emergency Bulb Kit

Includes: 13 bulbs: (3 - #57 clearance bulbs, 1 - #67 license/courtesy bulb, 2 - #194 clearance bulbs, 1 - #906 interior/porch bulb, 2 - #1003 interior/porch bulbs, 2 - #1141 taillight/interior bulbs, 2 - #1157 taillight/interior bulbs.)

16796 Emergency Bulb Kit

Late Model Emergency Bulb Kit

Includes: 14 bulbs: (1 - #194, 1 - #912, 2 - #921, 2 - #1003, 1 - #1076, 2 - #1141, 1 - #1157, 2 - #3157, 2 - #JC10W.)


51270 Late Model Emergency Bulb Kit



16796

FLUORESCENT LIGHT

- Available in 16 watt
- Sleek Euro style design
- Surface mount for easy installation
- Features on/off rocker switch



16 watt is 16 7/8" L x 4 3/8" W; 1 3/8" H, uses two 8-Watt, 12" F8T5/CW fluorescent tubes. Draws only 1.8 total amps
13812 Crd/1

REPLACEMENT BULBS




16749 8W, 12" Tubes, F8T5/CW Pkg/2

SOFT WHITE LED REPLACEMENTS FOR FLUORESCENT TUBES



50708 12" Replacement for F8T5/CW; 30 LED 4.1W, Pkg/1 #T5-12-SW-1 10



50713 18" Replacement for F15T8/CW; 54 LED, 7.5W, Pkg/1 #T8-18-SW-1 10

