

SKU# WIOEZCKCP

contents/description



- Easy assembly
- Houses up to 18 chickens
- Featuring:
 - 2 Screened windows
 - 5 Nesting boxes
 - 2 Vents
 - 3 Roosts
 - Dutch-style access door
- Size: 74" L. x 60" W. 90" H.
- Sits off the ground
- Built by Amish-trained craftsmen
- One Year Warranty (3-years with registration)


Walk-in OverEZ

Chicken Coop

Instruction Manual



Please help us spread the word by leaving a review at: www.OverEZchickencoop.com



Please note: Actual product may differ slightly from instructional illustrations.



sten ONC

Place FLOOR in desired location.

Important: Floor must be level in both directions.

Find the bag with drill bits, keys, and touch up paint (to repair any mars on pre-painted surfaces).



step **two**

Place BACK WALL (A), making sure wall is tight against floor and ends of wall line up with marks provided on floor.

Drive 4 pre-started screws on the bottom.



step three

Attach top section of BACK WALL to the lower portion of the BACK WALL (A) using 4 pre-started screws.



step four

Place CHICKEN DOOR GABLE WALL (B)

Siding from BACK WALL will slide into cavity provided. Make sure wall is tight against floor.

Drive 3 pre-started screws on corners, then drive 4 pre-started screws into floor.




step five

Place FRONT WALL (C) making sure wall is tight against lower support wall.

Siding will slide into cavity in Chicken Door Gable Wall. Secure with 3 pre-started screws.

Attach top section of Front Wall to lower section using 4 prestarted screws.



step SIX

Install MAN DOOR GABLE WALL (D).

Siding from BACK WALL and FRONT WALL will slide into cavities provided.

Make sure wall is tight against floor.

Drive 3 pre-started screws on corners, then drive 4 pre-started screws into floor.



step Seven

Install ROOF PIECE (E).

(When viewing coop from back, E is placed on left half of roof.)

Lower front edge of ROOF PIECE (E) onto FRONT WALL first, then lower back edge onto BACK WALL.

Drive the 6 pre-started screws that are in the top of the wall into the roof panel.



step eight

Install ROOF PIECE (F).

(When viewing coop from back, ROOF PIECE (F) is placed on right half.)

Lower front edge of ROOF PIECE (F) onto FRONT WALL first, then lower back edge onto BACK WALL.

Important: ROOF PIECE (F) overlaps ROOF PIECE (E) at the center of the coop.

Drive the 6 pre-started screws that are in the top of the wall into the roof panel. Screw the 2 pre-started screws into the roof panel (E).

Please note: Actual product may differ slightly from instructional illustrations.



step **Nine**

Put black screw in bottom hinge of chicken door.

Drop ROOST BARS into slots provided on inside of gable walls.

Hook CHICKEN RAMP at bottom of chicken door.



step ten

Attach screen door to right side of door frame using the 4 predrilled holes.

NOTE: To loosen or tighten any door latches, use supplied allen wrench. Loosen small screw on inside of latch with allen wrench, moving the latch in or out. Tighten screw and test.



