



2'x2'

1'x4'

2'x4'

Surface Mount / Flush Mount LED Flat Panels



Applications:

- 3 Sizes- 1' x 4', 2' x 2', 2' x 4'
- Flush Mount, Surface Mount or Drop Ceiling
- Use in your- Entryway, Kitchen, Bathroom, Living Room, Hallway & Bar


Product Information:

- Internal flicker-free triac-dimmable driver
- 5CCT Kelvin Selectable Switch
- Compatible with Most Triac Wall Dimmers On the Market
- Only 1" Thick in Size





Aluminum Trim




CCT Switch










Slide Bracket Lock




Included Hardware



Mounting Bracket

-  3 Kelvin Selectable
-  40 Watt
-  4000 Lumens
-  Triac Dimmable
-  Integrated LED
-  IP20 Rated
-  120V

RETAIL READY STAND OUT PACKAGING



Packaging subject to size change based on product size



1" X 4" SURFACE MOUNT PANEL

NW-SM-1X4-40W-3CT-UV-2P

LUMENS	4,000
WATTAGE	40W
VOLTAGE	120/277V
TRIM	WH- White
COLOR TEMP	30/40/50K
BEAM ANGLE	120°
LIFE HOURS	50,000
CRI	80
DIMMABLE	0-10V Commercial Dimmer

2" X 2" SURFACE MOUNT PANEL

NW-SM-2X2-40W-3CT-UV

LUMENS	4,000
WATTAGE	40W
VOLTAGE	120/277V
TRIM	WH- White
COLOR TEMP	30/40/50K
BEAM ANGLE	120°
LIFE HOURS	50,000
CRI	80
DIMMABLE	0-10V Commercial Dimmer

2" X 4" SURFACE MOUNT PANEL

NW-SM-2X4-3CT-50W-UV

LUMENS	5,000
WATTAGE	50W
VOLTAGE	120V
TRIM	WH- White
COLOR TEMP	30/40/50K
BEAM ANGLE	120°
LIFE HOURS	50,000
CRI	80
DIMMABLE	0-10V Commercial Dimmer

