

D C ELITE ENERGY



DESCRIPTION

The DK2 OPC503EV-K 3-Inch 57.6V Battery Powered Disk Chipper Shredder is the ultimate tool for efficient and effective yard work. With an EV motor and advanced LiFePO4 technology, this machine is designed to handle even the toughest yard waste with ease. Whether you're chipping branches, shredding leaves, or converting brush into mulch, the DK2 3-Inch 57.6V Liion Powered Disk Chipper Shredder will make quick work of the task. With its compact size and user-friendly design, it's easy to maneuver and operate, making it the perfect tool for homeowners and landscapers alike.

SPECIFICATION

BATTERY	57.6V Max, 1024Wh, 20Ah LiFePO4	
MOTOR	2,000Wh 3,500 RPM cordless brushless EV motor	
TORQUE	4.1 ft/lb (5.5 Nm) rated 18.4 ft/lb (25 Nm) peak	
CHARGER	120V AC/DC 200W	
WHEELS & TIRES	ATV-locking 145/70-6 Ø13.75" (Ø34.9 cm) O.D. x 5.25" (13.3 cm)	
WHEELBASE	28" (71.1 cm)	
CHIPPING CAPACITY	Ø3" (Ø7.6 cm) (side feed chute) Ø3/8" (Ø0.95 cm) (top-loading hopper)	DKI
CUTTERS	Double edge chipper blades and quad hammer shredders	
CHIPPER SHREDDER	Leaves, brush, garden compost	
EXPULSION CHUTE	Adjustable	
COUPLER	2" (5.08 cm)	
DIMENSIONS	87.4" (L) x 41.7" (W) x 58.7" (H) 222 cm (L) x 106 cm (W) x 149.1 cm (H)	
WEIGHT	210.5 lb (95.5 kg)	
SHIPPING DIMENSIONS	44.5" (L) x 24" (W) x 21.7" (H) 113 cm (L) x 61 cm (W) x 55.1 cm (H)	
SHIPPING WEIGHT	220.5 lb (100 kg)	
WARRANTY	1-year limited	

3-INCH 57.6V **BATTERY POWERED DISK CHIPPER** SHREDDER

ITEM NUMBER

OPC503EV-K

27

UPC

827518009130

- Powered by a 57.6V, 1,024W<u>h</u>, 20Ah, LiFePO4 lithium-ion battery
- Equipped with a 3,500 RPM EV motor
- Comes with 120V AC/DC 200W charger
- Chipper shredder with double edge chip and quad hammer shredders
- Chips through trees up to Ø3" (Ø7.6 cm) through the side feed chute and brush up to Ø3/8" (Ø0.95 cm) through the top-loading hopper
- Extra large feed chutes
- Drop_stand and handy removable tow bar 3
- 145/70-6 Ø13.75" (Ø34.9 cm) O.D. x 5.25" (13.3 cm) tires on ATV-locking wheels with a 28" (71.1 cm) wheelbase
- Includes 1-year limited DK2 warranty
- OFF-ROAD ONLY AND MAX SPEED 15MPH (24KM/H)

D C ELITE ENERGY



DESCRIPTION

Introducing the DK2 OPS220EV-K 57.6V Battery Powered Hydraulic Log Splitter, the ultimate tool for splitting logs with ease. This powerful machine is equipped with an EV motor and advanced LiFePO4 technology, ensuring that it's both durable and efficient. With a 20-ton split force, it can handle even the toughest logs with ease, and the hydraulic system ensures that you can split logs quickly and easily. Whether you're a professional logger or just someone who needs to split a few logs for the fireplace, this log splitter is the perfect tool for the job.

SPECIFICATION

BATTERY	57.6V Max, 1024Wh, 20Ah LiFePO4
MOTOR	2,000Wh 3,500 RPM cordless brushless EV motor
TORQUE	4.1 ft/lb (5.5 Nm) rated 18.4 ft/lb (25 Nm) peak
CHARGER	120V AC/DC 200W
WHEELS & TIRES	10" (25.4 cm) pneumatic
SPLITTING CAPACITY	Ø16" (Ø40.6 cm) x 20.5" (52.1 cm)
WEDGE	Solid heat-treated steel
TYPE OF HYDRAULIC OIL	AW32/AW46
VALVE	Auto-retract with adjustable detent
DIMENSIONS	47.2" (L) x 35" (W) x 30.7" (H) 120 cm (L) x 88.9 cm (W) x 78 cm (H)
WEIGHT	177.4 lb (80.5 kg)
SHIPPING DIMENSIONS	35.8" (L) x 23.6" (W) x 19.1" (H) 91 cm (L) x 59.9 cm (W) x 48.5 cm (H)
SHIPPING WEIGHT	187.4 lb (85 kg)
WARRANTY	1-year limited

20-TON 57.6V BATTERY POWERED HYDRAULIC LOG SPLITTER

ITEM NUMBER

OPS220EV-K

UPC

827518009000

- Powered by a 57.6V, 1,024W<u>h</u>, 20Ah, LiFePO4 lithium-ion battery
- Equipped with a 3,500 RPM EV motor
- Comes with 120V AC/DC 200W charger
- 10" (25.4 cm) pneumatic tires 2
- Solid heat-treated steel wedge 3
 - Steel plunger beam with autoretracting valve capable of splitting logs at Ø16" (Ø40.6 cm) in diameter and 20.5" (52.1 cm) in length ④
 - Includes 1-year limited DK2 warranty

D ELITE ENERGY



DESCRIPTION

The DK2 OPB480EV-K 1,271 CFM 57.6V Battery Powered Walk-Behind Leaf Blower is the ultimate solution for tackling even the toughest leaf blowing jobs. With a powerful EV motor and advanced LiFePO4 technology, this walk-behind leaf blower can move up to 150 miles per hour and deliver 1,271 cubic feet per minute of air volume. That means you can clear large areas quickly and efficiently, without having to stop and recharge your battery. Whether you're a professional landscaper or a homeowner who takes pride

in their yard, the DK2 OPB480EV-K is the perfect tool for keeping your outdoor spaces looking clean and tidy.



SPECIFICATION

BATTERY	57.6V Max, 1024Wh, 20Ah LiFePO4	
MOTOR	2,000Wh 3,500 RPM cordless brushless EV motor	
TORQUE	4.1 ft/lb (5.5 Nm) rated 18.4 ft/lb (25 Nm) peak	3
CHARGER	120V AC/DC 200W	
MAX AIR FLOW	150 mph (241.4 km/h)	
SPEED	215 ft/sec (65.5 m/sec)	EK DEL
AIR VOLUME (CFM)	1,271 ft ³ /min (36 m ³ /min)	
DIMENSIONS	44.9" (L) x 43.3" (W) x 48" (H) 114 cm (L) x 110 cm (W) x 121.9 cm (H)	
WEIGHT	157.6 lb (71.5 kg)	
SHIPPING DIMENSIONS	26.4" (L) x 24" (W) x 22.1" (H) 67.1 cm (L) x 61 cm (W) x 56.1 cm (H)	$ \wedge $
SHIPPING WEIGHT	167.6 lb (76 kg)	9
WARRANTY	1-year limited	

1271 CFM 57.6V BATTERY POWERED WALK-BEHIND LEAF BLOWER

ITEM NUMBER

OPB480EV-K

UPC

827518009260

- Powered by a 57.6V, 1,024W<u>h</u>, 20Ah, LiFePO4 lithium-ion battery **1**
- Equipped with a 3,500 RPM EV motor
- Comes with 120V AC/DC 200W charger
- Scrolled housing for efficient air flow production at 215 ft/sec (65.5 m/sec) that blows up to 1,271 ft³/min (36 m³/ min) 2
- · Adjustable outlet air deflector for added directional control while blowing leaves, brush, or yard debris at 150 mph (241.1 km/h) 🗿
- Front trolley wheel for easy mobility direction 4
- Ergonomic handle for optimal walkbehind control 5
- Includes 1-year limited DK2 warranty

ELITE ENERGY



DESCRIPTION

The DK2 OPW480EV-K 2,200 PSI 57.6V Battery Powered Pressure Washer is the ultimate tool for cleaning your outdoor spaces. With an EV motor and advanced LiFePO4 technology, this pressure washer delivers the power you need to blast away dirt, grime, and even stubborn stains. It's perfect for cleaning decks, patios, sidewalks, driveways, and more. And with a 2,200 PSI rating, it's powerful enough to tackle even the toughest jobs. So whether you're a homeowner or a professional cleaner, the DK2 OPW480EV-K is the pressure washer you need to get the job done right.

SPECIFICATION

of Eon IoAno		and the second s
BATTERY	57.6V Max, 1024Wh, 20Ah LiFePO4	
MOTOR	2,000Wh 3,500 RPM cordless brushless EV motor	
TORQUE	4.1 ft/lb (5.5 Nm) rated 18.4 ft/lb (25 Nm) peak	e 🚺
CHARGER	120V AC/DC 200W	
PUMP	3-piston axial cam	
MAX PRESSURE	2,200 PSI (150 Bar)	
FLOW RATE	2.4 GPM (9 LPM)	3
DIMENSIONS	29.5" (L) x 31.5" (W) x 41.3" (H) 74.9 cm (L) x 80 cm (W) x 104.9 cm (H)	
WEIGHT	104.6 lb (47.4 kg)	
SHIPPING DIMENSIONS	26.8" (L) x 22.1" (W) x 18.5" (H) 68.1 cm (L) x 56.1 cm (W) x 47 cm (H)	
SHIPPING WEIGHT	114.6 lb (52 kg)	
WARRANTY	1-year limited	DKILZ200

2,200 PSI 2.4 GPM 57.6V **BATTERY POWERED PRESSURE WASHER**

ITEM NUMBER

OPW480EV-K

UPC

827518009284

- Powered by a 57.6V, 1,024W<u>h</u>, 20Ah, LiFePO4 lithium-ion battery
- Equipped with a 3,500 RPM EV motor
- Comes with 120V AC/DC 200W charger
- 3-piston axial cam pump creates max pressure of 2,200 PSI (150 Bar) and a flow rate of 2.4 GPM (9 LPM)
- 25-foot pressure hose
- Metal lance and gun
- 3 different spray nozzles for various applications
- Never flat tires
- Comfortable padded handle for easy mobility 3
- Pressure hose rack and spray nozzle storage slots all in one convenient location below the mobility handle ④
- Self-priming attachment to pump from alternative water sources
- Includes 1-year limited DK2 warranty





DESCRIPTION

Boasting a voltage of 57.6V, 20Ah capacity, and 1,024Wh energy output. The ELITE ENERGY™ LiFePO4 Battery offers long-lasting power with a lifespan of 3,000 cycles at 80% charge capacity. Designed for safety, it exhibits superior thermal and chemical stability, making it immune to outgassing, fumes, leaks, and suitable for various environments. Environmentally friendly, the LiFePO4 battery is free from heavy metals, rare earth elements, and toxic materials.

SPECIFICATION

SI LOII ICAI		
VOLTAGE	51.2V (nominal), 57.6V (max)	
BATTERY CAPACITY	1024Wh, 20Ah	
BATTERY TYPE	LiFePO4	
EXPANSION PORT	1 x expansion output	
USB-A OUTPUT	1 x 5V, 2.4A	2 <u></u> (0)
USB-C OUTPUT	1 x 65W PD	
CHARGING TEMP	32°F - 122°F (0°C - 50°C)	
OPERATING TEMP	-40°F - 131°F (-20°C - 55°C)	
STORAGE TEMP	-40°F - 122°F (-20°C - 50°C)	
DIMENSIONS	12.4" (L) x 7.9" (W) x 7.9" (H) 31.5 cm (L) x 20 cm (W) x 20 cm (H)	
WEIGHT	21 lb (9.5 kg)	
SHIPPING DIMENSIONS	15.4" (L) x 10" (W) x 10.4" (H) 39.1 cm (L) x 25.4 cm (W) x 26.4 cm (H)	
SHIPPING WEIGHT	26 lb (11.8 kg)	
WARRANTY	1-year limited	N. married

57.6V, 1024Wh, 20Ah LiFePO4 BATTERY

ITEM NUMBER

OPE100

31

UPC

827518009291

FEATURES

- 57.6V, 1024Wh, 20Ah LiFePO4 battery
- FCC Certified

- Recyclable, renewable, and contains no heavy or rare earth metals_
- Convenient carrying handle
- Easy-push power button with battery level indicator
- Includes cables with easy-unplug lever
- Can connect with the ELITE ENERGY[™] OPECHF 2000W Power Console for 50-minute fast charging capability
- Includes 1-year limited DK2 warranty



2000W POWER CONSOLE

=EATURES



DESCRIPTION

The ELITE ENERGY[™] Power Console is a high-performance and versatile power solution designed to meet your energy needs. With its powerful 2000W output, it delivers reliable and efficient power for your devices and equipment. It is both ETL and FCC certified, ensuring safety and quality. Constructed with recyclable and renewable materials, this console is environmentally conscious and built to last. Its portable design with a carrying handle allows you to take it wherever you go. The console is equipped with an LED light with various settings, and toggles for AC, DC, USB, and wireless charging power providing versatile charging options for different devices. The console also allows for battery expansion with the capability of connecting 3 ELITE ENERGY[™] LiFePO4 batteries.

SPECIFICATION

AC INPUT	AC 120V, 60Hz, 15A, 2000W max	
AC OUTPUT	2 x AC output ports, 120V, 60Hz, 2000W, Peak 3800W	0
DC INPUT	1 x XT60 charging port, 10V - 58.4V, 300W max MPPT, for solar or car charging	
DC OUTPUT	1 x 12V, 10A	
USB-A OUTPUT	1 x 18W QC3.0, 2 x 5V, 2.4A	
USB-C OUTPUT	1 x 100W PD, 2 x 5V, 2.4A	2
WIRELESS CHARGING PAD	1 x 15W max	
CHARGING TEMP	32°F - 122°F (0°C - 50°C)	
OPERATING TEMP	-40°F - 131°F (-20°C - 55°C)	
STORAGE TEMP	-40°F - 122°F (-20°C - 50°C)	3
DIMENSIONS	12.4" (L) x 7.9" (W) x 6.5" (H) 31.5 cm (L) x 20 cm (W) x 16.5 cm (H)	
WEIGHT	7.7 lb (3.5 kg)	
SHIPPING DIMENSIONS	15.4" (L) x 10" (W) x 9" (H) 39.1 cm (L) x 25.4 cm (W) x	60
SHIPPING WEIGHT	7.8 lb (3.5 kg)	
WARRANTY	1-year limited	$\overline{-}$

ITEM NUMBER

OPECHF

UPC

827518009307

- 2000W output power
- ETL and FCC certified
- Constructed of recyclable and renewable materials
- Charges the ELITE ENERGY[™] OPE100
 LiFePO4 Battery in under an hour
- Convenient carrying handle
- LED light with various settings
- Toggles for AC, DC, USB, and wireless charging power
- Battery expansion ports to connect up to 3 ELITE ENERGY™ OPE100 LiFePO4 Batteries and create power backup system ³
- Easily connects to any product that uses DC or AC power
- Easy ON button
- Includes 1-year limited DK2 warranty



100W PORTABLE SOLAR PANEL

=EATURES

ITEM NUMBER

PPS100

33

UPC

827518009383

DESCRIPTION

The ELITE ENERGY[™] 100W Portable Solar Panel is the ultimate portable power solution that harnesses the sun's energy. With a peak power of 100W and cell efficiency of up to 23%, this solar panel generates exceptional clean power. It unfolds to a large size, capturing maximum sunlight, yet weighs under 10 pounds for easy transport. Constructed with lightweight materials, it remains durable while being portable. The fold-out stands elevate the panels and precisely aim them at the sun for maximum exposure and energy generation. Embrace the power of solar energy with the ELITE ENERGY[™] 100W Folding Solar Panel. Whether camping, hiking, or reducing your carbon footprint, this portable solar panel provides a reliable and eco-friendly solution for charging devices and powering adventures. With high-quality monocrystalline solar cells, it ensures optimal performance and efficiency, pupe in chellenging.

even in challenging conditions. Harness the sun's energy and enjoy the convenience of clean power wherever you go.

SPECIFICATION

PEAK POWER	100W
OPEN CIRCUIT VOLTAGE	24V
CELL EFFICIENCY	Up to 23%
SHORT CIRCUIT CURRENT	5.5A
SOLAR CELL	Monocrystalline
VOLTAGE @ MAX POWER (VMP)	20V
CURRENT @ MAX POWER (LMP)	5A
OPERATING TEMPERATURE	-10°C - 65°C
UNFOLDED DIMENSIONS	48.3" (L) x 21.1" (H) 122.8 cm (L) x 53.6 cm (H)
FOLDED DIMENSIONS	21.1" (L) x 23.9" (H) 53.6 cm (L) x 60.8 cm (H)
WEIGHT	9.7 lb (4.4 kg)
SHIPPING WEIGHT	10.1 lb (4.6 kg)
WARRANTY	1-year limited

- Convenient and compact folding design allows for easy storage and setup
- Zip-up compartment for connection components
- Handles for carrying to and from different locations by foot
- Monocrystalline solar cells for optimal performance
- Constructed with lightweight material
- Fold-out stands to keep your panels off the ground and aimed at the sunlight
- Includes 1-year limited DK2 warranty



200W PORTABLE SOLAR PANEL

=EATURES

ITEM NUMBER

PPS200

UPC

827518009390

DESCRIPTION

The ELITE ENERGY[™] 200W Portable Solar Panel is the ultimate portable power solution that harnesses the sun's energy. With a peak power of 200W and cell efficiency of up to 23%, this solar panel generates exceptional clean power. It unfolds to a large size, capturing maximum sunlight, yet weighs under 10 pounds for easy transport. Constructed with lightweight materials, it remains durable while being portable. The fold-out stands elevate the panels and precisely aim them at the sun for maximum exposure and energy generation. Embrace the power of solar energy with the ELITE ENERGY™ 200W Folding Solar Panel. Whether camping, hiking, or reducing your carbon footprint, this portable solar panel provides a reliable and eco-friendly solution for charging devices and powering adventures. With high-quality monocrystalline solar cells, it ensures optimal performance and efficiency,

energy and enjoy the convenience of clean power wherever you go.

SPECIFICATION

PEAK POWER	200W
OPEN CIRCUIT VOLTAGE	24V
CELL EFFICIENCY	Up to 23%
SHORT CIRCUIT CURRENT	11A
SOLAR CELL	Monocrystalline
VOLTAGE @ MAX POWER (VMP)	20V
CURRENT @ MAX POWER (LMP)	10A
OPERATING TEMPERATURE	-10°C - 65°C
UNFOLDED DIMENSIONS	83.5" (L) x 23.2" (H) 212.1 cm (L) x 59 cm (H)
FOLDED DIMENSIONS	22" (L) x 23.2" (H) 55.9 cm (L) x 59 cm (H)
WEIGHT	18.2 lb (8.3 kg)
SHIPPING WEIGHT	19 lb (8.6 kg)
WARRANTY	1-year limited

even in challenging conditions. Harness the sun's



- Convenient and compact folding design allows for easy storage and setup
- Zip-up compartment for connection components **1**
- · Handles for carrying to and from different locations by foot 2
- Monocrystalling solar cells for optimal performance 3
- · Constructed with lightweight material
- Fold-out stands to keep your panels off the ground and aimed at the sunlight 4
- Includes 1-year limited DK2 warranty