



**Instruction Manual
&
Parts List**

Truck Bag

Model 110114



Read and understand this entire manual before assembling, installing, operating, or servicing this product.

SAVE THIS MANUAL

Copyright© 2023 by AVITEC. All rights reserved. No portion of this manual or any artwork contained herein may be reproduced in any shape or form without the express written consent of AVITEC. Due to continuing improvements, actual product may differ slightly from the product de-scribed herein. Tools required for assembly and maintenance may not be included.

IMPORTANT SAFETY INFORMATION

This is a **SAFETY ALERT** symbol. It is used to alert you to potential personal injury hazards. Obey all safety messages that follow this symbol to avoid possible injury or death.



DANGER indicates a hazardous situation which, if not avoided, will result in death or serious injury.



WARNING indicates a hazardous situation which, if not avoided, could result in death or serious injury.



CAUTION indicates a hazardous situation which, if not avoided, could result in minor or moderate injury.



NOTICE indicates important information which, if not followed, may cause damage to equipment.

SAVE THIS MANUAL

Keep this manual for the safety warnings and precautions. The manual offers important information on how to assemble, use and maintain this product.

Write the product's model number and purchase date on the cover page of this manual.

Keep this manual (and your purchase receipt) in a safe place.

UNPACKING

The shipment should be thoroughly inspected as soon as it is received. The signed "bill of lading" is acknowledgement by the carrier of receipt in good condition of shipment covered by our invoice. For your own protection, if any of the goods called for on the bill of lading are shorted or damaged, do not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods.

Notify AVITEC immediately if any hidden loss or damage is discovered after receipt.

Definition of Symbols




WARNING concerning Risk of Eye Injury. Wear ANSI approved eye protection.




WARNING concerning Risk of Hearing Loss. Wear hearing protection.





IMPORTANT SAFETY INSTRUCTIONS

1.  **Read and understand all safety warnings and instructions.** Failure to follow the warnings and instructions may result in serious injury or death. Save all warnings and instructions for future reference.

2. Personal and Work Area Safety

A.  **Always wear ANSI approved safety goggles.**

B.  **Always wear hearing protection when working in noisy environments.** Prolonged exposure to high intensity noise can cause hearing loss.

C.  **Use safety equipment.** Safety shoes, hard hat and work gloves must be used for applicable conditions.

D. **Dress appropriately.** Never wear loose fitting clothing or jewelry when working. Contain long hair, and keep hair, clothing and gloves away from moving parts.

E. **Use common sense when working.** Stay alert and concentrate when setting up and using the Truck Bag. Never work while under the influence of alcohol, drugs or medications.

Personal and Work Area Safety (continued)

F. While setting up and when loading/unloading the Truck Bag, keep work area clean and well lighted. Keep spectators and children out of the work area.

3. Use of the Truck Bag

A. Do not modify the Truck Bag and do not use this product for purposes that it was not designed for. Never reverse the Truck Bag (do not turn Truck Bag inside-out).

B. This product is designed to pack and travel with light duty cargo and soft goods. Never include flammable liquids in the Truck Bag.

C. Be aware of the danger of “dynamic loading”. This situation arises when a load is dropped onto or thrown into the Truck Bag, resulting in a short term excessive load. Dynamic loading can result in damage and failure of the Truck Bag, damage to the vehicle and personal injury to the person loading the Truck Bag.

D. Never load people or animals into the Truck Bag. **Keep children and spectators away when loading, unloading and using this product.**


E. Adhere to all Department of Transportation (D.O.T.) requirements when using this product. Always use all of the bungee cords included to securely hold the Truck Bag in place.

F. For the vehicle that will support the Truck Bag, read all pertinent vehicle instructions and warnings provided in the owner’s manual. Make sure that the vehicle has appropriate anchor points on the upper areas of the bed so that the Truck Bag can be properly secured. Do not exceed the vehicle’s rated bed capacity. The vehicle must be in a safe location, away from traffic, when loading or unloading.

G. The Truck Bag is water resistant.

Water sensitive items and valuables should be sealed in waterproof plastic bags before placing these items in the Truck Bag. Protect the Truck Bag from adverse weather conditions.

H. Sharp items must be wrapped and secured so that they will not puncture and damage the Truck Bag.

I.  **WARNING** This product will require set-up in the bed portion of the truck. An assistant may be required to assist in the set-up, and loading/unloading of the Truck Bag. Depending on the size of the vehicle, use of a stool or ladder may be required. Use extreme caution when using a stool or ladder to prevent accidents. If you are not experienced or capable of doing this type of set-up, the Truck Bag should be set-up by a qualified service technician.

J. Make sure the vehicle’s engine is OFF, with parking brake set, before loading or unloading the Truck Bag. The Truck Bag must fit within the bed of the truck, without overhanging the sides of the bed. Never attempt to carry a load that is wider than the vehicle.

 **WARNING** **Avoid danger of fire: make sure Truck Bag is not near vehicle’s exhaust pipes.**

K. Obey all speed limits and traffic laws. Adhere to all state and local regulations regarding loads that extend beyond the configuration of the vehicle.

L. Make sure that zipper is closed completely (with adhesive flap covering zipper), and all bungee cords are secure, prior to each trip.

M. Maintain labels and nameplates on the Truck Bag. They contain important information and must always remain readable. Contact AVITEC for replacements.

Keep in mind that the warnings previously discussed cannot cover all possible conditions or situations that could occur. It is important that the person setting up and using this product understand that common sense and caution are factors which cannot be built into this product, and must be supplied by the person(s) using this product.

AVITEC is not responsible for the attachment or the installation of this product. The attachment of this product is critical and beyond the control of AVITEC. It neither guarantees, nor will it be liable for any damage resulting from the attachment or improper use of the Truck Bag. AVITEC is not responsible for any property damage due to water.



Note: Vehicle's tailgate can be lowered to make for easier loading and unloading of the Truck Bag's contents. The tailgate must be raised to vertical position for traveling on the road.

Setting Up the Truck Bag



Always wear ANSI approved safety goggles.

1. Refer to photo on this page of the Truck-Bag. This Truck Bag is designed to be set in the bed of the vehicle.

2. Begin planning for the set-up of the Truck Bag.


Note the eight durable webbing loops located on each corner (upper and lower) of the Truck Bag.

Note the side of Truck Bag with zipper and flap. This side is always facing back (towards the back bumper of the truck).

3. With a clean truck bed, place the Truck Bag in the center of the truck bed. Unzip the zipper and begin loading the Truck Bag. Large heavy items should be loaded first; finish with lighter items on the top to create a compact load.

4. Close the zipper and fold down the flap to cover the zipper. The flap's self closure adhesive will hold the flap in place.


5. Using the included bungee cords and the webbing loops located on each corner (upper and lower), begin to secure the Truck Bag. See photos below.



Small Hook attached to bungee cord

6. Pass the end of cord attached to large hook completely through an **upper webbing loop** of the Truck Bag (photo above left). Route large hook around so that small hook attaches to the bungee cord (photo above right).


Then cross large hook over the bungee cable to secure hook in place (see photo to right).



Note: Bungee Cord length can be adjusted by attaching the small hook to a different position on the cord (see photo below of a shortened bungee cord connection).



7. With the other end of this first bungee cord, attach the large hook to an anchor point on the upper side of the truck's bed. See photo below.



8. Repeat the attachment of the other 3 bungee cords to the upper webbing loops in a similar fashion.

Note: All 4 bungee cords must be attached to upper webbing loops to insure a safe connection of the Truck Bag to the truck bed. Make adjustments to bungee cords, as needed, to insure that the Truck Bag is securely held in place.

9. An additional 4 bungee cords (not included) may be needed to attach the lower webbing loops, depending on the position of the attaching points on the truck bed.

10. Never use the bungee cords to secure additional items on top of the Truck Bag. All items must be placed inside the Truck Bag.

11. Make one final inspection before the trip begins to be sure Truck Bag is securely connected to the bed of the vehicle. While on

the road, periodically pull over and check the condition and position of the Truck Bag.

12. Maintaining the Truck Bag: Keep the Truck Bag clean of dirt, grease, harsh chemicals and road salt. Use soap and water and dry with a clean towel.

Frequently check the condition of the bungee cords and replace the cords if they are worn or damaged.

13. **WARNING** Children should never be allowed to play with the Truck Bag. When the product is not in use, it should be removed from the vehicle and stored in a location that can not be reached by children.

No replacement parts are available for this product.

SPECIFICATIONS

Application	Pack and travel with light duty cargo and soft goods. Never include flammable liquids in the Truck Bag.
Construction	PVC Material with Polyester reinforcement
Bungee Cords	4 Qty Included

Limited Warranty

AVITEC warrants to the original retail purchaser that the product is free of defects in material and workmanship at the time of shipment. This Truck Bag is warranted for 90 days from the date of purchase. This warranty is expressly in lieu of all other warranties, express or implied.

Proof of purchase is required for warranty transactions; a copy of the original invoice or sales receipt is required.

Manufactured and Distributed by:
Avitec Towing and Garage Equipment
Camarillo, CA 93012, U.S.A
www.avitecusa.com

Customer service hours 9:00 am-4:00 pm, Monday-Friday, PST., 1-805-385-9888