Warning:

- 1-Ride-on car is designed for children up 18-36 months old.
 Ride's weight must not exceed 25 kgs. as there is insufficient strength to support overweight.
- 2-Product is designed to seat 1 child as a time to avoid injuries.

 3-Parental guidance and supervision are strongly advised to ensure
- 3-Parental guidance and supervision are strongly advised to ensure safe riding.
- 4-Adult assembly and installation of all parts are required to ensure safety.
- 5-Batteries to be handled by adults.
- 6-Take care of riding and avoid going near streets.crossroads,all traffic areas,swimming pools,and stairs.
- 7-Without regular check of the product.it will cause overturn or fall 8-Check to see occasionally that the nut and bolt on the steering wheel is tight and secure.
- 9-Dangers may present if the product is not correctly assembled. 10-Shoes must be worn in use.

Battery Handling:

- 1-Battery must be handled by adults only.
- 2-Always remove exhausted batteries.
- 3-Use AAA size batteries only.
- 4-Alkaline batteries are recommended.
- 5-Always remove batteries when the unit is not going to be used for an extended period of time.
- 6-When replacing new batteries, always replace all batteries.
- 7-Do not mix old and new batteries.
- 8-Do not mix Alkaline, Standard (Carbon-Zinc), or Rechargeable (Nickel-Cadmium) batteries.
- 9-Do not dispose of batteries in fire, batteries may explode or leak.
- 10-Non-rechargeable batteries are not to be recharged
- 11-Rechargeable batteries are to be removed from the toy before being charged
- 12-Rechargeable batteries are only to be charged under adult supervision
- 13-Batteries are to be inserted with the correct polarity
- 14-The supply terminals are not to be short-circuited


Item No: 662 Activity Ride-On Instructions Manual



©2022 Caterpillar. CAT,CATERPILLAR, and their design and marks are registered trademarks of Caterpillar Inc.


Ningbo Prince Toys Co., Ltd., a licensee of Caterpillar Inc.

COMPONENTS LIST



ASSEMBLY 2 3 4 Control of the second sec









FUNCTION







