
INSTRUCTION MANUAL

AIR69







- Firmly secure all bolts, screws and knobs before use.
- Reconfirm that all bolts, screws, and knobs are secure every 90 days.
- Fasten screws loosely during initial assembly. Do not fully tighten screws until the item is completely assembled.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Be aware that moving parts can injure, crush and cut.
- If any parts are missing, broken, damaged, or worn, stop using this product until repairs are made and/or factory replacement parts are installed.
- Do not use this item in a way inconsistent with the manufacturer's instructions as this could void the product warranty.

TOOLS REQUIRED



PHILLIPS

SCREWDRIVER



DRILL (RECOMMENDED)



2PERSON ASSEMBLY



APPROXIMATELY 60MIN. ASSEMBLY

HARDWARE























PARTS























PARTS















Attach the front & back panel Part A & B to the side panel Part C & D by 8xP2.




Slide in the metal tray Part E.


Insert the perch Part F into the slots inside the front and back panel.




Attach the side panels of nesting box Part G1 & G2 to the left side of coop by bolt 4xP1.




Attach the side panels of nesting box Part G1 & G2 to the right side of coop by bolt 4xP1.



Screw the side panel of nesting box to the front panel of nesting box Part H by 4xP2 each side.




Drop in the bottom of nesting box Part I.
Slide in the divider Part J.




Make sure the lock is functioning properly before locking the roof.


Attach the nesting box roof Part K to the nesting box by 4xP6 each side.




Attached PVC Waterproof Strip Part T to the nesting box by 3XP5 each.




Attach the coop roof Part L to the coop by 6xP6.






Attach the roof hinge P8 to the coop by 4XP6 each side.



Pls ignore the following for only one coop owner!
Attach the run to the coop by 4XP3 screws.





WARNING

Manufacturer and seller expressly disclaim any and all liability for personal injury,property damage or loss,whether direct,indirect,or incidental,resulting from the incorrect attachment,improper use,inadequate miantenance,or neglect of this