
INSTRUCTION MANUAL

AIR 67







- Firmly secure all bolts, screws and knobs before use.
- Reconfirm that all bolts, screws, and knobs are secure every 90 days.
- Fasten screws loosely during initial assembly. Do not fully tighten screws until the item is completely assembled.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Be aware that moving parts can injure, crush and cut.
- If any parts are missing, broken, damaged, or worn, stop using this product until repairs are made and/or factory replacement parts are installed.
- Do not use this item in a way inconsistent with the manufacturer's instructions as this could void the product warranty.

TOOLS REQUIRED










APPROXIMATELY 60MIN. ASSEMBLY

PHILLIPS SCREWDRIVER DRILL (RECOMMENDED)

HARDWARE






















HARDWARE




PARTS




























PARTS

















(Only need for connecting with the coop AIR60)


Attach Part A,B,C to the side panel Part D by P2x16; then connect the Part A to B&C by P2x2.



02


Screw two casters without brake Part E to the front of coop legs by P5x6 using the P8 spacer.

Screw two casters with brake Part F to the back of coop legs by P5x6 using the P8 spacer.




03


Insert the perches 3xPart H into the slots inside the front and back panel of coop. Slide in the tray.



Attach the side panels of nesting box Part I & J to the side of coop by bolt P1x4 on each side.




Attached the front panel of nesting box Part K by P3x4 on each side.



80

Drop in the bottom panel of nesting box Part L. Slide in the divider Part M on each side .




Attach the roof of nesting box 2xPart N to the nesting box by 4XP6 screws on each side.

Make sure the lock is functioning properly before locking the roof.


P6 X4

N


Attach the coop roof 2xPart O to the coop by P4x8.



Attach the roof cap Part P by P5x4.



Attach PVC Waterproof Strip 2xPart Q to the nesting box by P5x4 on each side.




NoticeRead Before Assemble!


Pls ignore the following for only one coop owner!

Combination 1

Combination 2





Combination 3




13

Attach the bottom plate Part S to the run by P3x4.





Repeat on the other side(Please make sure the run door is open before screwing P2).



Finish 14



WARNING

Manufacturer and seller expressly disclaim any and all liability for personal injury,property damage or loss,whether direct,indirect,or incidental,resulting from the incorrect attachment,improper use,inadequate miantenance,or neglect of this