

6905-11988 Convertible Garment Rack





Part	Reference
Α	F11253
В	F11254
С	F11255
D	F11256
Е	F11257
F	F11258
G	F11259
Н	F11260
I	F11261
J	F11262
K	F11263
L	F11264
М	F11283
N	F11120

No additional tools required.






STEP 1:


□ Attach the four base tubes (B) to the two base frames (A) using eight short hex screws (K). Tighten with a hex wrench (M).

NOTE: Make sure the base tube connectors are facing up.



STEP 2:

- ☐ Attach two lower vertical tubes (C) into base frames (A) using two long hex screws (J). Hand tighten.
 - **NOTE:** Make sure the push pins are facing forward.
- ☐ Insert upper vertical tubes (**E & D**) onto lower vertical tubes (**C**).
- ☐ Make sure the push pins click into place.
- \square Tigthen the two long hex screws (J) with the hex wrench (M).







STEP 3:

- ☐ Insert small hanging bar (G) onto upper vertical tubes (E & D).
- ☐ Make sure the push pins click into place.



- ☐ Insert large hanging bar (F) onto upper vertical tubes (E & D).
- ☐ Make sure the push pins click into place.






©2021 Whitmor, Inc.

6905-11988 Convertible Garment Rack




STEP 5:

- ☐ Attach two locking wheels (I) on one side and two wheels (H) on the other side. Use the wrench (N) to tighten.
- ☐ Attach locking clip (L) onto the large hanging bar (F).
- ☐ Make sure the push pins click into place.



NOTE: Small bar can be used as a second rod for shorter garments or locked onto the large hanging bar for longer garments.



8680 Swinnea Road • Suite 103 • Southaven, MS • 38671

NEED HELP? For help with assembly, or if you are missing a part, please call Whitmor's Consumer Care Team, 1-888-944-8667 between 8 a.m. and 4:30 p.m. (Central Standard Time) Monday through Friday, or email: help@whitmor.com. Visit us online at www.whitmor.com

Rev#0 10.20.20 Printed in China