



2026

PRODUCT CATALOG

BRAND INTRODUCTION

At SENIX, we don't just build tools, we forge the future of outdoor power equipment and power tools with relentless innovation and uncompromising performance.

From DIY projects to professional job sites and outdoor landscapes, SENIX tools deliver the power, precision, and reliability you need to build, shape, and create with confidence. Designed as an extension of your expertise, our tools combine precision, power, and eco-conscious engineering to help you push limits and get the job done.

In the yard, in the shop, anywhere there's a job to do, power through with SENIX!



SENIXTOOLS.COM





TABLE OF CONTENTS

05 SENIX Power Lineup

Cordless Outdoor Power Equipment

06 X6 | 60V

18 2X2 | 40V

21 X2 | 20V

28 X2 | 20V Lifestyle

30 4QL Gas OPE

36 Gas Lawn Mowers

42 Snow Removal

45 Pressure Washers

47 AC Corded

50 PPE

51 Warranty

SENIX Power Lineup

From Lithium-Ion battery-operated outdoor power equipment to power tools to our corded and gas-powered products, SENIX has a wide selection of tools to meet your needs.



All the Muscle of Gas without the Fumes or Smell

Introducing the ultimate set of **60V** outdoor power equipment tools and a cutting-edge battery platform engineered to fortify the landscaping game to tackle small to large yards, while championing the eco-conscious advantages of battery-operated tools. From precision lawn care to facility maintenance, our SENIX X6 60V cordless technology stands as our best in class platform, delivering SENIX's greatest power for every project.



Twice the Power, Double the Results

Harnessing the combined might of **(2) 20V** batteries, this **40V** platform is designed to enhance and up the ante on your yard projects.



Light On Pounds, Heavy On Power

Discover the ideal solution for your projects with our **20V** SENIX Tools. From contractors to homeowners, whatever you seek, our range of offerings is tailored to cater to your unique needs.



All Muscle, No Fuss

Patented 4QL technology. Unidirectional quantitative lubrication that prevents flooding, leaks, and keeps the motor lubricated in any direction. Featuring a **4-cycle engine** that is lightweight, smooth, and powerful, and does not require mixing oil with gas, the SENIX 4QL is our inaugural line of products.



Hooked Up To Endless Power

Powerfully quiet. And quietly powerful. Corded outdoor power equipment tools mean quieter operation, low vibration, and reduced environmental impact without compromising the need for power.

A person wearing a camouflage bucket hat, a red face mask, a blue long-sleeved shirt, a bright yellow safety vest, and khaki pants is using a black and red brushless trimmer. They are standing on a green lawn next to a concrete sidewalk. In the background, there is a grassy hill and a blue patio umbrella on a wooden picnic table.

X6 60V LITHIUM-ION **BRUSHLESS**

**ALL THE MUSCLE OF GAS
WITHOUT THE FUMES OR SMELL**

Gas-like power with neighborhood friendly features. Engineered to tackle small to large yards and outdoor facilities.

 **SENIX**[®]

5 | **YEAR**
TOOL
LIMITED WARRANTY

3 | **YEAR**
BATTERY
LIMITED WARRANTY

60V max. initial charge. 56V nominal voltage



SENIX 60V platform delivers a best-in-class lineup, innovatively engineered for small to large yards and outdoor facilities.

Experience cordless freedom without compromising on power.

Tame high-demand areas with extended runtime, gas-like power, and increased capability for larger, tougher jobs.



SMART FEATURES

BRUSHLESS

BRUSHLESS MOTOR



HIGH-PERFORMANCE



1 BATTERY FOR ALL



QUIET OPERATION



SENIXTOOLS.COM | 7



X-SCAPE
SERIES

DRIVING INNOVATION

REDEFINING THE TURN

FEATURING
THE WORLD'S FIRST*
HYBRID ZERO TURN



X-SCAPE H-SERIES

The SENIX X-Scape Series delivers high-performance lawn care with advanced zero-turn technology. It includes the **world's first hybrid zero-turn mower**, combining electric efficiency with gas reliability for longer runtime, lower emissions, and strong cutting power. The X-Scape offers precision and superior control on every turn.

CUTS UP TO

7.5

ACRES

ABOUT **6 FOOTBALL FIELDS**
WHEN USING (4) 12Ah BATTERIES
AND 1.5 GALLONS OF GAS

USES UP TO

50%
LESS FUEL

Compared to pure-gas ZTRs



RANGESYNC

RANGESYNC functionality allows users to seamlessly switch between Electric Mode, Hybrid Mode, and Gas Mode at the press of a button providing a first of it's kind smooth mode ZTR transition.


HYBRIDTORQUE



Our innovative HYBRIDTORQUE 4.2kW inverter-driven system seamlessly blends the power and endurance of petrol with the quiet efficiency of battery.

This delivers an advanced hybrid experience that maximises both performance and runtime.

ACTIVE COOLING



A high-efficiency battery cooling system that optimises heat dissipation through dual-side fan coordination, preventing overheating and enhancing machine safety and reliability.



UP TO 3000 RPM
BLADE SPEED



15° CUTTING SLOPE
MOW EVERYWHERE



5-INCH LCD SCREEN
CONTROL YOUR RIDE

15° WARNING MESSAGE
>25° AUTOMATIC BLADE STOP



AIR SEAT

AUTOMATIC RETURN TO NEUTRAL POSITION

CUP HOLDER

SMOOTH ZERO-RADIUS STEERING CONTROL

360° FULL COVERAGE LIGHTING

FOOT & SCALE DIAL HEIGHT ADJUSTMENT

ANTI-SLIP DESIGN



INTEGRATED CHARGING SYSTEM

Charger Input:	120V AC, 50 Hz 1600W
Charger Output:	60V
Quick Charge Time:	200 Min (6 x 12 Ah)
Charger Weight:	10.84 lb
Operating Temperature :	23°--113° F
Storage Temperature:	-4°--131° F

Easily charge all batteries without removal using the included wall-mounted direct charger



EXPERIENCE HYBRID POWER

42" Hybrid Zero Turn Mower ZTRX6-H1

BRUSHLESS™



X6 60V LITHIUM ION HYBRID



Power Source	Battery & Gas
Fuel Tank Capacity	1.5 Gallons
Deck Size	42"
Cutting Capacity	Up to 7.5 Acres*
Cutting Height	15 Positions 1"-4.5"
Drive Speed	8 MPH
Incline Capacity	15-Degree
Charging Time	70 Minutes (2) 12Ah
Blade Quantity	2
Charger Included	1,600W Wall Mounted
Battery Ports	4
Battery Included	2, 12Ah

ELECTRIC PERFORMANCE REDEFINED

42" Zero Turn Mower ZTRX6-M

BRUSHLESS™



X6 60V LITHIUM ION BRUSHLESS

Power Source	60V Battery Only
Fuel Tank Capacity	N/A
Deck Size	42"
Cutting Capacity	Up to 4 Acres*
Cutting Height	15 Positions 1"-4.5"
Drive Speed	8 MPH
Incline Capacity	15-Degree
Charging Time	140 Minutes (4) 12Ah
Blade Quantity	2
Charger Included	1,600W Wall Mounted
Battery Ports	6
Battery Included	4, 12Ah



21" Self-Propelled Mower

LPSX6-H

BRUSHLESS™

Voltage	60V Max.
Mowing Functions	3-in-1 (Mulch, Bag and Side Discharge)
Cutting Capacity	True 21" Blade Length
Height Adjustment	1.5"-4", 7-position
Drive Type	Variable Speed RWD Self-propelled
Collection Bag	1.7 bu (60 L)
Runtime	Up to 65 minutes (8.0Ah Battery)
Weight (Tool Only)	60 lbs



21" Push Mower

LPPX6-H

BRUSHLESS™

Voltage	60V Max.
Mowing Functions	3-in-1 (Mulch, Bag and Side Discharge)
Cutting Capacity	True 21" Blade Length
Height Adjustment	1.5"-4", 7-position
Drive Type	Push
Collection Bag	1.7 bu (60 L)
Runtime	Up to 60 minutes (6.0Ah Battery)
Weight (Tool Only)	57 lbs



950 CFM Backpack Blower

BLBX6-M

BRUSHLESS™

Voltage	60V Max.
Air Volume	950 CFM
Max. Air Speed	200 MPH
Blower Force	33 N
Weight (Tool Only)	15.9 lbs



Short Tube Attachment
S202407008
Sold Separately



810 CFM Blower

BLAX6-M1

BRUSHLESS™



Voltage	60V Max.
Air Volume	810 CFM
Max. Air Speed	170 MPH
Speed Control	Variable Speed
Weight (Tool Only)	5.51 lbs



26" Hedge Trimmer

HTX6-M1

BRUSHLESS™

Voltage	60V Max.
Strokes per Minute	0-3,400 SPM
Blade Length	26"
Cutting Capacity	1-1/4"
Weight (Tool Only)	8.82 lbs



18" Chainsaw

CSX6-M

BRUSHLESS™

Voltage	60V Max.
Chain/Bar Length	18"
Chain Speed	0-26 m/s (85ft/s)
Chain Pitch	3/8" Low Profile
Oiler	Automatic
Weight (Tool Only)	9 lbs



16" Chainsaw

CSX6-M1

BRUSHLESS™

Voltage	60V Max.
Chain/Bar Length	16"
Chain Speed	0-26 m/s (85ft/s)
Chain Pitch	3/8" Low Profile
Oiler	Automatic
Weight (Tool Only)	9 lbs



10" Pole Saw

CSPX6-M

BRUSHLESS™



Voltage	60V Max.
Max. Reach	14ft Max.*
Chain Speed	0-20 m/s
Chain Bar & Length	10"
Adjustment Range	5.2-9.2 ft.
Weight (Tool Only)	7.7 lbs

*Based on a 6ft. tall person



16" String Trimmer

GTX6-M

BRUSHLESS™

Voltage	60V Max.
No-Load Speed	0-6,000 RPM
Cutting Capacity	16"
Line	0.095" x2 13.1 ft.
Feeding System	Bump
Weight (Tool Only)	7.5 lbs



Attachment Capable String Trimmer

GTX6-M1

BRUSHLESS™



CARBON FIBER

Voltage	60V Max.
No-Load Speed	0-6,000 RPM
Cutting Capacity	16"
Line	0.095" x2 13.1 ft.
Feeding System	Bump
Weight (Tool Only)	10.3 lbs



Attachment Capable String Trimmer

GTX6-M2

BRUSHLESS™



Voltage	60V Max.
No-Load Speed	0-6,000 RPM
Cutting Capacity	16"
Line	0.095" x2 13.1 ft.
Feeding System	Bump
Weight (Tool Only)	9.7 lbs



Attachment Capable Edger

LEX6-M

BRUSHLESS™



CARBON FIBER

Voltage	60V Max.
No-Load Speed	0-4,300 RPM
Cutting Capacity	3"
Blade Type	Steel
Blade Diameter	8"
Weight (Tool Only)	10.8 lbs



Attachment Capable Edger

LEX6-M1

BRUSHLESS™



Voltage	60V Max.
No-Load Speed	0-4,300 RPM
Cutting Capacity	3"
Blade Type	Steel
Blade Diameter	8"
Weight (Tool Only)	10.8 lbs

ATTACHMENT SYSTEM

Compatible with X6 60V, 2X2 40V, & 4QL Gas* Power heads

16" Carbon Fiber String Trimmer



AGT007

16" String Trimmer



AGT008

Brushcutter



ABC002

Edger



AET002

Carbon Fiber Edger



AET003

Hedge Trimmer



AHTP002

Cultivator



ACT002

10" Pole Saw



ACSP005

Extension Pole



AEP001

Coupler



AEP001

*Coupler required to fit attachments on 4QL Gas power head

X6 60V LITHIUM-ION **BRUSHLESS**

BATTERY POWER SYSTEM

Compatible with all X6 60V products



GAS-LIKE POWER NEIGHBORHOOD FRIENDLY FEATURES



BATTERY LEVEL INDICATOR



VOLTAGE PROTECTION



TEMPERATURE PROTECTION



SHOCK RESISTANT DESIGN



INTELLIGENT POWER MANAGEMENT

3.0Ah

B30X6



4.0Ah

B40X6



6.0Ah

B60X6



8.0Ah

B80X6



12.0Ah

B120X6



3A

CHX6-L



5A

CHQX6-L



8A

CHQX6-M



8A

CHDX6-M



DUAL PORT

2X2 **40V** **BRUSHLESS**
20V + 20V LITHIUM-ION

TWICE THE POWER, DOUBLE THE RESULTS!

Harness the combined might of (2) 20V batteries & up the ante on your yard projects.

 **SENIX**

5 YEAR
TOOL
LIMITED WARRANTY

3 YEAR
BATTERY
LIMITED WARRANTY


*40V max. initial charge, 36V nominal voltage

2X2

BRUSHLESS™



Elevate your yard work with 40V power. Combine (2) SENIX 20V batteries to unlock SENIX 40V powerhouse, delivering increased power & longer runtime for challenging tasks.



LAWN & GARDEN



SNOW CLEARING

SENIX **20V** BATTERY TECHNOLOGY:
COMPATIBLE AND INTERCHANGEABLE WITH ALL SENIX **40V** PRODUCTS WHEN USING TWO BATTERIES

2X2

SENIXTOOLS.COM | 19


BATTERY TECH

SMART CHARGING TECHNOLOGY


Rapid charging generates heat, requiring a cooling period before resuming. SENIX's advanced technology integrates a high-efficiency cooling fan to enhance air circulation, maintain optimal battery temperature, reduce charging time, and extend battery lifespan.



SENIX RECHARGE TECHNOLOGY



NORMAL RECHARGE TECHNOLOGY



SENIX batteries use voltage transfer technology to maximize cell longevity, maintain health, & reduce heat during charging.




BATTERY PROTECTION FUNCTION


Protection Function: SENIX batteries monitor real-time status and exchange data to prevent overcharging, over-discharging, and overheating, ensuring longevity and optimal performance.

Balanced Charging: Battery cells recharge evenly at the same voltage, preventing over/undercharging. This uniform method extends battery lifespan, improves efficiency, maximizes performance, and enhances safety.

SENIX BALANCED CHARGING



NORMAL CHARGING





X2 20V⁺ LITHIUM-ION

2X2 40V⁺ LITHIUM-ION
20V + 20V

**POWERS
50+
TOOLS**



SAME BATTERY

**2 POWERFUL
PLATFORMS**



2X2

SENIXTOOLS.COM | 21



15" Push Mower

LPPX2-M4
BRUSHLESS™

Voltage	40V Max.
Mowing Functions	2-in-1 (Bag, Mulch)
Cutting Capacity	15"
Height Adjustment	1"-3", 6-position
Drive Type	Push
Collection Bag	1.3 bu (46L)
Runtime	Up to 45 minutes (2 X 4.0Ah Battery)
Weight (Tool Only)	31.9 lbs



17" Push Mower

LPPX2-M5
BRUSHLESS™

Voltage	40V Max.
Mowing Functions	2-in-1 (Bag, Mulch)
Cutting Capacity	17"
Height Adjustment	1"-3", 6-position
Drive Type	Push
Collection Bag	1.4 bu (49L)
Runtime	Up to 45 minutes (2 X 5.0Ah Battery)
Weight (Tool Only)	35.3 lbs



Short Tube Attachment
S202407008
Sold Separately

700 CFM Leaf Blower

BLAX2-M2
BRUSHLESS™

Voltage	40V Max.
Max. Air Speed	145 MPH
Air Volume	700 CFM
Weight (Tool Only)	6.50 lbs



24" Hedge Trimmer

HTX2-M3

BRUSHLESS™

Voltage	40V Max.
Strokes per Minute	0-3,400 SPM
Blade	24"
Cutting Capacity	1"
Tooth Space	1.57"
Weight (Tool Only)	6.4 lbs



14" Chainsaw

CSX2-M2

BRUSHLESS™

Voltage	40V Max.
Chain/Bar Length	14"
Chain Speed	20 m/s
Chain Pitch	3/8"
Oiler	Automatic
Weight (Tool Only)	8.5 lbs



Attachment Capable 14" String Trimmer

GTX2-M4

BRUSHLESS™

Voltage	40V Max.
No-Load Speed	0-7,300 RPM
Cutting Capacity	14"
Line Type	Heavy Duty
Line Length	13.1 ft
Feeding System	Bump
Weight (Tool Only)	10.1 lbs

ATTACHMENT SYSTEM

Compatible with X6 60V, 2X2 40V, & 4QL Gas* Power heads

14" String Trimmer



AGT008

Brushcutter



ABC002

Edger



AET002

Hedge Trimmer



AHTP002

Cultivator



ACT002

Pole Saw



ACS005

Extension Pole



AEP001

Coupler



AEP001

*Coupler required to fit attachments on 4QL Gas powerhead



X2 20V LITHIUM-ION

**IN THE YARD, IN THE SHOP, IN
THE PIT STALLS, ANYWHERE
THERE IS A JOB TO DO!**

THE SAME 20V BATTERY POWERS 50+
TOOLS ACROSS SENIX'S RANGE OF
OFFERINGS.

 **SENIX**

5 YEAR
TOOL
LIMITED WARRANTY

3 YEAR
BATTERY
LIMITED WARRANTY

20V max. initial charge. 18V nominal voltage.



350 CFM Blower BLAX2-M

Voltage	20V Max.
Air Speed	80 MPH
Air Volume	350 CFM
Weight (Tool Only)	4.63 lbs



450 CFM Blower BLAX2-M3 BRUSHLESS™

Voltage	20V Max.
Air Speed	100 MPH
Air Volume	450 CFM
Weight (Tool Only)	5.42 lbs



18" Hedge Trimmer HTX2-M

Voltage	20V Max.
Strokes per Minute	0-2,600 SPM
Blade Length	18"
Blade Type	Dual Action Laser Cut
Cutting Capacity	3/4"
Tooth Space	1.1"
Weight (Tool Only)	7 lbs



18" Pole Hedge Trimmer HTPX2-M

Voltage	20V Max.
Cutting Length	18"
Tooth Space	1.1"
Cutting Capacity	3/4"
Strokes per Minute	0-2,600 SPM
Adjustment Range	6.07 - 7.7 ft
Angle Modulation	-60°/-30°/0°/30°/60°/90°
Weight (Tool Only)	7 lbs



10" String Trimmer GTX2-L

Voltage	20V Max.
No-Load Speed	8,500 RPM
Cutting Capacity	10"
Line Type	0.065"
Feeding System	Semi-Automatic
Shaft	Fixed Shaft
Weight (Tool Only)	4.37 lbs



10" String Trimmer GTX2-M

Voltage	20V Max.
No-Load Speed	8,500 RPM
Cutting Capacity	10"
Line Type	0.065"
Feeding System	Semi-Automatic
Shaft	Telescopic
Weight (Tool Only)	4.32 lbs



15" String Trimmer GTX2-M3 **BRUSHLESS**

Voltage	20V Max.
No-Load Speed	0-4,900 0-6,200 RPM
Cutting Capacity	15"
Line Type	Heavy Duty
Line Length	16.4 ft
Feeding System	Bump
Weight (Tool Only)	6.6 lbs



10" Chainsaw CSX2-M **BRUSHLESS**

Voltage	20V Max.
Chain/Bar Length	10"
Chain Speed	8 m/s
Chain Pitch	3/8"
Oiler	Automatic
Weight (Tool Only)	8.15 lbs



10" Top Handle Chainsaw CSX2-M1 **BRUSHLESS**

Voltage	20V Max.
Chain/Bar Length	10"
Chain Speed	11 m/s
Chain Pitch	3/8"
Oiler	Automatic
Weight (Tool Only)	5.07 lbs



5" Mini Saw CSX2-M3 **BRUSHLESS**

Voltage	20V Max.
Chain/Bar Length	5"
Chain Speed	11 m/s
Chain Pitch	3/8"
Oiler	Automatic
Weight (Tool Only)	2.43 lbs



Grass Shears GSX2-M

Voltage	20V Max.
Grass Shear	4"
Hedge Shear	10"
Cutting Capacity	5/16"
Weight (Tool Only)	2 lbs



Pruning Shears GPSX2-M1 BRUSHLESS™

Voltage	20V Max.
Max. Shear Capacity	1.5"
Half Shear Capacity	1.1"
Cut Cycle Time	0.3 s"
Blade Type	Diamond-Like Carbon
Weight (Tool Only)	5.9 lbs



8" Pole Saw CSPX2-M BRUSHLESS™

Voltage	20V Max.
Chain Speed	5.2 m/s
Chain & Bar Length	8"
Angle Modulation	-60° / -30° / 0° / 30° / 60
Adjustment Range	6-7.5 ft
Weight (Tool Only)	10 lbs



3-Tool Combo Kit S2K3B2-01

350 CFM Blower (BLAX2-M)
18" Hedge Trimmer (HTX2-M)
10" String Trimmer (GTX2-M)
2.0 Ah, 4.0 Ah Batteries (B20X2, B40X2)
2A Battery Charger (CHX2)



2-Tool Combo Kit S2K2B1-03

350 CFM Blower (BLAX2-M)
10" String Trimmer (GTX2-L)
4.0 Ah Battery (B40X2)
2A Battery Charger (CHX2)

X2 20V LITHIUM-ION

**UNPLUGGED POWER
LIMITLESS LIVING!**

UNLOCK LIFE'S POSSIBILITIES AND ENJOY
CORDLESS FREEDOM WITH SENIX'S
LIFESTYLE & RECREATION PLATFORM

 **SENIX**®

5 | **YEAR**
TOOL
LIMITED WARRANTY

3 | **YEAR**
BATTERY
LIMITED WARRANTY

80V max initial charge, 18V nominal voltage



LED Flashlight PLX2-M-0

Voltage	20V Max.
Max. Lumens	200 lm
Rotation	120° Pivot Head
Weight (Tool Only)	0.57 lbs



7-1/2" Hybrid Jobsite Fan w/ Lights FNX2-M1-0

Voltage	20V Max.
Max. Air Volume	755 CFM
Max. Air Speed	18 MPH
USB Outputs	USB-A + USB-C
Runtime	Up to 5 Hours (5Ah)
Weight (Tool Only)	5 lbs



Hybrid Coffee Maker CMX2-M4

Voltage	20V Max.
Brewing Time	6-8 Minutes
Runtime	3 Cups (5Ah Battery)
Tank Capacity	8 oz
Weight (Tool Only)	3.3 lbs



4" Clamp Fan FNX2-M2-0 **BRUSHLESS™**

Voltage	20V Max.
Max. Air Volume	81 CFM
Speed	2-Speed Settings
Runtime	Up to 20 Hours (5Ah)
Weight (Tool Only)	0.9 lbs



Hybrid Cooler + Warmer PFX2-M2-0

Voltage	20V, 120V or 12V
Temperature Range	0°F to 140° F
Size	26.4 Quart, Up to 40 Cans
Runtime	0°F(5hrs) 41°F(12hrs) 140°F(4hrs)
Weight (Tool Only)	37.5 lbs



4QL[®]

**4-CYCLE ENGINE
NO MIXING OF OIL & GAS**

PATENTED 4QL TECHNOLOGY ENSURES
LEAK-FREE, ALL-DIRECTIONAL USE WHILE
KEEPING THE MOTOR LUBRICATED.

 **SENIX[®]**

3 YEAR^{*}
LIMITED WARRANTY

*CS40L-L1 & CS40L-L3 = 2 Years

WHY CHOOSE

4-CYCLE



Quantitative Lubrication – Ultimate 4-Cycle Engine

Patented 4QL technology allows for all-directional use without leaks, keeping the motor lubricated in any position. Enjoy hassle-free operation with no need to mix fuel and oil in all 4-cycle engines.



All-Direction Use



Mix-Free Fueling



ECO


Lower Emissions*



Lower Noise Level



Light Weight



*Up to 50% lower emissions compared to 2-stroke engines.



SENIXTOOLS.COM | 31

ATTACHMENT SYSTEM

Coupler Required for 4QL Gas Power head Use



Curved Shaft String Trimmer
GTC4QL-L



Straight String Trimmer
GTS4QL-L

Engine Type	4-Cycle, 26.5 cc	4-Cycle, 26.5 cc
Cutting Swath	17"	17.7"
Line Diameter	.095"	.095"
Line Feeding	Dual Bump-feed	Dual Bump-feed
Shaft Length	54"	57"
Fuel Tank Capacity	9.46 oz.	9.46 oz.
Oil Tank Capacity	2 oz	2 oz
Weight (Tool Only)	11.33 lbs	11.97 lbs

ATTACHMENT SYSTEM

Coupler Required for 4QL Gas Power head Use



String Trimmer
GTS4QL-M2



2-in-1 Brush Cutter + String Trimmer
GTBCU4QL-M

Engine Type	4-Cycle, 31 cc	4-Cycle, 31 cc
Cutting Swath	17.7"	10" Brush Cutter 18" String Trimmer
Line Diameter	.095"	.095"
Line Feeding	Dual Bump-feed	Dual Bump-feed
Shaft Length	57"	57"
Fuel Tank Capacity	10.9 oz.	10.9 oz.
Oil Tank Capacity	2 oz	2 oz
Weight (Tool Only)	12.01 lbs	11.90 lbs



Leaf Blower

BL4QL-L

Engine Type	4-Cycle, 49 cc
Engine Power	650 W
Air Volume	410 CFM
Air Speed	125 MPH
Fuel Tank Capacity	9.46 oz.
Oil Tank Capacity	2 oz.
Recollector	N/A
Weight (Tool Only)	9.48 lbs



Backpack Blower

BLB4QL-M

Engine Type	4-Cycle, 49 cc
Engine Power	1680 W
Air Volume	600 CFM
Air Speed	200 MPH
Blowing Force	18 N
Fuel Tank Capacity	4.2 oz.
Oil Tank Capacity	5.7 oz.
Weight (Tool Only)	19.40 lbs



22" Hedge Trimmer

HT4QL-L

Engine Type	4-Cycle, 49 cc
Engine Power	650 W
Blade Length	22" Dual Action Blade
Cutting Capability	1-1/8"
Rotating Handle	0°, 90°, 18°
Fuel Tank Capacity	9.46 oz.
Oil Tank Capacity	2 oz.
Weight (Tool Only)	11.02 lbs





16" Chainsaw
CS4QL-L3

Engine Type	4-Cycle, 46 cc
Engine Power	7,500 RPM
Chain Speed	18 m/s
Bar Length	16"
Chain Pitch	0.375
Fuel Tank Capacity	13.53 oz.
Oil Tank Capacity	3.4 oz.
Chain Oil Capacity	10.2 oz.
Weight (Tool Only)	13.44 lbs



18" Chainsaw
CS4QL-L1

Engine Type	4-Cycle, 49 cc
Engine Power	7,500 RPM
Chain Speed	18 m/s
Bar Length	18"
Chain Pitch	0.375
Fuel Tank Capacity	13.53 oz.
Oil Tank Capacity	3.4 oz.
Chain Oil Capacity	10.2 oz.
Weight (Tool Only)	13.89 lbs



46 cc Cultivator
TL4QL-L1

Engine Type	4-Cycle, 46 cc
Rated Power Speed	250 RPM
Blade Cutting Width	15.75"
Blade Cutting Depth	7.9"
Fuel Tank Capacity	27.05 oz.
Oil Tank Capacity	3.38 oz.
Weight	31.9 lbs



160 cc High-Wheeled Trimmer
TL4QL-L1

Engine Type	4-Cycle, 160 cc
No-Load Speed	3,600 RPM
Cutting Width	22"
Deck Material	Steel
Height Adjustment	1.25"-3.0"
Wheel Size	14"
Weight	70 lbs



8" Pole Saw CSP4QL-L

Engine Type	4-Cycle, 26.5 cc
Engine Power	650 W
Max Reach	15 ft
Chain Speed	18 m/s
Bar Length	8"
Fuel Tank Capacity	9.46 oz.
Oil Tank capacity	2 oz.
Weight	12.78 lbs



GAS ***MOWERS***



RATO

2 | YEAR
LIMITED WARRANTY

FROM SENIX RATO 4-CYCLE ENGINES TO BRIGGS & STRATTON, CHOOSE BETWEEN PUSH & SELF-PROPELLED MOWERS & DISCOVER WHY SENIX IS "BEST IN GRASS"







18" Push Mower
LSPG-L1



20" Push Mower
LSPG-L4

Engine Type	SENIX 4-Cycle, 144 cc	SENIX 4-Cycle, 144 cc
Cut Diameter	18"	20"
No-Load Speed	3,100 RPM	3,100 RPM
Height Adjustment	1.35"-3.15"	1.35"-3.15"
Wheel Size (F/R)	7"/7"	7"/7"
Deck Material	Polymer	Steel
Mowing Functions	2-in-1 (Mulch, Side Discharge)	2-in-1 (Mulch, Side Discharge)
Weight	38 lbs	39.3 lbs



20" Push Mower
LSPG-L5



21" Push Gas Mower
LSPG-L6

Engine Type	SENIX 4-Cycle, 144 cc	SENIX 4-Cycle, 144 cc
Cut Diameter	20"	21"
No-Load Speed	3,100 RPM	3,100 RPM
Height Adjustment	1.25"-3.75"	1.25"-3.75"
Wheel Size (F/R)	7"/7"	8"/11"
Deck Material	Steel	Steel
Mowing Functions	2-in-1 (Mulch, Side Discharge)	2-in-1 (Mulch, Side Discharge)
Weight	42 lbs	47.96 lbs



Prime 'N Pull™
No Choke; Prime & Pull for Power



20" Push Gas Mower
LSPG-L3



21" Push Gas Mower
LSPG-M4

Engine Type	Briggs & Stratton E450, 125 cc	Briggs & Stratton E450, 125 cc
Cut Diameter	20"	21"
No-Load Speed	3,100 RPM	3,100 RPM
Height Adjustment	1.25"-3.75"	Dual-Lever 1.25"-3.75"
Wheel Size (F/R)	7"/7"	8"/11"
Deck Material	Steel	Steel
Mowing Functions	2-in-1 (Mulch, Side Discharge)	2-in-1 (Mulch, Side Discharge)
Weight	42 lbs	49 lbs



Prime 'N Pull™
No Choke; Prime & Pull for Power



21" Push Gas Mower
LSPG-M7



21" Self-Propelled Gas Mower
LSSG-M9

Engine Type	Briggs & Stratton E550, 140 cc	Briggs & Stratton E450, 125 cc
Cut Diameter	21"	21"
No-Load Speed	3,200 RPM	3,200 RPM
Height Adjustment	Dual-Lever 1.25"-3.75"	Dual-Lever 1.25"-3.75"
Wheel Size (F/R)	8"/11"	8"/11"
Deck Material	Steel	Steel
Mowing Functions	3-in-1 (Mulch, Bag, Side Discharge)	3-in-1 (Mulch, Bag, Side Discharge)
Bag Capacity	1.94 bu (68 L)	1.94 bu (68 L)
Weight	54 lbs	56 lbs



ReadyStart®
No prime, No Choke



Just Check & Add™
No Oil Changes.*



22" Self-Propelled Gas Mower LSSG-H2

22" Self-Propelled Gas Mower LSSG-H3

Engine Type	Briggs & Stratton EXi725, 163 cc	Briggs & Stratton EX625, 150 cc
Cut Diameter	22"	22"
No-Load Speed	3,200 RPM	3,200 RPM
Height Adjustment	Single Point 1.25"-4"	Single Point 1.25"-4"
Wheel Size (F/R)	8"/11"	8"/11"
Deck Material	Steel	Steel
Mowing Functions	3-in-1 (Mulch, Bag, Side Discharge)	3-in-1 (Mulch, Bag, Side Discharge)
Bag Capacity	2.14 bu (75 L)	2.14 bu (75 L)
Weight	72.8 lbs	71 lbs



Prime 'N Pull™
No Choke; Prime & Pull for Power



ReadyStart®
No prime, No Choke



Just Check & Add™
No Oil Changes.*

21" Self-Propelled Gas Mower LSSG-M1

22" Self-Propelled Gas Mower LSSG-H1

Engine Type	Briggs & Stratton EX625, 150 cc	Briggs & Stratton EX675, 163 cc
Cut Diameter	21"	21"
No-Load Speed	3,200 RPM	3,200 RPM
Height Adjustment	Dual-Lever 1.25"-3.75"	Single Point 1.25"-4"
Wheel Size (F/R)	8"/11"	8"/11"
Deck Material	Steel	Steel
Mowing Functions	3-in-1 (Mulch, Bag, Side Discharge)	3-in-1 (Mulch, Bag, Side Discharge)
Bag Capacity	1.94 bu (68 L)	2.14 bu (75 L)
Weight	72 lbs	66 lbs

 **Prime 'N Pull™**
No Choke; Prime & Pull for Power




21" Push Gas Mower
LSPG-M3



21" Push Gas Mower
LSPG-M6

Engine Type	Briggs & Stratton E450, 125 cc	Briggs & Stratton E500, 140 cc
Cut Diameter	21"	21"
No-Load Speed	3,200 RPM	3,200 RPM
Height Adjustment	Dual-Lever 1.25"-3.75"	Single Point 1.25"-3.75"
Wheel Size (F/R)	8"/8"	8"/11"
Deck Material	Steel	Steel
Mowing Functions	2-in-1 (Mulch, Side Discharge)	2-in-1 (Mulch, Side Discharge)
Weight	55 lbs	48 lbs



SNOW REMOVAL

X6 60V LITHIUM-ION **2X2** 40V 20V + 20V LITHIUM-ION

AC AMP

CHOOSE FROM 60V, 40V, OR CORDED
SNOW TOOLS ENGINEERED FOR
DEPENDABLE POWER IN ANY CONDITION.



 **SENIX**



21" Snow Blower

STX6-H

BRUSHLESS™

Voltage	60V Max.
Clearing Width	21"
Plow Depth	13"
Throwing Distance	45 ft
Clearing Capacity	1200 lbs/min
No-Load Auger Speed	1,700-2,200 RPM
Weight (Tool Only)	52.8 lbs



15" Snow Shovel

STX6-M

BRUSHLESS™

Voltage	60V Max.
Clearing Width	15"
Plow Depth	6"
Throwing Distance	33 ft
Clearing Capacity	600 lbs/min
No-Load Auger Speed	1,600-2,300 RPM
Weight (Tool Only)	18.3 lbs



21" Snow Blower

STX2-M1

BRUSHLESS™

Voltage	40V Max.
Clearing Width	21"
Plow Depth	12"
Throwing Distance	33 ft
Clearing Capacity	660 lbs/min
No-Load Auger Speed	1,400-1,800 RPM
Weight (Tool Only)	36 lbs



18" Snow Blower

STX2-M

BRUSHLESS™

Voltage	40V Max.
Clearing Width	18"
Plow Depth	8"
Throwing Distance	33 ft
Clearing Capacity	460 lbs/min
No-Load Auger Speed	1,400-1,800 RPM
Weight (Tool Only)	32 lbs



13" Snow Shovel
STX2-L

Voltage	40V Max.
Clearing Width	13"
Plow Depth	6"
Throwing Distance	10-20 ft
Clearing Capacity	375 lbs/min
Weight (Tool Only)	11.7 lbs



13" Corded Snow Shovel
STE12-L

Voltage	120V-60Hz Corded.
Clearing Width	13"
Plow Depth	8"
Throwing Distance	26 ft
Clearing Capacity	480 lbs/min
Weight (Tool Only)	12.8 lbs



18" Corded Snow Blower
STE14-M


Voltage	120V-60Hz Corded.
Clearing Width	18"
Plow Depth	12"
Throwing Distance	26 ft
Clearing Capacity	850 lbs/min
No-Load Auger Speed	2,300 RPM
Weight (Tool Only)	35 lbs



PRESSURE WASHERS



AC 15-AMP



Auto-Load Wand



AquaSurge 0°

AquaSurge Technology
for long range cleaning.

3000PSI Electric Pressure Washer


HPWE15-H1

BRUSHLESS™

Motor	15A
Max. Pressure	3000PSI
Rated Flow	2.3 GPM
Pump Type	Axial Cam
Hose	25 ft. Ultra-Flexible High Pressure
Power Cord Length	35 ft
Weight	56.2 lbs



AC 15-AMP



Auto-Load Wand



AquaSurge 0°

AquaSurge Technology
for long range cleaning.

2700PSI Electric Pressure Washer


HPWE15-H

BRUSHLESS™

Motor	15A
Max. Pressure	2700PSI
Rated Flow	2.3 GPM
Pump Type	Axial Cam
Hose	25 ft. Ultra-Flexible High Pressure
Power Cord Length	35 ft
Weight	55 lbs



AC 14-AMP




Auto-Load Wand

2300PSI Electric Pressure Washer HPWE14-M

Motor	14.5A
Max. Pressure	2300PSI
Rated Flow	1.2 GPM
Pump Type	Axial Cam
Hose	25 ft. High Pressure
Power Cord Length	35 ft
Weight	34.2 lbs



AC 13-AMP



Auto-Load Wand

2000PSI Electric Pressure Washer HPWE13-M2


Motor	13A
Max. Pressure	2000PSI
Rated Flow	1.2 GPM
Pump Type	Axial Cam
Hose	25 ft. High Pressure
Power Cord Length	35 ft
Weight	23.9 lbs



AC 13-AMP

1700PSI Electric Pressure Washer HPWE13-L

Motor	13A
Max. Pressure	1700PSI
Rated Flow	1.2 GPM
Pump Type	Axial Cam
Hose	25 ft. High Pressure
Power Cord Length	35 ft
Weight	11.3 lbs



AC **AMP** 

HOOKED UP TO ENDLESS POWER.

CORDED ELECTRIC TOOLS DELIVERING
CONSISTENT POWER, QUIET OPERATION,
AND LOW VIBRATION

 **SENIX**®

3 | **YEAR**
LIMITED WARRANTY



420 CFM Corded Blower/Vacuum
BLVE12-M

Voltage	120V Corded
Motor Output	12A
Air Volume	420 CFM
Air Speed	179 MPH
Collection Bag	1.24 bu (44 L)
Variable Speed	6 Settings
Weight	7.05 lbs



690 CFM Corded Blower
BLAE12-M

Voltage	120V Corded
Motor Output	12A
Air Volume	690 CFM
Air Speed	115 MPH
Variable Speed	6 Settings
Weight	6.80 lbs



21" Corded Hedge Trimmer
HTE3.8-L

Voltage	120V Corded
Motor Output	3.8A
Stroke per Minute	0-3600 SPM
Blade Length	21"
Cutting Capacity	0.70"
Tooth Space	1.1"
Weight	5.29 lbs



18" Corded Chainsaw
CSE15-M

Voltage	120V Corded
Motor Output	15A
Chain/Bar Length	18" Oregon
Chain Speed	13.5 m/s
Chain Pitch	3/8"
Oiler	Automatic
Weight	11.24 lbs



14" Corded Chainsaw
CSE10-L

Voltage	120V Corded
Motor Output	10A
Chain/Bar Length	14"
Chain Speed	8 m/s
Chain Pitch	3/8"
Oiler	Automatic
Weight	7.71 lbs



16" Corded Chainsaw
CSE12-M

Voltage	120V Corded
Motor Output	12A
Chain/Bar Length	16" Oregon
Chain Speed	13.5 m/s
Chain Pitch	3/8"
Oiler	Automatic
Weight	10.80 lbs



8" Corded Pole Saw

CSPE6.5-M

Voltage	120V Corded
Motor Output	6.5A
Chain Speed	11 m/s
Chain & Bar Length	18 m/s
Adjustment Range	8"
Oiler	Automatic.
Weight	8.38 lbs



12.6" Scarifier + Dethatcher

SCE12-L1

Voltage	120V Corded
Motor Output	12A
Clearing Width	12.6"
Scarifier Depth	0.4" + 20 Slicing Blade
Dethatch Height	0.4" + 27 Spring Steel Tines
Collection Bag	8 Gal
Weight	24 lbs



15" Scarifier + Dethatcher

SCE13-M

Voltage	120V Corded
Motor Output	13A
Clearing Width	15"
Scarifier Depth	0.4" + 20 Slicing Blade
Dethatch Height	0.4" + 24 Spring Steel Tines
Collection Bag	13.2 Gal
Weight	24.8 lbs



PERSONAL PROTECTIVE EQUIPMENT

Gloves



Coated Work Gloves (S/M/L)
SNNGL

- Cut Resistant
- Ansi Cut Level A4
- Abrasion Resistant
- Foam Nitrile Coating
- Nitrile Thumb Saddle
- Touchscreen Capable



Synthetic Leather Gloves (S/M/L)
SNSLGL

- Elastic Wrist
- Palm Overlay
- Thumb Saddle
- Abrasion Resistant
- Synthetic Leather Palm



Impact Performance Gloves (S/M/L)
SNIWGL

- Impact Resistant
- Abrasion Resistant
- TPR on Back Hand
- Anti-slip PVC Palm
- Touchscreen Capable
- Hook & Loop Closure

Eyewear



Polarized Protective Eyewear
SNPLSG

- UV 99.9%
- Polarized Lens
- Impact Resistant
- Adjustable Rubber Nosepiece



Clear Protective Eyewear
SNCLSG

- UV 99.9%
- Impact Resistant
- Extended Brow Guard
- Soft rubber Nosepiece

Earplugs



Foam Earplugs (50 Pairs)
SNEPLG

- NRR 32dB
- PVC Free Plugs




Warranty

Platform	Residential Use	Commercial Use
X6 60V	5 Years	1 Year
X6 60V Batteries	3 Years	90 Days
X6 60V Chargers	3 Years	90 Days
X2 20V 2X2 40V	5 Years	1 Year
X2 2X2 40V Batteries	3 Years	90 Days
X2 2X2 40V Chargers	3 Years	90 Days
Gas Mowers	2 Years	60 Days
Walk-Behind Products (TL4QL-L1, STMG-L)	2 Years	60 Days
4QL Gas	3 Years	90 Days
CS4QL-L1 & CS4QL-L3	2 Years	60 Days
AC (Corded)	3 Years	N/A

All product availability, specifications, images, and descriptions are subject to change without notice. YAT USA makes no representation or warranty that the information provided in this catalog is accurate, complete, or current. Due to our continuous improvement efforts, illustrations, photos, and tool colors may vary slightly.

©2026, YAT USA Incorporated.



JOIN THE TAKEOVER. SCAN NOW



 **SENIX[®]**
SENIXTOOLS.COM

