

Personal Protective Equipment (PPE): Applicators and other handlers, including mixers and loaders, must wear long-sleeved shirt, long parts, shoes plus socks, and chemical-resistant gloves. Mixers and loaders must also wear a chemical-resistant apron.

Follow manufacturer's instructions for cleaning/maintaining PPE.

If no such instructions for washables exist, use detergent and hot
water. Keep and wash PPE separately from other laundry.

User Safety Recommendations	
Users should:	Remove clothing/PPE Immediately if pesticide gats inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean

Physical and Chemical Hazards: Do not use with or store near oxidizing agents.

Environmental Marartis: For terrestrial uses, do not use near a vot or where drinking water is stored. Do not apply directly to water or to areas where surface water is present or to letter total areas below the men high water must, bo not contaminate water when disposing of equipment, wash water or fressale whendlard has propriete and extended has propriete and extended has propriete and extended has propriete and extended has provided and the second of the s

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read the following directions for use thoroughly before application.

When used in inhabited buildings (residences, offices, hospitals, etc.), windows must be open or an exhaust fan must be operating during application. Do not use in potable vater systems. Do not use in storm, field, or other drains unless effluent is treated in a sanitary sever system.

NOT FOR USE IN SEPTIC SYSTEMS IN THE STATE OF FLORIDA

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of area during application.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

If in Eyes • R

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 Hold eye open and rinse slowly and gently with water for
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency assistance, please call toll free 1-800-858-7378. ROEBIC FOAMING ROOT KILLER contains Dichlobenil which kills the roots and prevents new growth. ROEBIC FOAMING ROOT KILLER can be used in toilets with septic systems.

Dichbehall is readily absorbed on cyganic and inorganic solidads of studys and cay in pipe joints providing residual control of root regrowth by inhibiting the development of actively dividing meristem calls in root tips, here voor growths formed outside the pipe joints are retarded or inhibited in growth when they come in contact with Dichbeall inside the pipe. ROBEIG FOAMING ROOT KILLER selffoams on contact with vester. The foam acts as a carrying agent, putting the active ingedient in contact with the reter ords above the

Roebic Foaming Root Killer is in 2 parts inside each container. Part A and Part B which contains the active ingredient Dichlobenil must both be mixed together as instructed under directions for use.

EPA Reg. No. 7792-7

EPA Est. No. 48520-CT-002

Roebic Laboratories, Inc. 25 Connair Road, P.O. Box 927 Orange, CT 06477 33051 05175

DIRECTIONS FOR USE (continued)

Application Method for Sewer Lines that have Root Problems: Residential 4"sewer lines, utilize a 1th centainer ADD ENTIRE CONTENTS of a 1th centainer to tolet bowl. Flush immediately to avoid foam overflowing bowl. Flush a second time to purch come completely into sewer line, and a third time if you have a 1.6 gallon flow flow tolet. Restrict water usage for four to six hours. Do not apply through six hours.

Application Method for Root Control Along Sidewalks and Driveways: To inhibit the entry of roots beneath powerment structures and the resulting damage caused by root growth, cut a 3" or deeper edging along the structure and pour 2 oz. per foot of Roebic Foaming Root Killer into it in a thin strip. Then cover the edged area with soil.

Immediately following application, thoroughly water-in Roebic Foaming Root Killer. Repeat annually to prevent root growth near the surface, along sidewalks and driveways. Do not enter or allow workers to enter the treated area until Roebic Foaming Root Killer is thoroughly watered in and the treated soil has dried.

Application fielded for Read Coateral in Bebream Tice Roots and Samer Lines-Reveller Profilings. To prover long item root growth from the tree into sever lines, bor a series of small holes, 2 feet apart, in other proven dis new for outside the sever joints using vaster or mechanical borting equipment. Add 4 cc. of Reads Foraling Revi Miller and Hill with soil. Be sure the holes location and depth methods and fill with soil. Be sure the holes location and depth methods and the sever lines of the sever l

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and

disposal.

Pesticide Storage: Store in a dry place. Do not store near food or feed.

food or feed.

Pesticide Disposal and Container Handling: Nonrefillable

Pesticide Disposal and Container Handling: Monteninave container. Do not reuse or refill this container. If empty-Place in trash or offer for recycling, if available. If partially filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.