


# TUF-TUG®

PRODUCTS

## STORAGE HOIST ROPE HOIST

*"Quality is long remembered after the price has been forgotten."*



### TTOHSHS

#### Storage Hoist System

- Double Pulley System
- 80 lb Load Capacity
- Mounts quickly on any standard 2x4 beam
- Includes Hanging Brackets, Pulley Blocks, Braided Rope, and Wall Anchor Cleat

### TTRH-700


#### Rope Hoist/Block & Tackle

- 4:1 Mechanical Advantage
- 350 lb. Maximum Lift Cap
- 700 lb. Maximum Pull Cap
- 12 Ft. Reach (50 Ft. Rope)
- Cam Lever Load Lock
- Safety Latched Hooks

# TUF-TUG®

PRODUCTS

3434 Encrete Lane, Moraine, Ohio 45439  
(937) 299-1213 Fax (937) 299-0120  
www.TUF-TUG.com




TTRH-700

Proudly Made in the  
**USA**  
★★★★★

# TUF-TUG®

PRODUCTS

## PROFESSIONAL RIGGING PRODUCTS



Proudly  
Made in the  
**USA**  
★★★★★


*"Quality is long remembered after the price has been forgotten."*

**Deuer Developments Inc.**  
Rigging and Safety Gear Innovators  
www.TUF-TUG.com

**Ohio Hoist & Puller, Div.**  
3434 Encrete Lane, Moraine, Ohio 45439  
(937) 299-1213 Fax (937) 299-0120

*"Quality is long remembered after the price has been forgotten."*

*"Quality is long remembered after the price has been forgotten."*




MODEL #	CAPACITIES	REACH
<b>Small Frame</b>		
TT1-10C	1000 lbs lift/2000 lbs pull	10 ft single line
TT1-15C	1000 lbs lift/2000 lbs pull	15 ft single line
TT2-7.5C	2000 lbs lift/4000 lbs pull	7½ ft double line
<b>Medium Frame</b>		
TT2000-12C	1000 lbs lift/2000 lbs pull	12 ft single line
TT3000-6C	1500 lbs lift/3000 lbs pull	6 ft double line
TT15/30-12CDC	1500 lbs lift/3000 lbs pull	12 ft single line/6 ft double line
TT4000-6C	2000 lbs lift/4000 lbs pull	6 ft double line
<b>Large Frame</b>		
TT3000-12C	1500 lbs lift/3000 lbs pull	12 ft single line
TT25/50-20CDC	2500 lbs lift/5000 lbs pull	20 ft single line/10 ft double line
TT6000-6C	3000 lbs lift/6000 lbs pull	6 ft double line

**TUF-TUG<sup>®</sup>**  
PRODUCTS

3434 Encrete Lane, Moraine, Ohio 45439  
(937) 299-1213 Fax (937) 299-0120  
www.TUF-TUG.com

Proudly Made in the





#### ◀ Wire Clamp

- Works on smooth and barbed wire
- 1,000 lb. load capacity
- Solid steel construction
- Zinc plated against corrosion

#### "Y" Pull Cable ▶

- Evens pull force across fence
- Works on either chain link fence or welded wire
- 2000 lb. maximum pull capacity




#### ◀ Web-Strap Post Sling

- For end post cable puller attachment up to 8" diameter
- 2,000 lb. load capacity with red warning cores
- Yellow latex coating provides abrasion resistance

#### Field Fence Pull Bar ▶

- Clamps across standard 4 ft. field fence
- 1,000 lb. pull capacity
- Complete with attachment cables
- Removable and reusable



**TUF-TUG<sup>®</sup>**  
PRODUCTS

3434 Encrete Lane, Moraine, Ohio 45439  
(937) 299-1213 Fax (937) 299-0120  
www.TUF-TUG.com

Proudly Made in the



**Custom Units/Specials Available—Quoted Upon Request**

### DROP SIDE SNATCH BLOCKS

*"Quality is long remembered after the price has been forgotten."*

- Extra heavy-duty, safety load rated
- 3", 4" & 6" diameter solid steel sheaves
- Oversized thumb screws with spring pin retainers
- Optional plain/tailboard, eye swivels & safety hook attachments available

#### 3" Dia. Drop Side Snatch Blocks 2000 lb. capacity

1/2" maximum cable size

Plain	TTSNB-2000P
Eye	TTSNB-2000SE
Hook	TTSNB-2000SH

#### 4" Dia. Drop Side Snatch Blocks 3000 lb. capacity

5/8" maximum cable size

Plain	TTSNB-3000P
Eye	TTSNB-3000SE
Hook	TTSNB-3000SH

#### 6" Dia. Drop Side Snatch Blocks 6000 lb. capacity


5/8" maximum cable size

Plain	TTSNB-6000P
Eye	TTSNB-6000SE
Hook	TTSNB-6000SH

# TUF-TUG<sup>®</sup>

## PRODUCTS

3434 Encrete Lane, Moraine, Ohio 45439  
(937) 299-1213 Fax (937) 299-0120  
www.TUF-TUG.com



### WEB-STRAP HOIST/PULLERS

*"Quality is long remembered after the price has been forgotten."*



- Solid Steel Construction
- Dual-Ratchet Drive Design
- Fiberglass Handles Available

MODEL #	CAPACITIES	REACH
<b>Small Frame</b>		
TT1-8W	1000 lbs lift/2000 lbs pull	8 ft single line
TT1-25W	2000 lbs pull only	25 ft single line, 4 ft take-up
TT2-4W	2000 lbs lift/4000 lbs pull	4 ft double line
<b>Medium Frame</b>		
TT2000-8W	1000 lbs lift/2000 lbs pull	8 ft single line
TT4000-4W	2000 lbs lift/4000 lbs pull	4 ft double line
TT2000-25W	2000 lbs pull only	25 ft single line, 4 ft take-up
<b>Large Frame</b>		
TT3000-12W	1500 lbs lift/3000 lbs pull	12 ft single line
TT6000-6W	3000 lbs lift/6000 lbs pull	6 ft double line

**Custom Units/Specials Available—Quoted Upon Request**

# TUF-TUG<sup>®</sup>

## PRODUCTS

3434 Encrete Lane, Moraine, Ohio 45439  
(937) 299-1213 Fax (937) 299-0120  
www.TUF-TUG.com

Proudly Made in the

# USA

*"Quality is long remembered after the price has been forgotten."*




TT3000-4W-FHB

#### The Compact Come-A-Long in a Carrying Case

MODEL #	CAPACITIES	REACH
TT1500-8W-FWB	750 lbs lift/1500 lbs pull	8 ft single web line
TT3000-4W-FHB	1500 lbs lift/3000 lbs pull	4 ft double web line
TT1500-25W-FHB	1500 lbs pull only	25 ft single web line
TT3000-7.5C-FHB	1500 lbs lift/3000 lbs pull	7.5 ft double cable line
TT1500-15C-FHB	750 lbs lift/1500 lbs pull	15 ft single cable line

- Folds into compact carrying case
- Stores behind seat or in trunk
- Convenient, easy to use Hoist/Puller
- Heavy Duty, Dual Ratchet Design
- Choice of Cable or Webbing Models



*"Quality is long remembered after the price has been forgotten."*

#### 1-1/4" Dia. Sheave Blocks 500 lb. capacity

3/16" maximum cable size

Flat	SB500FM
Plain	SB500P
Eye	SB500E
Hook	SB500H
Sheave	133-102

#### 2" Dia. Sheave Blocks 1000 lb. capacity

7/32" maximum cable size

Flat	SB1000FM
Plain	SB1000P
Eye	SB1000E
Hook	SB1000H
Sheave	103-115

#### 3" Dia. Sheave Blocks 2000 lb. capacity

5/16" maximum cable size

Flat	SB2000FM
Plain	SB2000P
Eye	SB2000E
Hook	SB2000H
Sheave	118-112

#### 4" Dia. Sheave Blocks 3000 lb. capacity

3/8" maximum cable size

Flat	SB3000FM
Plain	SB3000P
Eye	SB3000E
Hook	SB3000H
Sheave	111-123

#### 6" Dia. Sheave Blocks 6000 lb. capacity

5/8" maximum cable size

Plain	SB6000P
Eye	SB6000E
Hook	SB6000H
Sheave	135-103

#### FLAT MOUNT PLAIN EYE SWIVEL SAFETY HOOK

