



# PARASITICIDES COMPARISON CHART

Chemical Class	Trade Name	Active Ingredient	# OF TUBES	LARGE STRONGYLES	SMALL STRONGYLES	ROUNDWORMS	PINWORMS	HAIRWORMS	STOMACH WORMS	BOTS	ENCYSTED SMALL STRONGYLES	TAPEWORMS
<b>Combined Macrocytic Lactones</b>	QUEST® PLUS Gel	<i>moxidectin/praziquantel</i>	1	•	•	•	•	•	•	•	•	•
	Equimax™	<i>ivermectin/praziquantel</i>	1	•	•	•	•	•	•	•		•
	Zimecterin® Gold	<i>ivermectin/praziquantel</i>	1	•	•	•	•	•	•	•		•
<b>Macrocytic Lactones</b>	QUEST® Gel	<i>moxidectin</i>	1	•	•	•	•	•	•	•	•	
	Eqvalan®	<i>ivermectin</i>	1	•	•	•	•	•	•	•		
	Zimecterin®	<i>ivermectin</i>	1	•	•	•	•	•	•	•		
<b>Benzimidazoles</b>	ANTHELCIDE® EQ Paste	<i>oxibendazole</i>	1	•	•	•	•					
	Panacur®/Safe-Guard®	<i>fenbendazole</i>	1	•	•	•	•					
	Panacur®/Safe-Guard®	<i>fenbendazole</i>	10	•	•	•	•				•	
	Panacur® Power Pac	<i>fenbendazole</i>	1	•	•	•	•					
	Panacur® Power Pac	<i>fenbendazole</i>	5	•	•	•	•				•	
<b>Tetrahydropyrimidines</b>	STRONGID® C 2X	<i>pyrantel tartrate</i>	daily	•	•	•	•					
	STRONGID® Paste	<i>pyrantel pamoate</i>	1	•	•	•	•					

Do not use QUEST Gel or QUEST PLUS Gel in foals less than 6 months of age or in sick, debilitated and underweight horses. Do not use in other animal species, as severe adverse reactions, including fatalities in dogs, may result.