





IDEAL FOR:

Mature horses, performance horses, underweight horses



FEATURES:

Whole grain free, high fat & fiber, low starch & sugar



HELPS SUPPORT:

Metabolic disease, poor teeth, ulcers

Developed specifically for older horses, Triple Crown Senior features a beet pulp-based formula with higher nutrient and fat content to provide the digestive assistance and calories older horses require to maintain good body condition. This feed can be mixed with water to form a mash for horses that have difficulty chewing and swallowing and has enough bulk fiber to be used as a sole ration for horses unable to eat hay or pasture. It is ideal for horses of any age needing additional fiber and lower starch and sugar levels.

PROTEIN 14% • FAT 10% • FIBER 17% • 1,546 KCAL/LB

GUARANTEED ANALYSIS			
Crude Protein (min.)	14.00%		
Lysine (min.)	0.80%		
Methionine (min.)	0.22%		
Threonine (min.)	0.66%		
Tryptophan (min.)	0.18%		
Leucine (min.)	0.96%		
Crude Fat (min.)	10.00%		
Crude Fiber (max.)	17.00%		
ADF (max.)	21.00%		
NDF (max.)	36.00%		
Calcium (min.)	0.90%		
Calcium (max.)	1.40%		
Phosphorus (min.)	0.60%		
Magnesium (min.)	0.37%		
Potassium (min.)	1.20%		
Sodium (min.)	0.40%		
Sodium (max.)	0.75%		
Salt (min.)	0.25%		
Salt (max.)	0.50%		
Omega-3 Fatty Acids (min.)	0.60%		
Omega-6 Fatty Acids (min.)	3.50%		
Selenium (min.)	0.50 ppm		
Selenium (max.)	1.00 ppm		
Zinc (min.)	200 ppm		
Manganese (min.)	100 ppm		
Cobalt (min.)	0.40 ppm		
Copper (min.)	50 ppm		
Iron (min.)	175 ppm		
Vitamin A (min.)	6,000 IU/lb.		
Vitamin D min.)	1,000 IU/lb.		
Vitamin E (min.)	175 IU/lb.		
Riboflavin-B2 (min.)	2.50 mg/lb.		
Thiamin-B1 (min.)	7.00 mg/lb.		
Ascorbic Acid (min.)	45 mg/lb.		
Biotin (min.)	0.20 mg/lb.		
Total Direct Fed Microbials (min.)	2.33 billion CFU/lb.		
Lactobacillus Acidophilus Fermentation Product (min.)	590 million CFU/lb.		
Enterococcus Faecium Fermentation Product (min.)	590 million CFU/lb.		
Bacillus Subtilis Dried Fermentation Product (min.)	22 million CFU/lb.		
Saccharomyces Cerevisiae Yeast Culture (min.)	1.13 billion CFU/lb.		
Cellulase¹ (Trichoderma Longibrachiatum Fermentation Extract) (min.)	044 million CFU/lb.		
Protease² (Bacillus Subtilis Fermentation Extract) (min.)	927 HUT/lb.		

INGREDIENTS

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001) Dehydrated Alfalfa Meal, Wheat Middlings, Shredded Beet Pulp, Soybean Hulls, Cane Molasses, Dehulled Soybean Meal, Soybean Oil, Distillers Dried Grains, Ground Flaxseed, Stabilized Rice Bran, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Yeast Extract, Yeast Culture, Hydrolyzed Yeast, Dried Enterococcus Faecium Fermentation Product, Dried Lactobacillus Acidophilus Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Dried Trichoderma Longibrachiatum Fermentation Extract, Dried Bacillus Subtilis Fermentation Extract, Zinc Hydroxy Chloride, Manganese Hydroxy Chloride, Copper Hydroxy Chloride, Vegetable Oil, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Kelp Meal, Lecithin, Magnesium Proteinate, Selenium Yeast, L-Lysine, DL-methionine, L-Threonine, L-Leucine, Salt, Sodium Bicarbonate, Fenugreek Seed, Anise, Ascorbic Acid (Source of Vitamin C), Niacin Supplement, Biotin, Vitamin A Supplement, Vitamin E Supplement, Thiamine Mononitrate, Beta Carotene, Calcium Pantothenate, Riboflavin Supplement, Pyridoxine Hydrochloride, Vitamin B12 Supplement, Vitamin D3 Supplement, Choline Chloride, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Folic Acid, Hydrated Sodium Calcium Aluminosilicate, Brewers Dried Yeast, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Cobalt Proteinate, Iron Amino Acid Complex, Ethylenediamine Dihydroiodide, (Propionic Acid, Sodium Benzoate, Potassium Sorbate (Preservatives)).

FEEDING DIRECTIONS

IE VOLID HODGE CAN EAT HAY

II TOOK HOROZ GAN EAT HAT	
500 - 600 lb. pony	4 lb. per day
1,000 - 1,100 lb. horse	6 lb. per day
IE VOLID HODSE CANNOT EAT HAY	

IF YOUR HORSE CANNOT EAT HAY	
500 - 600 lb. pony	7 lb. per day
1,000 - 1,100 lb. horse	12 lb. per day

OTHER CONSIDERATIONS

If feeding less than 6 lb. per day (per 1,000 lb. of body weight) in combination with hay, supplement with 1 lb. per day of Triple Crown Balancer or Triple Crown Balancer Gold in order to meet recommended levels of vitamins, minerals and digestive support.

If your horse cannot eat hay, be sure to feed 1 to 2% of body weight daily.

Adjust the amount of Triple Crown Senior up or down as needed after 2 to 4 weeks to maintain desired body condition. Do not feed more than 5 lb. at a single meal (3 lb. for ponies). Allow 3 to 4 hours between meals.

Provide salt and plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with inserts

^{1.} One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C.

^{2.} One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid. Estimated values determined by Equi-Analytical, Ithaca, NY.