

**5,000
LUMEN**

SURGE[®]

HALOGEN WORKLIGHT

OWNER'S MANUAL

Model WKL6004AS

SAVE THIS MANUAL FOR FUTURE REFERENCE




Intertek
5035358

IMPORTANT SAFETY WARNINGS

**READ ALL SAFETY WARNINGS AND INSTRUCTIONS CAREFULLY
BEFORE ASSEMBLING AND OPERATING YOUR WORKLIGHT.**

 WARNING: TO REDUCE THE RISK OF FIRE, ELECTRICAL SHOCK, EXPOSURE TO UV RADIATION OR PERSONAL INJURY:

- Do not use with extension cord near water or where water may accumulate. Keep worklight at least 16 feet from pools and spas. Keep plugs and receptacles dry. Use only three wire outdoor extension cords with grounded plugs and grounded receptacles.
- **HALOGEN BULB GETS EXTREMELY HOT VERY QUICKLY.**
- Do not touch hot lens guard or enclosure while worklight is in operation or after operation. Wait for worklight to cool completely before storing.
- Do not remain in path of light if skin feels warm.
- Ground Fault Circuit Interrupter (GFCI) protection should be provided on the circuit(s) or outlet(s) to be used for this worklight in wet locations. Receptacles are available having the built-in GFCI protection and are to be used for this measure of safety.
- Use only with an extension cord for outdoor use, such as an extension cord marked with cord type: SW, SW-A, SOW, SOW-A, STW, STW-A, STOW, STOW-A, SJW, SJW-A, SJOW, SJOW-A, SJTW, SJTW-A or SJTOW, SJTOW-A.
- Do not look directly at the lighted lamp to avoid eye injuries.
- Always keep the worklight away from any flammable surface or materials. The lamp housing can exceed temperature of 230° F.
- Always check for damage or worn-out parts before using the worklight. Broken parts will affect the worklight operation. Replace or repair damaged or worn parts immediately. If repairs are needed, consult a professional electrician.
- Do not use a pressure washer to clean this product.
- Do not modify the worklight in any way. Unauthorized modification may impair the function and/or safety and could affect the life of the product. Do not use the worklight for anything other than its intended purpose.
- Store the worklight in a secure place out of reach of children. Inspect the worklight for good working condition prior to storage and before each use.


USE CAUTION AND COMMON SENSE WHEN OPERATING YOUR WORKLIGHT.

SAVE THIS MANUAL FOR FUTURE REFERENCE.

ASSEMBLY INSTRUCTIONS

WORKLIGHT PARTS

1. Carry Handle
2. Protective Cage
3. U-shaped Stand
4. Bracket
5. Worklight



ATTACHING WORKLIGHT TO STAND

1. Place the U-shaped stand (4) on a flat surface.
2. Position the bracket (4) (with worklight (5)) on the U-shaped stand (3) as shown, and secure using two bolts, washers and wingnuts.
3. Hook protective cage ends into bottom of worklight frame, then squeeze protective cage and insert upper ends into top of worklight frame.

HALOGEN BULB REPLACEMENT

Replace bulb only with 400 W halogen made for the light.

1. Turn off the worklight and unplug from power source.
2. Allow the worklight to cool completely.
3. Always wear gloves or use a clean cloth to handle bulb. The natural oil from skin will leave a residue that will cause the light to burn out immediately.
4. To remove the lens cover, remove wingnut and carry handle (1), then remove retaining screw on the front of the lens cover. The lens cover will then swing open exposing the bulb.
5. To remove the bulb, grip one end of the bulb and gently push towards the other end and pull outward to release the bulb.
6. Using a clean cloth or wearing gloves to hold the new bulb, gently insert one end of the bulb into the receptacle and press firmly into place.
7. Place the other end of the bulb into the opposite receptacle and gently press into place. Make sure bulb is seated properly.
8. Close the lens cover and replace the retaining screw.

OPERATION

ON - OFF SWITCH

Your worklight is equipped with a plunger switch on the back side of the worklight.

MAINTENANCE

Clean the lens and stand regularly with a non-abrasive cleaner.

- ⚠ WARNING:** Always make sure the worklight is unplugged and completely cool before attempting to clean.

1-YEAR LIMITED WARRANTY

For 1-year from date of purchase, Fair Game Group warrants the Halogen Worklight against defects due to workmanship or materials to the original purchaser. Fair Game Group's obligations under this warranty are limited to the following guidelines:

- This warranty does not cover units that have been altered/modified or damaged due to: normal wear, rust, abuse, improper maintenance and/or improper use.
- This warranty does not cover surface scratches or heat damage to the finish, which is considered normal wear.
- Fair Game Group may elect to repair or replace damaged units covered by the terms of this warranty.
- This warranty extends to the original purchaser only and is not transferable or assignable to subsequent purchasers.

Fair Game Group requires reasonable proof of purchase. Therefore, we strongly recommend that you retain your sales receipt or invoice. To obtain replacement parts for your Halogen Worklight under the terms of this warranty, please contact Customer Service Department at 855-735-9922 or help@fairgameus.com for a **Return Authorization Number** and further instructions. **A receipt or proof of purchase will be required.** Fair Game Group will not be responsible for any units forwarded to us without prior authorization.

EXCEPT AS ABOVE STATED, FAIR GAME GROUP MAKES NO OTHER EXPRESS WARRANTY.

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE LIMITED IN DURATION TO 1-YEAR FROM THE DATE OF PURCHASE. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

ANY LIABILITY FOR INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM THE FAILURE OF THE HALOGEN WORKLIGHT TO COMPLY WITH THIS WARRANTY OR ANY IMPLIED WARRANTY IS EXCLUDED. CUSTOMER ACKNOWLEDGES THAT THE PURCHASE PRICE CHARGED IS BASED UPON THE LIMITATIONS CONTAINED IN THE WARRANTY SET OUT ABOVE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

Supplier's Declaration of Conformity

47 CFR § 2.1077 Compliance Information

Unique Identifier: Model Number#: WKL6004AS

Responsible Party - U.S. Contact Information

Fair Game LLC
3204 Skylane Dr.
Carrollton, TX 75006
972-735-9922

FCC Compliance Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help.

Warning: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

OM6004AS
1225

©2025 Fair Game Group LLC.
Carrollton, Texas 75006 U.S.A.
www.surgeighting.com

Owner's Manual for Model
WKL6004AS