


USER MANUAL

Thermo Bucket Belt



BK-HEAT-STRAP

SRP-HEAT-TALL

July 2025

TABLE OF CONTENTS

3	Technical Specifications
4	Package Contents
5	Instructions
BACK COVER	Contact Us


TECHNICAL SPECIFICATIONS

The RentACoop® Thermo Bucket Belt automatically turns on to heat up your water source when the water temperature is at or below 38°F and it will automatically shut-off when the water temperature reaches 42°F.

Indoor and outdoor, covered-use only

Strap Dimensions: 20" x 3" (Small) or 32" x 3" (Large)
Power consumption: 40 watts when on
Cord Length: 2M
Plug Type: US 3-Prong Male AC Plug for US Type B power outlets*

Bucket compatibility: works on all standard round 5 gallon buckets and RentACoop® 2-Gallon and 5-Gallon Buckets (excluding High-Rise models)





Works only with RentACoop®'s Horizontal Nipples. Do not use with cups.

**For use with GFCI certified outlet and/or GFCI certified extension cord only. When paired with an extension cord outdoors, protect the connection with an outdoor extension cord cover (sold separately) for safety.*

PACKAGE CONTENTS

1x Thermo Bucket Belt [Small OR Large]




1x Insulated Cover [Small OR Large]




INSTRUCTIONS


1. Remove adhesive backing from the belt.



2. Place belt around bucket, sticky side against the bucket or waterer of choice, no more than 4 inches above horizontal nipples. We recommend placing the belt 2 inches above. Connect the loops of the springs to their corresponding clasps.



3. Wrap insulated cover around bucket belt as snugly as possible and secure using the velcro.



4. Connect plug to power source.*

**Plug Type: US 3-Prong Male AC Plug for US Type B power outlets.*

*For use with GFCI certified outlet and/or GFCI certified extension cord only.
When paired with an extension cord outdoors, protect the connection with an outdoor extension cord cover (sold separately) for safety.*





RentACoop®

QUESTIONS?

CONTACT OUR
EGG - SPERTS

info@rentacoop.com

1 800-642-3571

M-F 9-5 EST



@rentacoop
#rentacoop

v. 202507