




Mirrored Wall Cabinet CF7028



PART LIST



HARDWARE LIST




ADDITIONAL TOOLS (Not Provided)

Note: It is not recommended to use power tools during assembly.



Phillips Head Screwdriver

Step 1. Hold support plate (part C) in desired location. Support plate (part C) will be about 2-1/2" lower than the top of framed mirror (part A). Make sure support plate (part C) is level, we recommend using a leveler to ensure it's oriented correctly. Use a pencil to mark the anchor locations using support plate (part C) screw holes as a guide. Drill two 11/32" holes in these marked spots and tap wall anchors (part #5) into the drilled holes. Secure support plate (part C) to wall anchors (part #5) using screws (part #4) and phillips head screwdriver. Mount framed mirror (part A) onto support plate (part C). The back of framed mirror (part A) has a recessed area that will hook onto support plate (part C). Use a pencil to mark the 2nd set of anchor locations using framed mirror (part A) screw holes as a guide. Remove framed mirror (part A) and drill two 11/32" holes in these marked spots and tap wall anchors (part #5) into the drilled holes. Remount framed mirror (part A) and secure it to wall anchors (part #5) using screws (part #4) and phillips head screwdriver.



Step 2. Insert shelf holders (part #3) into desired position. Slide adjustable shelves (part B) into place. Attach handle (part #1) to the door of framed mirror (part A) using round head bolts (part #2) and phillips head screwdriver.

